

# **Anthem MediBlue Plus (HMO) 2018 Formulary (List of Covered Drugs)**

**Please read:**

This document contains information about the drugs we cover in this plan.



---

This formulary was updated on October 1, 2018. For more recent information or other questions, please contact Anthem MediBlue Plus (HMO) Customer Service, at **1-888-230-7338** or, for TTY users, **711**, 8 a.m. to 8 p.m., seven days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30., or visit <https://shop.anthem.com/medicare/ca>.

## **Note to existing members:**

**This formulary has changed since last year.** Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Anthem Blue Cross. When it refers to “plan” or “our plan,” it means Anthem MediBlue Plus (HMO).

This document includes a list of the drugs (formulary) for our plan which is current as of November 1, 2018. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2019, and from time to time during the year.

The Formulary, pharmacy network, and/or provider network may change at any time. You will receive notice when necessary.

## What is the Anthem MediBlue Plus (HMO) formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the formulary (drug list) change?

Generally, if you are taking a drug on our 2018 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2018 coverage year except when a new, less expensive generic drug becomes available or when new adverse information about the safety or effectiveness of a drug is released. Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost sharing for those members taking it for the remainder of the coverage year. We feel it is important that you have continued access for the remainder of the coverage year to the formulary drugs that were available when you chose our plan, except for cases in which you can save additional money or we can ensure your safety.

If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step-therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 60 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 60-day supply of the drug. If the Food and Drug Administration (FDA) deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug. The enclosed formulary is current as of November 1, 2018. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. If any other type of approved formulary change

(nonmaintenance change) is made during the year, we will notify you by sending you a list of these changes, or by sending you an updated formulary.

## How do I use the formulary?

There are two ways to find your drug within the formulary:

### Medical Condition

The formulary begins on page 8. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular, Hypertension/Lipids." If you know what your drug is used for, look for the category name in the list that begins on page 8. Then look under the category name for your drug.

### Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 68. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Our plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

**Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from our plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.

**Quantity Limits:** For certain drugs, our plan limits the amount of the drug that our plan will cover. For example, our plan provides 30 tablets per prescription for *donepezil*. This may be in addition to a standard one-month or three-month supply.

**Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 8. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Anthem MediBlue Plus (HMO)'s formulary?” on page 4 for information about how to request an exception.

## What if my drug is not on the formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

**You can ask Customer Service for a list** of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.

**You can ask our plan to make an exception** and cover your drug. See below for information about how to request an exception.

## How do I request an exception to the Anthem MediBlue Plus (HMO)'s formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make:

**You can ask us to cover a drug even if it is not on our formulary.** If approved, this drug will be covered at a predetermined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level. **You can ask us to cover a formulary drug at a lower cost-sharing level.** If approved this would lower the amount you must pay for your drug.

**You can ask us to waive coverage restrictions or limits on your drug.** For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception, you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may

be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary, or if your ability to get your drugs is limited, we will cover a temporary 30-day supply (unless you have a prescription written for fewer days) when you go to a network pharmacy. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term-care facility, we will allow you to refill your prescription until we have provided you with a 98-day transition supply, consistent with dispensing increment (unless you have a prescription written for fewer days). We will cover more than one refill of these drugs for the first 90 days you are a member of our plan. If you need a drug that is not on our formulary, or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 34-day emergency supply of that drug (unless you have a prescription for fewer days) while you pursue a formulary exception.

During the time when you are getting a temporary supply of a drug, you should talk to your prescriber or prescribing physician to decide what to do when your supply runs out. You can call Customer Service to ask for a list of covered drugs that treat the same medical condition. This list can help your doctor find a covered drug that might work for you while you pursue a formulary exception. Please refer to the Evidence of Coverage for more information about exceptions.

## For more information

For more detailed information about our plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last

updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)**, 24 hours a day/7 days a week. TTY users should call **1-877-486-2048**. Or, visit <http://www.medicare.gov>.

## Our plan's formulary

The formulary on page 8 provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 68.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., SPIRIVA) and generic drugs are listed in lowercase italics (e.g., *atenolol*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

**QLL – Quantity Limits:** Restricts the frequency, amount or dosage of medication for which you can obtain benefits each time you get a prescription filled (most often set on a monthly basis).

**PAR – Prior Authorization:** The process of obtaining approval for certain prescriptions before benefits will be approved. You, your doctor or other network provider will need to request prior authorization before you fill the prescription.

**ST – Step Therapy:** The process of first trying a certain drug or drugs to determine if that drug or those drugs will treat your medical condition before your plan will cover another drug for that condition.

**B/D – Part B vs. Part D:** This drug may be covered under either your Part D prescription drug benefits or as a Part B drug under your medical benefits, as determined by Medicare.

**LA – Limited Access:** This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call Customer Service at 1-888-230-7338, 8 a.m. to 8 p.m., seven days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday

(except holidays) from February 15 through September 30. TTY/TDD users should call 711.

**INJ – Injectable:** The drug is available in injectable form.

**MO – Mail Orders:** Prescription drugs available through mail order.

**CG – Coverage Gap:** We provide additional coverage of this prescription drug in the coverage gap. Please refer to your Evidence of Coverage for more information about this coverage.

## Cost-sharing for a one-month supply of a covered Part D prescription drug during the Initial Coverage Stage:

| Cost-Sharing Tier 1: Preferred Generic                                                                 |          |
|--------------------------------------------------------------------------------------------------------|----------|
| Network Pharmacy with preferred cost-sharing (30-day supply) or Mail-Order Pharmacy** (30-day supply)  | \$0.00   |
| Network Pharmacy with standard cost-sharing (30-day supply) or Long-Term-Care Pharmacy (34-day supply) | \$5.00   |
| Cost-Sharing Tier 2: Generic                                                                           |          |
| Network Pharmacy with preferred cost-sharing (30-day supply) or Mail-Order Pharmacy** (30-day supply)  | \$7.00   |
| Network Pharmacy with standard cost-sharing (30-day supply) or Long-Term-Care Pharmacy (34-day supply) | \$12.00  |
| Cost-Sharing Tier 3: Preferred Brand                                                                   |          |
| Network Pharmacy with preferred cost-sharing (30-day supply) or Mail-Order Pharmacy** (30-day supply)  | \$42.00  |
| Network Pharmacy with standard cost-sharing (30-day supply) or Long-Term-Care Pharmacy (34-day supply) | \$47.00  |
| Cost-Sharing Tier 4: Nonpreferred Drugs                                                                |          |
| Network Pharmacy with preferred cost-sharing (30-day supply) or Mail-Order Pharmacy** (30-day supply)  | \$95.00  |
| Network Pharmacy with standard cost-sharing (30-day supply) or Long-Term-Care Pharmacy (34-day supply) | \$100.00 |
| Cost-Sharing Tier 5: Specialty Tier*                                                                   |          |
| Network Pharmacy with preferred cost-sharing (30-day supply) or Mail-Order Pharmacy** (30-day supply)  | 33%      |
| Network Pharmacy with standard cost-sharing (30-day supply) or Long-Term-Care Pharmacy (34-day supply) | 33%      |
| Cost-Sharing Tier 6: Select Care Drugs                                                                 |          |
| Network Pharmacy with preferred cost-sharing (30-day supply) or Mail-Order Pharmacy** (30-day supply)  | \$0.00   |
| Network Pharmacy with standard cost-sharing (30-day supply) or Long-Term-Care Pharmacy (34-day supply) | \$0.00   |

Please refer to our Evidence of Coverage for more information on cost sharing.

Network Pharmacy with preferred cost-sharing – A network pharmacy that offers covered drugs to members of our plan that may have lower cost-sharing levels than other network pharmacies with standard cost-sharing.

\* A long-term supply is not available for drugs in the Tier 5: Specialty Tier

\*\* Mail-Order Pharmacy – Mail-order service allows you to order a 30–90-day supply of drugs. The drugs available through our plan’s mail-order service are marked as “mail-order” drugs in our drug list.

## Covered Medications by Therapeutic Category

### Legend

Generic drugs are shown in lowercase italic (e.g., *atenolol*).

Brand-name drugs are shown in capital letters (e.g., SPIRIVA).

**QLL – Quantity Limits:** Restricts the frequency, amount or dosage of medication for which you can obtain benefits each time you get a prescription filled (most often set on a monthly basis).

**PAR – Prior Authorization:** The process of obtaining approval for certain prescriptions before benefits will be approved. You, your doctor or other network provider will need to request prior authorization before you fill the prescription.

**ST – Step Therapy:** The process of first trying a certain drug or drugs to determine if that drug or those drugs will treat your medical condition before your plan will cover another drug for that condition.

**B/D – Part B vs. Part D:** This drug may be covered under either your Part D prescription drug benefits or as a Part B drug under your medical benefits, as determined by Medicare.

**LA – Limited Access:** This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call Customer Service at 1-888-230-7338, 8 a.m. to 8 p.m., seven days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30. TTY/TDD users should call 711.

**INJ – Injectable:** The drug is available in injectable form.

**MO – Mail Orders:** Prescription drugs available through mail order.

**CG – Coverage Gap:** We provide additional coverage of this prescription drug in the coverage gap. Please refer to your Evidence of Coverage for more information about this coverage.

| <b>Drug Name</b>                                      | <b>Drug Tier</b> | <b>Requirements /Limits</b> | <b>Drug Name</b>                               | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|-------------------------------------------------------|------------------|-----------------------------|------------------------------------------------|------------------|-----------------------------|
| <b>Anti - Infectives</b>                              |                  |                             | <i>adefovir</i>                                | 5                | PAR; MO                     |
| <i>abacavir oral solution</i>                         | 4                | MO; QLL (960 per 30 days)   | ALBENZA                                        | 5                | MO                          |
| <i>abacavir oral tablet</i>                           | 4                | MO; QLL (60 per 30 days)    | ALINIA ORAL SUSPENSION FOR RECONSTITUTION      | 4                | MO; QLL (180 per 30 days)   |
| <i>abacavir-lamivudine</i>                            | 5                | MO; QLL (30 per 30 days)    | ALINIA ORAL TABLET                             | 5                | MO; QLL (6 per 30 days)     |
| <i>abacavir-lamivudine-zidovudine</i>                 | 5                | MO; QLL (60 per 30 days)    | <i>amantadine hcl</i>                          | 3                | MO                          |
| ABELCET                                               | 5                | B/D PAR; MO                 | AMBISOME                                       | 5                | B/D PAR; MO                 |
| <i>acyclovir oral capsule</i>                         | 2                | MO                          | AMIKACIN INJECTION SOLUTION 1,000 MG/4 ML      | 4                | MO                          |
| <i>acyclovir oral suspension 200 mg/5 ml</i>          | 4                | MO                          | <i>amikacin injection solution 500 mg/2 ml</i> | 4                | MO                          |
| <i>acyclovir oral tablet</i>                          | 2                | MO                          | <i>amoxicillin oral capsule</i>                | 1                | MO                          |
| <i>acyclovir sodium 50 mg/ml intravenous solution</i> | 4                | B/D PAR; MO                 |                                                |                  |                             |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.



| Drug Name                                                                                                                | Drug Tier | Requirements /Limits      |
|--------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------|
| <i>amoxicillin oral suspension for reconstitution</i>                                                                    | 1         | MO                        |
| <i>amoxicillin oral tablet</i>                                                                                           | 1         | MO                        |
| <i>amoxicillin oral tablet, chewable 125 mg</i>                                                                          | 2         | MO                        |
| <i>amoxicillin oral tablet, chewable 250 mg</i>                                                                          | 1         | MO                        |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i> | 3         | MO                        |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i>                                   | 4         | MO                        |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>                                                                | 3         | MO                        |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>                                                    | 2         | MO                        |
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr</i>                                                    | 4         | MO                        |
| <i>amoxicillin-pot clavulanate oral tablet, chewable</i>                                                                 | 3         | MO                        |
| <i>amphotericin b</i>                                                                                                    | 4         | B/D PAR; MO               |
| <i>ampicillin oral capsule 500 mg</i>                                                                                    | 1         | MO                        |
| <i>ampicillin sodium injection</i>                                                                                       | 4         | MO                        |
| <i>ampicillin sodium intravenous</i>                                                                                     | 4         |                           |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i>                                                        | 4         | MO                        |
| <i>ampicillin-sulbactam injection recon soln 15 gram</i>                                                                 | 4         |                           |
| <i>ampicillin-sulbactam intravenous recon soln 1.5 gram</i>                                                              | 4         |                           |
| <i>ampicillin-sulbactam intravenous recon soln 3 gram</i>                                                                | 4         | MO                        |
| APTIVUS ORAL CAPSULE                                                                                                     | 5         | MO; QLL (120 per 30 days) |
| APTIVUS ORAL SOLUTION                                                                                                    | 5         | QLL (380 per 30 days)     |

| Drug Name                                                                     | Drug Tier | Requirements /Limits     |
|-------------------------------------------------------------------------------|-----------|--------------------------|
| <i>atazanavir oral capsule 150 mg, 200 mg</i>                                 | 5         | MO; QLL (60 per 30 days) |
| <i>atazanavir oral capsule 300 mg</i>                                         | 5         | MO; QLL (30 per 30 days) |
| <i>atovaquone</i>                                                             | 5         | PAR; MO                  |
| <i>atovaquone-proguanil</i>                                                   | 4         | MO                       |
| ATRIPLA                                                                       | 5         | MO; QLL (30 per 30 days) |
| <i>azithromycin intravenous</i>                                               | 4         | MO                       |
| <i>azithromycin oral packet</i>                                               | 3         | MO                       |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml</i>            | 4         | MO                       |
| <i>azithromycin oral suspension for reconstitution 200 mg/5 ml</i>            | 2         | MO                       |
| <i>azithromycin oral tablet 250 mg, 250 mg (6 pack)</i>                       | 1         | MO                       |
| <i>azithromycin oral tablet 500 mg, 600 mg</i>                                | 2         | MO                       |
| <i>aztreonam</i>                                                              | 4         | MO                       |
| BARACLUDGE ORAL SOLUTION                                                      | 5         | PAR; MO                  |
| BICILLIN C-R                                                                  | 4         | MO                       |
| BICILLIN L-A                                                                  | 4         | MO                       |
| BIKTARVY                                                                      | 5         | MO; QLL (30 per 30 days) |
| CANCIDAS                                                                      | 5         | B/D PAR; MO              |
| CAPASTAT                                                                      | 4         |                          |
| CAYSTON                                                                       | 5         | PAR; MO; LA              |
| <i>cefaclor oral capsule</i>                                                  | 3         | MO                       |
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>   | 2         | MO                       |
| <i>cefaclor oral suspension for reconstitution 375 mg/5 ml</i>                | 2         |                          |
| <i>cefaclor oral tablet extended release 12 hr</i>                            | 3         | MO                       |
| <i>cefadroxil oral capsule</i>                                                | 2         | MO                       |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 3         | MO                       |
| <i>cefadroxil oral tablet</i>                                                 | 4         | MO                       |
| <i>cefazolin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml</i>      | 3         | MO                       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                         | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|--------------------------------------------------------------------------|------------------|-----------------------------|
| <i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i> | 4                | MO                          |
| <i>cefazolin injection recon soln 1 gram</i>                             | 4                | MO                          |
| <i>cefazolin injection recon soln 10 gram, 100 gram, 20 gram, 300 g</i>  | 4                |                             |
| <i>cefazolin injection recon soln 500 mg</i>                             | 3                | MO                          |
| <i>cefazolin intravenous</i>                                             | 4                |                             |
| <i>cefdinir oral capsule</i>                                             | 2                | MO                          |
| <i>cefdinir oral suspension for reconstitution</i>                       | 4                | MO                          |
| <i>cefepime</i>                                                          | 4                | MO                          |
| <i>cefepime in dextrose,iso-osm intravenous piggyback 1 gram/50 ml</i>   | 4                |                             |
| <i>cefepime in dextrose,iso-osm intravenous piggyback 2 gram/100 ml</i>  | 4                | MO                          |
| <i>cefotaxime injection recon soln 1 gram, 2 gram, 500 mg</i>            | 4                |                             |
| <i>cefotetan</i>                                                         | 4                |                             |
| <i>cefoxitin in dextrose, iso-osm</i>                                    | 4                |                             |
| <i>cefoxitin intravenous recon soln 1 gram, 2 gram</i>                   | 4                | MO                          |
| <i>cefoxitin intravenous recon soln 10 gram</i>                          | 4                |                             |
| <i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml</i>        | 4                | MO                          |
| <i>cefpodoxime oral suspension for reconstitution 50 mg/5 ml</i>         | 3                | MO                          |
| <i>cefpodoxime oral tablet 100 mg</i>                                    | 3                | MO                          |
| <i>cefpodoxime oral tablet 200 mg</i>                                    | 4                | MO                          |
| <i>cefprozil oral suspension for reconstitution</i>                      | 3                | MO                          |
| <i>cefprozil oral tablet 250 mg</i>                                      | 2                | MO                          |
| <i>cefprozil oral tablet 500 mg</i>                                      | 3                | MO                          |
| <b>CEFTAZIDIME IN D5W</b>                                                | 4                |                             |
| <i>ceftazidime injection recon soln 1 gram, 2 gram</i>                   | 4                | MO                          |

| <b>Drug Name</b>                                                  | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|-------------------------------------------------------------------|------------------|-----------------------------|
| <i>ceftazidime injection recon soln 6 gram</i>                    | 4                |                             |
| <i>ceftriaxone in dextrose,iso-os</i>                             | 4                | MO                          |
| <i>ceftriaxone injection recon soln 1 gram, 250 mg</i>            | 3                | MO                          |
| <i>ceftriaxone injection recon soln 10 gram</i>                   | 4                |                             |
| <b>CEFTRIAZONE INJECTION RECON SOLN 100 GRAM</b>                  | 4                |                             |
| <i>ceftriaxone injection recon soln 2 gram, 500 mg</i>            | 4                | MO                          |
| <i>ceftriaxone intravenous recon soln 1 gram</i>                  | 3                | MO                          |
| <i>ceftriaxone intravenous recon soln 2 gram</i>                  | 4                | MO                          |
| <i>cefuroxime axetil oral tablet 250 mg</i>                       | 1                | MO                          |
| <i>cefuroxime axetil oral tablet 500 mg</i>                       | 2                | MO                          |
| <i>cefuroxime sodium injection recon soln 750 mg</i>              | 4                | MO                          |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram</i>          | 4                | MO                          |
| <i>cefuroxime sodium intravenous recon soln 7.5 gram</i>          | 4                |                             |
| <i>cephalexin oral capsule 250 mg, 500 mg</i>                     | 1                | MO                          |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml</i>  | 1                | MO                          |
| <i>cephalexin oral suspension for reconstitution 250 mg/5 ml</i>  | 2                | MO                          |
| <i>cephalexin oral tablet</i>                                     | 1                | MO                          |
| <i>chloramphenicol sod succinate</i>                              | 4                |                             |
| <i>chloroquine phosphate</i>                                      | 2                | MO                          |
| <i>cidofovir</i>                                                  | 5                | B/D PAR; MO                 |
| <b>CIMDUO</b>                                                     | 5                | MO; QLL (30 per 30 days)    |
| <i>ciprofloxacin er oral tablet, er multiphase 24 hr 1,000 mg</i> | 3                | MO                          |
| <i>ciprofloxacin er oral tablet, er multiphase 24 hr 500 mg</i>   | 2                | MO                          |
| <i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>               | 2                | MO                          |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                    | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|-------------------------------------------------------------------------------------|------------------|-----------------------------|
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i>                                 | 1                | MO                          |
| <i>ciprofloxacin in 5 % dextrose</i>                                                | 4                | MO                          |
| <i>ciprofloxacin oral suspension</i>                                                | 4                |                             |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml</i>                | 2                | MO                          |
| <i>clarithromycin oral suspension for reconstitution 250 mg/5 ml</i>                | 4                | MO                          |
| <i>clarithromycin oral tablet</i>                                                   | 3                | MO                          |
| <i>clarithromycin oral tablet extended release 24 hr</i>                            | 3                | MO                          |
| <i>clindamycin hcl</i>                                                              | 2                | MO                          |
| <i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml</i> | 4                | MO                          |
| <i>clindamycin in 5 % dextrose intravenous piggyback 900 mg/50 ml</i>               | 3                | MO                          |
| <i>clindamycin phosphate injection</i>                                              | 4                | MO                          |
| <i>clindamycin phosphate intravenous</i>                                            | 4                |                             |
| <i>clotrimazole mucous membrane</i>                                                 | 3                | MO                          |
| COARTEM                                                                             | 4                | MO                          |
| <i>colistin (colistimethate na)</i>                                                 | 4                | MO                          |
| COMPLERA                                                                            | 5                | MO; QLL (30 per 30 days)    |
| CRIXIVAN ORAL CAPSULE 200 MG                                                        | 4                | MO; QLL (360 per 30 days)   |
| CRIXIVAN ORAL CAPSULE 400 MG                                                        | 4                | MO; QLL (180 per 30 days)   |
| CUBICIN                                                                             | 5                | MO                          |
| <i>dapsone oral</i>                                                                 | 3                | MO                          |
| <i>daptomycin intravenous recon soln 500 mg</i>                                     | 5                | MO                          |
| DARAPRIM                                                                            | 3                | MO                          |
| <i>demeclocycline</i>                                                               | 4                | MO                          |
| DESCOVY                                                                             | 5                | MO; QLL (30 per 30 days)    |
| <i>dicloxacillin</i>                                                                | 2                | MO                          |
| <i>didanosine oral capsule, delayed release(dr/ec) 200 mg</i>                       | 3                | MO; QLL (60 per 30 days)    |

| <b>Drug Name</b>                                                                       | <b>Drug Tier</b> | <b>Requirements /Limits</b>   |
|----------------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>                  | 3                | MO; QLL (30 per 30 days)      |
| DIFICID                                                                                | 5                | PAR; MO                       |
| DORIPENEM                                                                              | 4                |                               |
| <i>doxy-100</i>                                                                        | 4                | MO                            |
| <i>doxycycline hyclate intravenous</i>                                                 | 4                |                               |
| <i>doxycycline hyclate oral capsule</i>                                                | 3                | MO                            |
| <i>doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg</i>                    | 3                | MO                            |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>                              | 2                | MO                            |
| <i>doxycycline monohydrate oral suspension for reconstitution</i>                      | 3                | MO                            |
| <i>doxycycline monohydrate oral tablet 100 mg</i>                                      | 2                | MO                            |
| <i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg e.e.s. 400 oral tablet</i> | 3                | MO                            |
| EDURANT                                                                                | 5                | MO; QLL (30 per 30 days)      |
| <i>efavirenz oral capsule 200 mg</i>                                                   | 4                | MO; QLL (120 per 30 days)     |
| <i>efavirenz oral capsule 50 mg</i>                                                    | 4                | MO; QLL (360 per 30 days)     |
| <i>efavirenz oral tablet</i>                                                           | 5                | MO; QLL (30 per 30 days)      |
| EMTRIVA ORAL CAPSULE                                                                   | 4                | MO; QLL (30 per 30 days)      |
| EMTRIVA ORAL SOLUTION                                                                  | 4                | MO; QLL (850 per 30 days)     |
| <i>entecavir</i>                                                                       | 5                | PAR; MO                       |
| EPCLUSA                                                                                | 5                | PAR; MO; QLL (30 per 30 days) |
| EPIVIR HBV ORAL SOLUTION                                                               | 3                | MO                            |
| EPIVIR ORAL SOLUTION                                                                   | 4                | MO; QLL (960 per 30 days)     |
| EPZICOM                                                                                | 5                | MO; QLL (30 per 30 days)      |
| <i>ertapenem</i>                                                                       | 4                |                               |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                                                | Drug Tier | Requirements /Limits     |
|--------------------------------------------------------------------------|-----------|--------------------------|
| <i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i>       | 3         | MO                       |
| ERY-TAB ORAL TABLET, DELAYED RELEASE (DR/EC) 500 MG                      | 4         | MO                       |
| <i>erythrocin (as stearate) oral tablet 250 mg</i>                       | 3         | MO                       |
| ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG                                 | 4         | MO                       |
| <i>erythromycin ethylsuccinate oral tablet</i>                           | 3         | MO                       |
| <i>erythromycin oral capsule, delayed release(dr/ec)</i>                 | 2         | MO                       |
| <i>erythromycin oral tablet</i>                                          | 4         | MO                       |
| <i>ethambutol</i>                                                        | 4         | MO                       |
| EVOTAZ                                                                   | 5         | MO; QLL (30 per 30 days) |
| <i>famciclovir oral tablet 125 mg, 250 mg</i>                            | 3         | MO; QLL (60 per 30 days) |
| <i>famciclovir oral tablet 500 mg</i>                                    | 3         | MO; QLL (21 per 7 days)  |
| <i>fluconazole in dextrose(iso-o)</i>                                    | 4         |                          |
| FLUCONAZOLE IN NAACL (ISO-OSM) INTRAVENOUS PIGGYBACK 100 MG/50 ML        | 4         |                          |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i> | 4         | MO                       |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i> | 4         |                          |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml</i>           | 3         | MO                       |
| <i>fluconazole oral suspension for reconstitution 40 mg/ml</i>           | 4         | MO                       |
| <i>fluconazole oral tablet 100 mg, 150 mg, 50 mg</i>                     | 2         | MO                       |
| <i>fluconazole oral tablet 200 mg</i>                                    | 3         | MO                       |
| <i>flucytosine oral capsule 250 mg</i>                                   | 4         | MO                       |

| Drug Name                                                                                         | Drug Tier | Requirements /Limits          |
|---------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <i>flucytosine oral capsule 500 mg</i>                                                            | 5         | MO                            |
| <i>fosamprenavir</i>                                                                              | 5         | MO; QLL (120 per 30 days)     |
| FUZEON SUBCUTANEOUS RECON SOLN                                                                    | 5         | MO; QLL (60 per 30 days)      |
| <i>ganciclovir sodium intravenous recon soln</i>                                                  | 3         | B/D PAR; MO                   |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml</i>              | 3         | MO                            |
| GENTAMICIN IN NAACL (ISO-OSM) INTRAVENOUS PIGGYBACK 100 MG/50 ML, 120 MG/100 ML                   | 4         |                               |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 70 mg/50 ml, 80 mg/100 ml, 90 mg/100 ml</i> | 4         |                               |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 80 mg/50 ml</i>                             | 4         | MO                            |
| <i>gentamicin injection solution 20 mg/2 ml</i>                                                   | 4         | MO                            |
| <i>gentamicin injection solution 40 mg/ml</i>                                                     | 3         | MO                            |
| <i>gentamicin sulfate (ped) (pf)</i>                                                              | 4         | MO                            |
| <i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml</i>                                  | 4         | MO                            |
| GENTAMICIN SULFATE (PF) INTRAVENOUS SOLUTION 60 MG/6 ML                                           | 4         |                               |
| GENVOYA                                                                                           | 5         | MO; QLL (30 per 30 days)      |
| <i>griseofulvin microsize</i>                                                                     | 4         | MO                            |
| <i>griseofulvin ultramicrosize</i>                                                                | 4         | MO                            |
| HARVONI                                                                                           | 5         | PAR; MO; QLL (28 per 28 days) |
| <i>hydroxychloroquine</i>                                                                         | 2         | MO                            |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i>                                          | 3         | MO                            |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                         | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|----------------------------------------------------------|------------------|-----------------------------|
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> | 4                | MO                          |
| INTELENCE ORAL TABLET 100 MG                             | 5                | MO; QLL (120 per 30 days)   |
| INTELENCE ORAL TABLET 200 MG                             | 5                | MO; QLL (60 per 30 days)    |
| INTELENCE ORAL TABLET 25 MG                              | 4                | MO; QLL (480 per 30 days)   |
| INVANZ INJECTION                                         | 4                | MO                          |
| INVANZ INTRAVENOUS                                       | 4                |                             |
| INVIRASE ORAL CAPSULE                                    | 5                | QLL (300 per 30 days)       |
| INVIRASE ORAL TABLET                                     | 5                | MO; QLL (120 per 30 days)   |
| ISENTRESS HD                                             | 5                | MO; QLL (60 per 30 days)    |
| ISENTRESS ORAL POWDER IN PACKET                          | 4                | MO                          |
| ISENTRESS ORAL TABLET                                    | 5                | MO; QLL (120 per 30 days)   |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG                    | 5                | MO; QLL (180 per 30 days)   |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG                     | 3                | MO; QLL (720 per 30 days)   |
| <i>isoniazid injection</i>                               | 4                |                             |
| <i>isoniazid oral solution</i>                           | 4                | MO                          |
| <i>isoniazid oral tablet 100 mg</i>                      | 1                | MO                          |
| <i>isoniazid oral tablet 300 mg</i>                      | 2                | MO                          |
| <i>itraconazole oral capsule</i>                         | 4                | PAR; MO                     |
| <i>ivermectin</i>                                        | 3                | MO                          |
| JULUCA                                                   | 5                | MO; QLL (30 per 30 days)    |
| KALETRA ORAL SOLUTION                                    | 4                | MO; QLL (480 per 30 days)   |
| KALETRA ORAL TABLET 100-25 MG                            | 4                | MO; QLL (300 per 30 days)   |
| KALETRA ORAL TABLET 200-50 MG                            | 5                | MO; QLL (120 per 30 days)   |
| <i>ketoconazole oral</i>                                 | 3                | MO                          |
| <i>lamivudine oral solution</i>                          | 4                | MO; QLL (960 per 30 days)   |

| <b>Drug Name</b>                                                              | <b>Drug Tier</b> | <b>Requirements /Limits</b>     |
|-------------------------------------------------------------------------------|------------------|---------------------------------|
| <i>lamivudine oral tablet 100 mg</i>                                          | 4                | MO                              |
| <i>lamivudine oral tablet 150 mg</i>                                          | 4                | MO; QLL (60 per 30 days)        |
| <i>lamivudine oral tablet 300 mg</i>                                          | 4                | MO; QLL (30 per 30 days)        |
| <i>lamivudine-zidovudine</i>                                                  | 4                | MO; QLL (60 per 30 days)        |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i>                 | 4                |                                 |
| <i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i> | 4                | MO                              |
| <i>levofloxacin intravenous</i>                                               | 4                | MO                              |
| <i>levofloxacin oral solution</i>                                             | 4                | MO                              |
| <i>levofloxacin oral tablet 250 mg, 500 mg</i>                                | 1                | MO                              |
| <i>levofloxacin oral tablet 750 mg</i>                                        | 2                | MO                              |
| LEXIVA ORAL SUSPENSION                                                        | 4                | MO; QLL (1800 per 30 days)      |
| LEXIVA ORAL TABLET                                                            | 5                | MO; QLL (120 per 30 days)       |
| LINCOCIN                                                                      | 4                | MO                              |
| <i>lincomycin</i>                                                             | 4                |                                 |
| <i>linezolid in dextrose 5%</i>                                               | 4                |                                 |
| <i>linezolid oral suspension for reconstitution</i>                           | 4                | PAR; MO; QLL (1800 per 30 days) |
| <i>linezolid oral tablet</i>                                                  | 5                | PAR; MO; QLL (60 per 30 days)   |
| <i>linezolid-0.9% sodium chloride</i>                                         | 5                |                                 |
| <i>lopinavir-ritonavir</i>                                                    | 4                | MO; QLL (480 per 30 days)       |
| MALARONE                                                                      | 4                | MO                              |
| <i>mefloquine</i>                                                             | 2                | MO                              |
| <i>meropenem</i>                                                              | 4                | MO                              |
| <i>methenamine hippurate</i>                                                  | 4                | MO                              |
| <i>methenamine mandelate</i>                                                  | 2                | MO                              |
| <i>metro i.v.</i>                                                             | 4                | MO                              |
| <i>metronidazole in nacl (iso-os)</i>                                         | 3                | MO                              |
| <i>metronidazole oral capsule</i>                                             | 4                | MO                              |
| <i>metronidazole oral tablet</i>                                              | 2                | MO                              |
| <i>minocycline oral capsule</i>                                               | 2                | MO                              |
| <i>minocycline oral tablet</i>                                                | 4                | MO                              |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                                                        | Drug Tier | Requirements /Limits      |
|----------------------------------------------------------------------------------|-----------|---------------------------|
| <i>morgidox oral capsule 50 mg</i>                                               | 4         | MO                        |
| <i>moxifloxacin oral</i>                                                         | 3         | MO                        |
| MYCAMINE<br>INTRAVENOUS RECON<br>SOLN 100 MG                                     | 5         | MO                        |
| MYCAMINE<br>INTRAVENOUS RECON<br>SOLN 50 MG                                      | 4         | MO                        |
| <i>nafcillin in dextrose iso-osm<br/>intravenous piggyback 1<br/>gram/50 ml</i>  | 4         |                           |
| <i>nafcillin in dextrose iso-osm<br/>intravenous piggyback 2<br/>gram/100 ml</i> | 4         | MO                        |
| <i>nafcillin injection recon soln<br/>1 gram, 2 gram</i>                         | 4         | MO                        |
| <i>nafcillin injection recon soln<br/>10 gram</i>                                | 5         | MO                        |
| <i>nafcillin intravenous</i>                                                     | 4         | MO                        |
| NEBUPENT                                                                         | 3         | B/D PAR; MO               |
| <i>neomycin</i>                                                                  | 2         | MO                        |
| <i>nevirapine oral suspension</i>                                                | 4         | QLL (1200 per 30 days)    |
| <i>nevirapine oral tablet</i>                                                    | 2         | MO; QLL (60 per 30 days)  |
| <i>nevirapine oral tablet<br/>extended release 24 hr 100<br/>mg</i>              | 4         | MO                        |
| <i>nevirapine oral tablet<br/>extended release 24 hr 400<br/>mg</i>              | 4         | MO; QLL (30 per 30 days)  |
| <i>nitrofurantoin</i>                                                            | 4         | PAR; MO                   |
| <i>nitrofurantoin macrocrystal<br/>oral capsule 100 mg, 50 mg</i>                | 4         | PAR; MO                   |
| <i>nitrofurantoin monohyd/m-<br/>cryst</i>                                       | 4         | PAR; MO                   |
| NORVIR ORAL<br>CAPSULE                                                           | 4         | QLL (360 per 30 days)     |
| NORVIR ORAL<br>POWDER IN PACKET                                                  | 4         | MO; QLL (360 per 30 days) |
| NORVIR ORAL<br>SOLUTION                                                          | 4         | MO; QLL (480 per 30 days) |
| NORVIR ORAL TABLET                                                               | 3         | MO; QLL (360 per 30 days) |
| NOXAFIL ORAL                                                                     | 5         | PAR; MO                   |
| <i>nystatin oral suspension</i>                                                  | 2         | MO                        |

| Drug Name                                                                                                    | Drug Tier | Requirements /Limits     |
|--------------------------------------------------------------------------------------------------------------|-----------|--------------------------|
| <i>nystatin oral tablet</i>                                                                                  | 2         | MO                       |
| ODEFSEY                                                                                                      | 5         | MO; QLL (30 per 30 days) |
| <i>ofloxacin oral tablet 300 mg</i>                                                                          | 3         |                          |
| <i>ofloxacin oral tablet 400 mg</i>                                                                          | 3         | MO                       |
| <i>oseltamivir</i>                                                                                           | 3         | MO                       |
| <i>oxacillin in dextrose(iso-osm)<br/>intravenous piggyback 1<br/>gram/50 ml</i>                             | 4         |                          |
| <i>oxacillin in dextrose(iso-osm)<br/>intravenous piggyback 2<br/>gram/50 ml</i>                             | 5         | MO                       |
| <i>oxacillin injection recon soln<br/>1 gram</i>                                                             | 4         |                          |
| <i>oxacillin injection recon soln<br/>10 gram</i>                                                            | 5         |                          |
| <i>oxacillin injection recon soln<br/>2 gram</i>                                                             | 4         | MO                       |
| <i>paromomycin</i>                                                                                           | 4         | MO                       |
| PASER                                                                                                        | 4         | MO                       |
| PENICILLIN G POT IN<br>DEXTROSE<br>INTRAVENOUS<br>PIGGYBACK 1 MILLION<br>UNIT/50 ML, 2 MILLION<br>UNIT/50 ML | 4         | MO                       |
| PENICILLIN G POT IN<br>DEXTROSE<br>INTRAVENOUS<br>PIGGYBACK 3 MILLION<br>UNIT/50 ML                          | 4         | MO                       |
| <i>penicillin g potassium</i>                                                                                | 4         | MO                       |
| <i>penicillin g procaine<br/>intramuscular syringe 1.2<br/>million unit/2 ml</i>                             | 4         | MO                       |
| <i>penicillin g procaine<br/>intramuscular syringe 600,<br/>000 unit/ml</i>                                  | 4         |                          |
| <i>penicillin g sodium</i>                                                                                   | 4         | MO                       |
| <i>penicillin v potassium</i>                                                                                | 1         | MO                       |
| PENTAM                                                                                                       | 4         | MO                       |
| <i>pfizerpen-g</i>                                                                                           | 4         |                          |
| <i>piperacillin-tazobactam<br/>intravenous recon soln 2.25<br/>gram, 3.375 gram, 4.5 gram,<br/>40.5 gram</i> | 4         | MO                       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                     | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|--------------------------------------|------------------|-----------------------------|
| <i>polymyxin b sulfate</i>           | 4                | MO                          |
| PREZCOBIX                            | 5                | MO; QLL (30 per 30 days)    |
| PREZISTA ORAL SUSPENSION             | 5                | MO; QLL (400 per 30 days)   |
| PREZISTA ORAL TABLET 150 MG          | 4                | MO; QLL (180 per 30 days)   |
| PREZISTA ORAL TABLET 600 MG, 800 MG  | 5                | MO; QLL (60 per 30 days)    |
| PREZISTA ORAL TABLET 75 MG           | 4                | MO; QLL (300 per 30 days)   |
| PRIFTIN                              | 4                | MO                          |
| PRIMAQUINE                           | 3                | MO                          |
| <i>pyrazinamide</i>                  | 4                | MO                          |
| <i>quinine sulfate</i>               | 4                | PAR; MO                     |
| RELENZA DISKHALER                    | 3                | MO; QLL (60 per 180 days)   |
| RESCRIPTOR ORAL TABLET               | 4                | MO; QLL (180 per 30 days)   |
| RESCRIPTOR ORAL TABLET, DISPERSIBLE  | 4                | MO; QLL (360 per 30 days)   |
| RETROVIR INTRAVENOUS                 | 4                | MO                          |
| REYATAZ ORAL CAPSULE 150 MG, 200 MG  | 5                | MO; QLL (60 per 30 days)    |
| REYATAZ ORAL CAPSULE 300 MG          | 5                | MO; QLL (30 per 30 days)    |
| REYATAZ ORAL POWDER IN PACKET        | 4                | MO; QLL (240 per 30 days)   |
| <i>ribasphere oral capsule</i>       | 4                | MO                          |
| <i>ribasphere oral tablet 200 mg</i> | 4                | MO                          |
| <i>ribavirin oral capsule</i>        | 4                | MO                          |
| <i>ribavirin oral tablet 200 mg</i>  | 5                | MO                          |
| <i>rifabutin</i>                     | 4                | MO                          |
| <i>rifampin</i>                      | 4                | MO                          |
| RIFATER                              | 4                | MO                          |
| <i>rimantadine</i>                   | 3                | MO                          |
| <i>ritonavir</i>                     | 3                | MO; QLL (360 per 30 days)   |
| SELZENTRY ORAL SOLUTION              | 5                | MO; QLL (1840 per 30 days)  |
| SELZENTRY ORAL TABLET 150 MG, 300 MG | 5                | MO; QLL (120 per 30 days)   |

| <b>Drug Name</b>                                     | <b>Drug Tier</b> | <b>Requirements /Limits</b>  |
|------------------------------------------------------|------------------|------------------------------|
| SELZENTRY ORAL TABLET 25 MG                          | 4                | MO; QLL (120 per 30 days)    |
| SELZENTRY ORAL TABLET 75 MG                          | 4                | MO; QLL (60 per 30 days)     |
| SIRTURO                                              | 5                | PAR; MO; LA                  |
| SIVEXTRO INTRAVENOUS                                 | 5                | PAR                          |
| SIVEXTRO ORAL                                        | 5                | PAR; MO; QLL (6 per 30 days) |
| <i>stavudine oral capsule 15 mg</i>                  | 3                | MO; QLL (120 per 30 days)    |
| <i>stavudine oral capsule 20 mg</i>                  | 4                | MO; QLL (120 per 30 days)    |
| <i>stavudine oral capsule 30 mg</i>                  | 3                | MO; QLL (60 per 30 days)     |
| <i>stavudine oral capsule 40 mg</i>                  | 4                | MO; QLL (60 per 30 days)     |
| STREPTOMYCIN                                         | 4                | MO                           |
| STRIBILD                                             | 5                | MO; QLL (30 per 30 days)     |
| STROMEKTOL                                           | 3                | MO                           |
| <i>sulfadiazine</i>                                  | 4                | MO                           |
| <i>sulfamethoxazole-trimethoprim intravenous</i>     | 3                | MO                           |
| <i>sulfamethoxazole-trimethoprim oral suspension</i> | 2                | MO                           |
| <i>sulfamethoxazole-trimethoprim oral tablet</i>     | 1                | MO                           |
| SUSTIVA ORAL CAPSULE 200 MG                          | 4                | MO; QLL (120 per 30 days)    |
| SUSTIVA ORAL CAPSULE 50 MG                           | 4                | MO; QLL (360 per 30 days)    |
| SUSTIVA ORAL TABLET                                  | 5                | MO; QLL (30 per 30 days)     |
| SYMFI                                                | 5                | MO; QLL (30 per 30 days)     |
| SYMFI LO                                             | 5                | MO; QLL (30 per 30 days)     |
| SYNAGIS                                              | 5                | PAR; MO; LA                  |
| SYNERCID                                             | 5                |                              |
| TAMIFLU ORAL CAPSULE 30 MG, 45 MG                    | 3                | MO                           |
| <i>tamiflu oral capsule 75 mg</i>                    | 3                | MO                           |
| TAMIFLU ORAL SUSPENSION FOR RECONSTITUTION           | 3                | MO                           |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                                       | Drug Tier | Requirements /Limits               |
|-----------------------------------------------------------------|-----------|------------------------------------|
| TECHNIVIE                                                       | 5         | PAR; MO; QLL (56 per 28 days)      |
| TEFLARO                                                         | 5         | MO                                 |
| <i>tenofovir disoproxil fumarate</i>                            | 5         | MO; QLL (30 per 30 days)           |
| <i>terbinafine hcl oral</i>                                     | 2         | MO                                 |
| <i>tetracycline</i>                                             | 4         | MO                                 |
| TIGECYCLINE                                                     | 5         |                                    |
| <i>tinidazole oral tablet 250 mg</i>                            | 2         | MO                                 |
| <i>tinidazole oral tablet 500 mg</i>                            | 4         | MO                                 |
| TIVICAY ORAL TABLET 10 MG                                       | 4         | MO; QLL (60 per 30 days)           |
| TIVICAY ORAL TABLET 25 MG, 50 MG                                | 5         | MO; QLL (60 per 30 days)           |
| <i>tobramycin in 0.225% nacl for nebulization</i>               | 5         | B/D PAR; MO; QLL (280 per 28 days) |
| <i>tobramycin sulfate injection recon soln</i>                  | 4         |                                    |
| <i>tobramycin sulfate injection solution</i>                    | 4         | MO                                 |
| TRECTOR                                                         | 4         | MO                                 |
| <i>trimethoprim</i>                                             | 2         | MO                                 |
| TRIUMEQ                                                         | 5         | MO; QLL (30 per 30 days)           |
| TROGARZO                                                        | 5         | MO; QLL (10.64 per 28 days)        |
| TRUVADA                                                         | 5         | MO; QLL (30 per 30 days)           |
| TYBOST                                                          | 3         | MO; QLL (30 per 30 days)           |
| <i>valacyclovir oral tablet 1 gram</i>                          | 3         | MO; QLL (30 per 30 days)           |
| <i>valacyclovir oral tablet 500 mg</i>                          | 3         | MO; QLL (60 per 30 days)           |
| <i>valganciclovir oral tablet</i>                               | 5         | MO                                 |
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK            | 4         | B/D PAR                            |
| VANCOMYCIN IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK 1 GRAM/ 200 ML | 4         | B/D PAR; MO                        |

| Drug Name                                                                     | Drug Tier | Requirements /Limits          |
|-------------------------------------------------------------------------------|-----------|-------------------------------|
| VANCOMYCIN IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK 500 MG/100 ML, 750 MG/150 ML | 4         | B/D PAR                       |
| <i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg</i>    | 4         | MO                            |
| VANCOMYCIN INTRAVENOUS RECON SOLN 250 MG                                      | 4         |                               |
| VANCOMYCIN INTRAVENOUS RECON SOLN 750 MG                                      | 4         | B/D PAR; MO                   |
| <i>vancomycin oral capsule 125 mg</i>                                         | 4         | PAR; MO; QLL (40 per 10 days) |
| <i>vancomycin oral capsule 250 mg</i>                                         | 5         | PAR; MO; QLL (80 per 10 days) |
| VIDEX 2 GRAM PEDIATRIC                                                        | 4         | MO; QLL (1200 per 30 days)    |
| VIDEX 4 GRAM PEDIATRIC                                                        | 4         | MO; QLL (1200 per 30 days)    |
| VIDEX EC ORAL CAPSULE, DELAYED RELEASE (DR/EC) 125 MG                         | 4         | MO; QLL (90 per 30 days)      |
| VIRACEPT ORAL TABLET 250 MG                                                   | 5         | MO; QLL (300 per 30 days)     |
| VIRACEPT ORAL TABLET 625 MG                                                   | 5         | MO; QLL (120 per 30 days)     |
| VIRAMUNE ORAL SUSPENSION                                                      | 4         | MO; QLL (1200 per 30 days)    |
| VIRAMUNE XR ORAL TABLET EXTENDED RELEASE 24 HR 100 MG                         | 4         | MO                            |
| VIREAD ORAL POWDER                                                            | 5         | MO; QLL (240 per 30 days)     |
| VIREAD ORAL TABLET                                                            | 5         | MO; QLL (30 per 30 days)      |
| <i>voriconazole intravenous</i>                                               | 4         | MO                            |
| <i>voriconazole oral suspension for reconstitution</i>                        | 5         | PAR; MO                       |
| <i>voriconazole oral tablet 200 mg</i>                                        | 5         | PAR; MO                       |
| <i>voriconazole oral tablet 50 mg</i>                                         | 4         | PAR; MO                       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.



| <b>Drug Name</b>                                                | <b>Drug Tier</b> | <b>Requirements /Limits</b>     |
|-----------------------------------------------------------------|------------------|---------------------------------|
| VOSEVI                                                          | 5                | PAR; MO; QLL (30 per 30 days)   |
| XIFAXAN ORAL TABLET 550 MG                                      | 5                | PAR; MO; QLL (84 per 28 days)   |
| ZERIT ORAL RECON SOLN                                           | 4                | MO; QLL (2400 per 30 days)      |
| ZIAGEN ORAL SOLUTION                                            | 4                | MO; QLL (960 per 30 days)       |
| <i>zidovudine oral capsule</i>                                  | 4                | MO; QLL (180 per 30 days)       |
| <i>zidovudine oral syrup</i>                                    | 2                | MO; QLL (1920 per 30 days)      |
| <i>zidovudine oral tablet</i>                                   | 2                | MO; QLL (60 per 30 days)        |
| ZITHROMAX ORAL PACKET                                           | 4                | MO                              |
| ZITHROMAX ORAL TABLET 250 MG                                    | 4                | MO                              |
| ZITHROMAX Z-PAK                                                 | 4                | MO                              |
| ZYVOX INTRAVENOUS PIGGYBACK 200 MG/100 ML                       | 5                |                                 |
| ZYVOX INTRAVENOUS PIGGYBACK 600 MG/300 ML                       | 5                | MO                              |
| ZYVOX ORAL SUSPENSION FOR RECONSTITUTION                        | 5                | PAR; MO; QLL (1800 per 30 days) |
| <b>Antineoplastic / Immunosuppressant Drugs</b>                 |                  |                                 |
| ABRAXANE                                                        | 5                | PAR; MO                         |
| <i>adriamycin intravenous recon soln 10 mg</i>                  | 4                | B/D PAR                         |
| <i>adriamycin intravenous solution</i>                          | 4                | B/D PAR                         |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i>              | 4                | B/D PAR                         |
| <i>adrucil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i> | 4                | B/D PAR; MO                     |
| AFINITOR                                                        | 5                | PAR; MO                         |
| AFINITOR DISPERZ                                                | 5                | PAR; MO                         |
| ALECENSA                                                        | 5                | PAR; MO; QLL (240 per 30 days)  |
| ALIMTA                                                          | 5                | PAR; MO                         |
| ALIQOPA                                                         | 5                | PAR; MO; LA                     |
| ALKERAN ORAL                                                    | 4                | B/D PAR; MO                     |

| <b>Drug Name</b>                   | <b>Drug Tier</b> | <b>Requirements /Limits</b>       |
|------------------------------------|------------------|-----------------------------------|
| ALUNBRIG ORAL TABLET 180 MG        | 5                | PAR; MO; QLL (30 per 30 days)     |
| ALUNBRIG ORAL TABLET 30 MG         | 5                | PAR; MO; QLL (180 per 30 days)    |
| ALUNBRIG ORAL TABLET 90 MG         | 5                | PAR; MO; QLL (60 per 30 days)     |
| ALUNBRIG ORAL TABLETS,DOSE PACK    | 5                | PAR; MO; QLL (30 per 180 days)    |
| <i>anastrozole</i>                 | 2                | MO; QLL (30 per 30 days)          |
| ARRANON                            | 4                | B/D PAR                           |
| ARZERRA                            | 5                | PAR; MO                           |
| AVASTIN                            | 5                | PAR; MO                           |
| <i>azacitidine</i>                 | 5                | PAR; MO                           |
| <i>azathioprine</i>                | 2                | B/D PAR; MO                       |
| <i>azathioprine sodium</i>         | 4                | B/D PAR                           |
| BAVENCIO                           | 5                | PAR; MO; LA                       |
| BELEODAQ                           | 5                | PAR; MO                           |
| BENDEKA                            | 5                | B/D PAR; MO                       |
| BESPONSA                           | 5                | B/D PAR; MO                       |
| <i>bexarotene</i>                  | 5                | PAR; MO                           |
| <i>bicalutamide</i>                | 3                | MO; QLL (30 per 30 days)          |
| BICNU                              | 5                | B/D PAR; MO                       |
| <i>bleomycin</i>                   | 4                | B/D PAR; MO                       |
| BLINCYTO INTRAVENOUS KIT           | 5                | PAR; MO                           |
| BORTEZOMIB                         | 5                | PAR; MO                           |
| BOSULIF ORAL TABLET 100 MG         | 5                | PAR; MO; QLL (120 per 30 days)    |
| BOSULIF ORAL TABLET 400 MG, 500 MG | 5                | PAR; MO; QLL (30 per 30 days)     |
| BRAFTOVI ORAL CAPSULE 50 MG        | 5                | PAR; MO; QLL (120 per 30 days)    |
| BRAFTOVI ORAL CAPSULE 75 MG        | 5                | PAR; MO; QLL (180 per 30 days)    |
| <i>busulfan</i>                    | 4                | B/D PAR                           |
| BUSULFEX                           | 4                | B/D PAR                           |
| CABOMETYX ORAL TABLET 20 MG        | 5                | PAR; MO; LA; QLL (90 per 30 days) |
| CABOMETYX ORAL TABLET 40 MG, 60 MG | 5                | PAR; MO; LA; QLL (30 per 30 days) |
| CALQUENCE                          | 5                | PAR; MO; LA                       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                           | <b>Drug Tier</b> | <b>Requirements /Limits</b>       |
|--------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| CAPRELSA ORAL TABLET 100 MG                                                                | 5                | PAR; MO; LA; QLL (90 per 30 days) |
| CAPRELSA ORAL TABLET 300 MG                                                                | 5                | PAR; MO; LA; QLL (30 per 30 days) |
| <i>carboplatin intravenous solution</i>                                                    | 4                | B/D PAR; MO                       |
| CELLCEPT INTRAVENOUS                                                                       | 4                | B/D PAR; MO                       |
| <i>cisplatin</i>                                                                           | 4                | B/D PAR; MO                       |
| <i>cladribine</i>                                                                          | 5                | B/D PAR; MO                       |
| <i>clofarabine</i>                                                                         | 5                |                                   |
| CLOLAR                                                                                     | 5                | B/D PAR                           |
| COMETRIQ ORAL CAPSULE 100 MG/ DAY(80 MG X1-20 MG X1)                                       | 5                | PAR; MO; QLL (56 per 28 days)     |
| COMETRIQ ORAL CAPSULE 140 MG/ DAY(80 MG X1-20 MG X3)                                       | 5                | PAR; MO; QLL (112 per 28 days)    |
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)                                            | 5                | PAR; MO; QLL (84 per 28 days)     |
| COSMEGEN                                                                                   | 5                | B/D PAR; MO                       |
| COTELLIC                                                                                   | 5                | PAR; MO; LA; QLL (90 per 30 days) |
| CYCLOPHOSPHAMIDE ORAL CAPSULE                                                              | 4                | B/D PAR; MO                       |
| <i>cyclosporine intravenous</i>                                                            | 4                | B/D PAR                           |
| <i>cyclosporine modified oral capsule</i>                                                  | 4                | B/D PAR; MO                       |
| <i>cyclosporine modified oral solution</i>                                                 | 5                | B/D PAR; MO                       |
| <i>cyclosporine oral capsule</i>                                                           | 4                | B/D PAR; MO                       |
| CYRAMZA                                                                                    | 5                | PAR; MO                           |
| <i>cytarabine</i>                                                                          | 4                | B/D PAR; MO                       |
| <i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i> | 4                | B/D PAR; MO                       |
| <i>cytarabine (pf) injection solution 20 mg/ml</i>                                         | 4                | B/D PAR                           |
| <i>dacarbazine</i>                                                                         | 4                | B/D PAR; MO                       |

| <b>Drug Name</b>                                                                                                            | <b>Drug Tier</b> | <b>Requirements /Limits</b>   |
|-----------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>dactinomycin</i>                                                                                                         | 5                | B/D PAR                       |
| DARZALEX                                                                                                                    | 5                | PAR; MO; LA                   |
| <i>daunorubicin intravenous solution</i>                                                                                    | 4                | B/D PAR                       |
| <i>decitabine</i>                                                                                                           | 5                | B/D PAR; MO                   |
| <i>dexrazoxane hcl intravenous recon soln 250 mg</i>                                                                        | 5                |                               |
| <i>dexrazoxane hcl intravenous recon soln 500 mg</i>                                                                        | 5                | MO                            |
| <i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 20 mg/2 ml (10 mg/ml)</i>                                        | 5                | B/D PAR                       |
| <i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i> | 5                | B/D PAR; MO                   |
| DOCETAXEL INTRAVENOUS SOLUTION 20 MG/ML                                                                                     | 5                | B/D PAR                       |
| <i>doxorubicin intravenous recon soln 10 mg</i>                                                                             | 4                | B/D PAR                       |
| <i>doxorubicin intravenous recon soln 50 mg</i>                                                                             | 4                | B/D PAR; MO                   |
| <i>doxorubicin intravenous solution</i>                                                                                     | 4                | B/D PAR; MO                   |
| <i>doxorubicin, peg-liposomal</i>                                                                                           | 5                | PAR; MO                       |
| DROXIA                                                                                                                      | 3                | MO                            |
| ELITEK                                                                                                                      | 5                | PAR; MO                       |
| EMCYT                                                                                                                       | 5                | MO                            |
| EMPLICITI                                                                                                                   | 5                | PAR; MO                       |
| ENVARUSUS XR                                                                                                                | 4                | B/D PAR; MO                   |
| <i>epirubicin intravenous solution</i>                                                                                      | 4                | B/D PAR; MO                   |
| ERBITUX                                                                                                                     | 5                | PAR; MO                       |
| ERIVEDGE                                                                                                                    | 5                | PAR; MO; QLL (30 per 30 days) |
| ERLEADA                                                                                                                     | 5                | PAR; MO                       |
| ERWINAZE                                                                                                                    | 5                | PAR; MO                       |
| ETOPOPHOS                                                                                                                   | 5                | B/D PAR; MO                   |
| <i>etoposide intravenous</i>                                                                                                | 3                | B/D PAR; MO                   |
| EVOMELA                                                                                                                     | 5                | B/D PAR; MO                   |
| <i>exemestane</i>                                                                                                           | 4                | MO; QLL (60 per 30 days)      |
| FARESTON                                                                                                                    | 5                | MO; QLL (30 per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                             | <b>Drug Tier</b> | <b>Requirements /Limits</b>   |
|----------------------------------------------------------------------------------------------|------------------|-------------------------------|
| FARYDAK ORAL CAPSULE 10 MG                                                                   | 5                | PAR; MO; QLL (60 per 30 days) |
| FARYDAK ORAL CAPSULE 15 MG, 20 MG                                                            | 5                | PAR; MO; QLL (30 per 30 days) |
| FASLODEX                                                                                     | 5                | PAR; MO                       |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG                                | 5                | PAR; MO; QLL (4 per 365 days) |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG                                 | 4                | PAR; MO; QLL (1 per 28 days)  |
| <i>fludarabine intravenous recon soln</i>                                                    | 4                | B/D PAR; MO                   |
| <i>fludarabine intravenous solution</i>                                                      | 4                | B/D PAR                       |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 500 mg/10 ml</i>                          | 4                | B/D PAR; MO                   |
| <i>fluorouracil intravenous solution 2.5 gram/50 ml, 5 gram/100 ml</i>                       | 3                | B/D PAR; MO                   |
| <i>flutamide</i>                                                                             | 4                | MO                            |
| FOLOTYN                                                                                      | 5                | B/D PAR; MO                   |
| FUSILEV                                                                                      | 5                | PAR; MO                       |
| GAZYVA                                                                                       | 5                | PAR; MO                       |
| <i>gemcitabine intravenous recon soln 1 gram, 200 mg</i>                                     | 5                | B/D PAR; MO                   |
| <i>gemcitabine intravenous recon soln 2 gram</i>                                             | 5                | B/D PAR                       |
| <i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i> | 5                | B/D PAR; MO                   |
| GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML                                                   | 5                | B/D PAR                       |
| <i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml)</i>                            | 5                | B/D PAR                       |
| <i>gengraf oral capsule 100 mg, 25 mg</i>                                                    | 4                | B/D PAR; MO                   |
| <i>gengraf oral solution</i>                                                                 | 4                | B/D PAR; MO                   |
| GILOTRIF                                                                                     | 5                | PAR; MO; QLL (30 per 30 days) |

| <b>Drug Name</b>                                   | <b>Drug Tier</b> | <b>Requirements /Limits</b>       |
|----------------------------------------------------|------------------|-----------------------------------|
| GLEEVEC ORAL TABLET 100 MG                         | 5                | PAR; MO; QLL (240 per 30 days)    |
| GLEEVEC ORAL TABLET 400 MG                         | 5                | PAR; MO; QLL (60 per 30 days)     |
| GLEOSTINE                                          | 4                | PAR; MO                           |
| HALAVEN                                            | 5                | PAR; MO                           |
| HERCEPTIN                                          | 5                | B/D PAR; MO                       |
| HEXALEN                                            | 5                | MO                                |
| <i>hydroxyurea</i>                                 | 2                | MO                                |
| IBRANCE                                            | 5                | PAR; MO; QLL (30 per 30 days)     |
| ICLUSIG ORAL TABLET 15 MG                          | 5                | PAR; MO; QLL (60 per 30 days)     |
| ICLUSIG ORAL TABLET 45 MG                          | 5                | PAR; MO; QLL (30 per 30 days)     |
| <i>idarubicin</i>                                  | 5                | B/D PAR                           |
| IDHIFA ORAL TABLET 100 MG                          | 5                | PAR; MO; LA; QLL (30 per 30 days) |
| IDHIFA ORAL TABLET 50 MG                           | 5                | PAR; MO; LA; QLL (60 per 30 days) |
| IFEX                                               | 4                | B/D PAR; MO                       |
| <i>ifosfamide intravenous recon soln</i>           | 4                | B/D PAR; MO                       |
| <i>ifosfamide intravenous solution</i>             | 4                | B/D PAR                           |
| <i>imatinib oral tablet 100 mg</i>                 | 5                | PAR; MO; QLL (240 per 30 days)    |
| <i>imatinib oral tablet 400 mg</i>                 | 5                | PAR; MO; QLL (60 per 30 days)     |
| IMBRUVICA ORAL CAPSULE 140 MG                      | 5                | PAR; MO; QLL (120 per 30 days)    |
| IMBRUVICA ORAL CAPSULE 70 MG                       | 5                | PAR; MO; QLL (30 per 30 days)     |
| IMBRUVICA ORAL TABLET                              | 5                | PAR; MO; QLL (30 per 30 days)     |
| IMFINZI                                            | 5                | PAR; MO; LA                       |
| INLYTA ORAL TABLET 1 MG                            | 5                | PAR; MO; QLL (240 per 30 days)    |
| INLYTA ORAL TABLET 5 MG                            | 5                | PAR; MO; QLL (120 per 30 days)    |
| IRESSA                                             | 5                | MO                                |
| <i>irinotecan intravenous solution 100 mg/5 ml</i> | 4                | B/D PAR; MO                       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                 | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|------------------------------------------------------------------|------------------|--------------------------------|
| <i>irinotecan intravenous solution 40 mg/2 ml</i>                | 5                | B/D PAR; MO                    |
| <i>irinotecan intravenous solution 500 mg/25 ml</i>              | 4                | B/D PAR                        |
| ISTODAX                                                          | 5                | PAR; MO                        |
| IXEMPRA                                                          | 5                | PAR; MO                        |
| JAKAFI ORAL TABLET 10 MG                                         | 5                | PAR; MO; QLL (150 per 30 days) |
| JAKAFI ORAL TABLET 15 MG                                         | 5                | PAR; MO; QLL (100 per 30 days) |
| JAKAFI ORAL TABLET 20 MG                                         | 5                | PAR; MO; QLL (75 per 30 days)  |
| JAKAFI ORAL TABLET 25 MG                                         | 5                | PAR; MO; QLL (60 per 30 days)  |
| JAKAFI ORAL TABLET 5 MG                                          | 5                | PAR; MO; QLL (300 per 30 days) |
| JEVTANA                                                          | 5                | PAR; MO                        |
| KADCYLA                                                          | 5                | PAR; MO                        |
| KEYTRUDA INTRAVENOUS SOLUTION                                    | 5                | PAR; MO                        |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG | 5                | PAR; MO; QLL (49 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG | 5                | PAR; MO; QLL (70 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG | 5                | PAR; MO; QLL (91 per 28 days)  |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)                      | 5                | PAR; MO; QLL (21 per 21 days)  |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)                      | 5                | PAR; MO; QLL (42 per 21 days)  |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)                      | 5                | PAR; MO; QLL (63 per 21 days)  |
| KYPROLIS                                                         | 5                | PAR; MO                        |
| LARTRUVO                                                         | 5                | PAR; MO; LA                    |

| <b>Drug Name</b>                                                                               | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|------------------------------------------------------------------------------------------------|------------------|--------------------------------|
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 4 MG                         | 5                | PAR; MO; QLL (30 per 30 days)  |
| LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) | 5                | PAR; MO; QLL (60 per 30 days)  |
| LENVIMA ORAL CAPSULE 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1)              | 5                | PAR; MO; QLL (90 per 30 days)  |
| <i>letrozole</i>                                                                               | 2                | MO; QLL (30 per 30 days)       |
| <i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg</i>                   | 4                | MO                             |
| <i>leucovorin calcium injection recon soln 500 mg</i>                                          | 4                |                                |
| <i>leucovorin calcium oral tablet 10 mg, 25 mg</i>                                             | 4                | MO                             |
| <i>leucovorin calcium oral tablet 15 mg, 5 mg</i>                                              | 2                | MO                             |
| LEUKERAN                                                                                       | 4                | MO                             |
| <i>leuprolide subcutaneous kit</i>                                                             | 4                | PAR; MO                        |
| <i>levoleucovorin intravenous recon soln 50 mg</i>                                             | 5                | PAR                            |
| LONSURF                                                                                        | 5                | PAR; MO                        |
| LUPRON DEPOT                                                                                   | 5                | PAR; MO; QLL (1 per 28 days)   |
| LUPRON DEPOT (3 MONTH)                                                                         | 5                | PAR; MO; QLL (1 per 84 days)   |
| LUPRON DEPOT (4 MONTH)                                                                         | 5                | PAR; MO; QLL (1 per 112 days)  |
| LUPRON DEPOT (6 MONTH)                                                                         | 5                | PAR; MO; QLL (1 per 168 days)  |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG                                             | 4                | PAR; MO; QLL (1 per 28 days)   |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT 7.5 MG (PED)                                                | 5                | PAR; MO; QLL (1 per 28 days)   |
| LYNPARZA ORAL CAPSULE                                                                          | 5                | PAR; MO; QLL (480 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|-----------------------------------------------------------------|------------------|--------------------------------|
| LYNPARZA ORAL TABLET                                            | 5                | PAR; MO; QLL (120 per 30 days) |
| LYSODREN                                                        | 3                | MO                             |
| MARQIBO                                                         | 5                | MO                             |
| MATULANE                                                        | 5                | MO                             |
| <i>megestrol oral suspension 400 mg/10 ml (10 ml)</i>           | 3                | PAR                            |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>        | 2                | PAR; MO                        |
| <i>megestrol oral suspension 800 mg/20 ml (20 ml)</i>           | 4                | PAR                            |
| <i>megestrol oral tablet</i>                                    | 3                | PAR; MO                        |
| MEKINIST ORAL TABLET 0.5 MG                                     | 5                | PAR; MO; QLL (90 per 30 days)  |
| MEKINIST ORAL TABLET 2 MG                                       | 5                | PAR; MO; QLL (30 per 30 days)  |
| MEKTOVI                                                         | 5                | PAR; MO; QLL (180 per 30 days) |
| <i>melfhalan</i>                                                | 4                | B/D PAR; MO                    |
| <i>melfhalan hcl</i>                                            | 3                | B/D PAR                        |
| <i>mercaptopurine</i>                                           | 3                | MO                             |
| <i>mesna</i>                                                    | 4                | MO                             |
| MESNEX ORAL                                                     | 5                | MO                             |
| <i>methotrexate sodium (pf) injection recon soln</i>            | 2                |                                |
| <i>methotrexate sodium (pf) injection solution</i>              | 2                | MO                             |
| <i>methotrexate sodium injection</i>                            | 4                | MO                             |
| <i>methotrexate sodium oral</i>                                 | 2                | MO                             |
| <i>mitomycin intravenous recon soln 20 mg, 5 mg</i>             | 4                | B/D PAR; MO                    |
| <i>mitomycin intravenous recon soln 40 mg</i>                   | 5                | B/D PAR; MO                    |
| <i>mitoxantrone</i>                                             | 3                | B/D PAR; MO                    |
| MUSTARGEN                                                       | 4                | B/D PAR; MO                    |
| <i>mycophenolate mofetil hcl</i>                                | 4                | B/D PAR                        |
| <i>mycophenolate mofetil oral capsule</i>                       | 3                | B/D PAR; MO                    |
| <i>mycophenolate mofetil oral suspension for reconstitution</i> | 5                | B/D PAR; MO                    |
| <i>mycophenolate mofetil oral tablet</i>                        | 3                | B/D PAR; MO                    |
| <i>mycophenolate sodium</i>                                     | 4                | B/D PAR; MO                    |
| MYLOTARG                                                        | 5                | PAR; MO; LA                    |

| <b>Drug Name</b>                                                                           | <b>Drug Tier</b> | <b>Requirements /Limits</b>        |
|--------------------------------------------------------------------------------------------|------------------|------------------------------------|
| NERLYNX                                                                                    | 5                | PAR; MO; LA; QLL (180 per 30 days) |
| NEXAVAR                                                                                    | 5                | PAR; MO; LA; QLL (120 per 30 days) |
| NILANDRON                                                                                  | 5                | MO; QLL (30 per 30 days)           |
| <i>nilutamide</i>                                                                          | 5                | MO; QLL (30 per 30 days)           |
| NINLARO                                                                                    | 5                | PAR; MO; QLL (3 per 28 days)       |
| NIPENT                                                                                     | 5                | B/D PAR; MO                        |
| NULOJIX                                                                                    | 5                | PAR; MO                            |
| <i>octreotide acetate injection solution 1,000 mcg/ml</i>                                  | 5                | PAR; MO                            |
| <i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> | 4                | PAR; MO                            |
| <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i>            | 4                | PAR; MO                            |
| <i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>                              | 5                | PAR; MO                            |
| ODOMZO                                                                                     | 5                | PAR; MO; LA; QLL (30 per 30 days)  |
| ONCASPAR                                                                                   | 5                | PAR; MO                            |
| OPDIVO                                                                                     | 5                | PAR; MO                            |
| <i>oxaliplatin intravenous recon soln 100 mg</i>                                           | 5                | B/D PAR; MO                        |
| <i>oxaliplatin intravenous recon soln 50 mg</i>                                            | 5                | B/D PAR                            |
| <i>oxaliplatin intravenous solution 100 mg/20 ml</i>                                       | 4                | B/D PAR; MO                        |
| <i>oxaliplatin intravenous solution 50 mg/10 ml (5 mg/ml)</i>                              | 5                | B/D PAR; MO                        |
| <i>paclitaxel</i>                                                                          | 4                | B/D PAR; MO                        |
| PERJETA                                                                                    | 5                | PAR; MO                            |
| POMALYST ORAL CAPSULE 1 MG                                                                 | 5                | PAR; MO; QLL (120 per 30 days)     |
| POMALYST ORAL CAPSULE 2 MG                                                                 | 5                | PAR; MO; QLL (60 per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements /Limits</b>        |
|--------------------------------------------------------------------|------------------|------------------------------------|
| POMALYST ORAL CAPSULE 3 MG, 4 MG                                   | 5                | PAR; MO; QLL (30 per 30 days)      |
| PORTRAZZA                                                          | 5                | MO                                 |
| PROGRAF INTRAVENOUS                                                | 4                | B/D PAR; MO                        |
| PURIXAN                                                            | 5                | PAR; MO                            |
| RAPAMUNE ORAL SOLUTION                                             | 5                | B/D PAR; MO                        |
| REVLIMID ORAL CAPSULE 10 MG                                        | 5                | PAR; MO; LA; QLL (60 per 30 days)  |
| REVLIMID ORAL CAPSULE 15 MG, 2.5 MG, 20 MG, 25 MG                  | 5                | PAR; MO; LA; QLL (30 per 30 days)  |
| REVLIMID ORAL CAPSULE 5 MG                                         | 5                | PAR; MO; LA; QLL (150 per 30 days) |
| RITUXAN                                                            | 5                | B/D PAR; MO                        |
| RITUXAN HYCELA                                                     | 5                | B/D PAR; MO                        |
| ROMIDEPSIN                                                         | 5                | PAR                                |
| RUBRACA ORAL TABLET 200 MG                                         | 5                | PAR; MO; LA; QLL (180 per 30 days) |
| RUBRACA ORAL TABLET 250 MG, 300 MG                                 | 5                | PAR; MO; LA; QLL (120 per 30 days) |
| RYDAPT                                                             | 5                | PAR; MO; QLL (240 per 30 days)     |
| SANDIMMUNE ORAL SOLUTION                                           | 4                | B/D PAR; MO                        |
| SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON | 5                | PAR; MO                            |
| SIGNIFOR                                                           | 5                | PAR; MO                            |
| SIMULECT INTRAVENOUS RECON SOLN 10 MG                              | 5                | B/D PAR                            |
| SIMULECT INTRAVENOUS RECON SOLN 20 MG                              | 5                | B/D PAR; MO                        |
| <i>sirolimus</i>                                                   | 4                | B/D PAR; MO                        |
| SOLTAMOX                                                           | 4                | MO                                 |
| SOMATULINE DEPOT                                                   | 5                | PAR; MO                            |

| <b>Drug Name</b>                                                     | <b>Drug Tier</b> | <b>Requirements /Limits</b>       |
|----------------------------------------------------------------------|------------------|-----------------------------------|
| SPRYCEL                                                              | 5                | PAR; MO; QLL (30 per 30 days)     |
| STIVARGA                                                             | 5                | PAR; MO; QLL (120 per 30 days)    |
| SUTENT ORAL CAPSULE 12.5 MG                                          | 5                | PAR; MO; QLL (90 per 30 days)     |
| SUTENT ORAL CAPSULE 25 MG, 37.5 MG, 50 MG                            | 5                | PAR; MO; QLL (30 per 30 days)     |
| SYNRIBO                                                              | 5                | PAR; MO                           |
| TABLOID                                                              | 4                | MO                                |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg</i>                          | 4                | B/D PAR; MO                       |
| <i>tacrolimus oral capsule 5 mg</i>                                  | 5                | B/D PAR; MO                       |
| TAFINLAR                                                             | 5                | PAR; MO; QLL (120 per 30 days)    |
| TAGRISSE ORAL TABLET 40 MG                                           | 5                | PAR; MO; LA; QLL (60 per 30 days) |
| TAGRISSE ORAL TABLET 80 MG                                           | 5                | PAR; MO; LA; QLL (30 per 30 days) |
| <i>tamoxifen</i>                                                     | 2                | MO                                |
| TARCEVA ORAL TABLET 100 MG, 150 MG                                   | 5                | PAR; MO; QLL (30 per 30 days)     |
| TARCEVA ORAL TABLET 25 MG                                            | 5                | PAR; MO; QLL (90 per 30 days)     |
| TARGRETIN ORAL                                                       | 5                | PAR; MO; QLL (300 per 30 days)    |
| TARGRETIN TOPICAL                                                    | 5                | PAR; MO; QLL (60 per 30 days)     |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG                                  | 5                | PAR; MO; QLL (112 per 28 days)    |
| TASIGNA ORAL CAPSULE 50 MG                                           | 5                | PAR; MO; QLL (56 per 28 days)     |
| TAXOTERE INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 80 MG/4 ML (20 MG/ML) | 5                | B/D PAR; MO                       |
| TECENTRIQ                                                            | 5                | PAR; MO; LA; QLL (20 per 21 days) |
| <i>temsirolimus</i>                                                  | 5                | PAR; MO                           |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                             | <b>Drug Tier</b> | <b>Requirements /Limits</b>        |
|----------------------------------------------|------------------|------------------------------------|
| THALOMID ORAL CAPSULE 100 MG, 50 MG          | 5                | PAR; MO; QLL (30 per 30 days)      |
| THALOMID ORAL CAPSULE 150 MG, 200 MG         | 5                | PAR; MO; QLL (60 per 30 days)      |
| <i>thiotepa</i>                              | 4                | B/D PAR; MO                        |
| <i>toposar</i>                               | 4                | B/D PAR; MO                        |
| <i>topotecan intravenous recon soln</i>      | 5                | B/D PAR                            |
| <i>topotecan intravenous solution</i>        | 5                | B/D PAR; MO                        |
| TORISEL                                      | 5                | PAR; MO                            |
| TREANDA INTRAVENOUS RECON SOLN               | 5                | B/D PAR; MO                        |
| TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML | 5                | PAR; MO; QLL (1 per 84 days)       |
| TRELSTAR INTRAMUSCULAR SYRINGE 22.5 MG/2 ML  | 5                | PAR; MO; QLL (1 per 168 days)      |
| TRELSTAR INTRAMUSCULAR SYRINGE 3.75 MG/2 ML  | 5                | PAR; MO; QLL (1 per 28 days)       |
| <i>tretinoin (chemotherapy)</i>              | 5                | MO                                 |
| TRISENOX INTRAVENOUS SOLUTION 2 MG/ML        | 5                | B/D PAR; MO                        |
| TYKERB                                       | 5                | PAR; MO; LA; QLL (180 per 30 days) |
| UNITUXIN                                     | 5                | B/D PAR; MO                        |
| VECTIBIX                                     | 5                | PAR; MO                            |
| VELCADE                                      | 5                | PAR; MO                            |
| VENCLEXTA ORAL TABLET 10 MG                  | 4                | PAR; MO; LA; QLL (60 per 30 days)  |
| VENCLEXTA ORAL TABLET 100 MG                 | 5                | PAR; MO; LA; QLL (120 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG                  | 4                | PAR; MO; LA; QLL (30 per 30 days)  |
| VENCLEXTA STARTING PACK                      | 5                | PAR; MO; LA; QLL (84 per 365 days) |

| <b>Drug Name</b>                                   | <b>Drug Tier</b> | <b>Requirements /Limits</b>       |
|----------------------------------------------------|------------------|-----------------------------------|
| VERZENIO                                           | 5                | PAR; MO; LA; QLL (60 per 30 days) |
| <i>vinblastine intravenous solution</i>            | 4                | B/D PAR; MO                       |
| <i>vincasar pfs intravenous solution 1 mg/ml</i>   | 4                | B/D PAR                           |
| <i>vincasar pfs intravenous solution 2 mg/2 ml</i> | 4                | B/D PAR; MO                       |
| <i>vincristine intravenous solution 1 mg/ml</i>    | 3                | B/D PAR; MO                       |
| <i>vincristine intravenous solution 2 mg/2 ml</i>  | 4                | B/D PAR; MO                       |
| <i>vinorelbine</i>                                 | 4                | B/D PAR; MO                       |
| VOTRIENT                                           | 5                | PAR; MO; QLL (120 per 30 days)    |
| VYXEOS                                             | 5                | B/D PAR; MO                       |
| XALKORI                                            | 5                | PAR; MO; QLL (60 per 30 days)     |
| XATMEP                                             | 4                | MO                                |
| XGEVA                                              | 5                | PAR; MO; QLL (1.7 per 28 days)    |
| XTANDI                                             | 5                | PAR; MO; QLL (120 per 30 days)    |
| YERVOY                                             | 5                | PAR; MO                           |
| YONDELIS                                           | 5                | B/D PAR; MO                       |
| YONSA                                              | 5                | PAR; MO; QLL (120 per 30 days)    |
| ZALTRAP                                            | 5                | PAR; MO                           |
| ZANOSAR                                            | 4                | B/D PAR; MO                       |
| ZEJULA                                             | 5                | PAR; MO; LA; QLL (90 per 30 days) |
| ZELBORAF                                           | 5                | PAR; MO; QLL (240 per 30 days)    |
| ZOLINZA                                            | 5                | PAR; MO; QLL (120 per 30 days)    |
| ZORTRESS ORAL TABLET 0.25 MG                       | 4                | B/D PAR; MO                       |
| ZORTRESS ORAL TABLET 0.5 MG, 0.75 MG               | 5                | B/D PAR; MO                       |
| ZYDELIG                                            | 5                | PAR; MO; QLL (60 per 30 days)     |
| ZYKADIA                                            | 5                | PAR; MO; QLL (150 per 30 days)    |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                                                      | <b>Drug Tier</b> | <b>Requirements /Limits</b>       |
|-----------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| ZYTIGA ORAL TABLET 250 MG                                                                                             | 5                | PAR; MO; QLL (120 per 30 days)    |
| ZYTIGA ORAL TABLET 500 MG                                                                                             | 5                | PAR; MO; QLL (60 per 30 days)     |
| <b>Autonomic / Cns Drugs, Neurology / Psych</b>                                                                       |                  |                                   |
| ABILIFY MAINTENA                                                                                                      | 5                | MO; QLL (1 per 28 days)           |
| <i>acetaminophen-codeine oral solution 120 mg-12 mg/5 ml (5 ml), 240 mg-24 mg/10 ml (10 ml), 300 mg-30 mg/12.5 ml</i> | 3                | QLL (4500 per 30 days)            |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>                                                             | 3                | MO; QLL (4500 per 30 days)        |
| <i>acetaminophen-codeine oral tablet 300-15 mg</i>                                                                    | 3                | MO; QLL (390 per 30 days)         |
| <i>acetaminophen-codeine oral tablet 300-30 mg</i>                                                                    | 3                | MO; QLL (360 per 30 days)         |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i>                                                                    | 3                | MO; QLL (180 per 30 days)         |
| ADASUVE                                                                                                               | 4                | QLL (30 per 30 days)              |
| <i>alprazolam oral tablet</i>                                                                                         | 2                | MO; QLL (120 per 30 days)         |
| <i>alprazolam oral tablet extended release 24 hr</i>                                                                  | 3                | MO; QLL (120 per 30 days)         |
| <i>alprazolam oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg</i>                                                   | 3                | MO; QLL (120 per 30 days)         |
| <i>amitriptyline</i>                                                                                                  | 2                | PAR; MO                           |
| <i>amoxapine oral tablet 100 mg, 50 mg</i>                                                                            | 3                | MO                                |
| <i>amoxapine oral tablet 150 mg, 25 mg</i>                                                                            | 2                | MO                                |
| AMPYRA                                                                                                                | 5                | PAR; MO; LA; QLL (60 per 30 days) |
| APOKYN                                                                                                                | 5                | PAR; MO; LA                       |
| APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG                                                                             | 5                | ST; MO                            |
| APTIOM ORAL TABLET 800 MG                                                                                             | 4                | ST; MO                            |
| <i>aripiprazole oral solution</i>                                                                                     | 5                | MO; QLL (900 per 30 days)         |

| <b>Drug Name</b>                                                       | <b>Drug Tier</b> | <b>Requirements /Limits</b>   |
|------------------------------------------------------------------------|------------------|-------------------------------|
| <i>aripiprazole oral tablet 10 mg</i>                                  | 4                | MO; QLL (90 per 30 days)      |
| <i>aripiprazole oral tablet 15 mg</i>                                  | 4                | MO; QLL (60 per 30 days)      |
| <i>aripiprazole oral tablet 2 mg</i>                                   | 4                | MO; QLL (450 per 30 days)     |
| <i>aripiprazole oral tablet 20 mg, 30 mg</i>                           | 5                | MO; QLL (30 per 30 days)      |
| <i>aripiprazole oral tablet 5 mg</i>                                   | 4                | MO; QLL (180 per 30 days)     |
| <i>aripiprazole oral tablet, disintegrating 10 mg</i>                  | 5                | MO; QLL (90 per 30 days)      |
| <i>aripiprazole oral tablet, disintegrating 15 mg</i>                  | 5                | MO; QLL (60 per 30 days)      |
| ARISTADA INITIO                                                        | 5                | QLL (4.8 per 365 days)        |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML | 5                | MO; QLL (3.9 per 30 days)     |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML   | 5                | MO; QLL (1.6 per 30 days)     |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML   | 5                | MO; QLL (2.4 per 30 days)     |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML   | 5                | MO; QLL (3.2 per 30 days)     |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg</i>                  | 4                | PAR; MO; QLL (30 per 30 days) |
| <i>armodafinil oral tablet 50 mg</i>                                   | 4                | PAR; MO; QLL (60 per 30 days) |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>             | 4                | PAR; MO; QLL (60 per 30 days) |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>                   | 4                | PAR; MO; QLL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.



| <b>Drug Name</b>                                               | <b>Drug Tier</b> | <b>Requirements /Limits</b>     |
|----------------------------------------------------------------|------------------|---------------------------------|
| AUBAGIO                                                        | 5                | PAR; MO; QLL (30 per 30 days)   |
| AZILECT                                                        | 3                | MO                              |
| <i>baclofen</i>                                                | 2                | MO                              |
| BANZEL ORAL SUSPENSION                                         | 5                | PAR; MO; QLL (2400 per 30 days) |
| BANZEL ORAL TABLET 200 MG                                      | 5                | PAR; MO; QLL (480 per 30 days)  |
| BANZEL ORAL TABLET 400 MG                                      | 5                | PAR; MO; QLL (240 per 30 days)  |
| <i>benztropine injection</i>                                   | 4                | PAR; MO                         |
| <i>benztropine oral</i>                                        | 2                | PAR; MO                         |
| BRIVIACT INTRAVENOUS                                           | 4                | PAR                             |
| BRIVIACT ORAL SOLUTION                                         | 4                | PAR; MO; QLL (600 per 30 days)  |
| BRIVIACT ORAL TABLET 10 MG                                     | 5                | PAR; MO; QLL (600 per 30 days)  |
| BRIVIACT ORAL TABLET 100 MG, 75 MG                             | 5                | PAR; MO; QLL (60 per 30 days)   |
| BRIVIACT ORAL TABLET 25 MG                                     | 5                | PAR; MO; QLL (240 per 30 days)  |
| BRIVIACT ORAL TABLET 50 MG                                     | 5                | PAR; MO; QLL (120 per 30 days)  |
| <i>bromocriptine</i>                                           | 4                | MO                              |
| <i>buprenorphine hcl injection solution</i>                    | 4                | MO; QLL (90 per 30 days)        |
| <i>buprenorphine hcl injection syringe</i>                     | 4                | QLL (150 per 30 days)           |
| <i>buprenorphine hcl sublingual tablet 2 mg</i>                | 2                | MO; QLL (240 per 30 days)       |
| <i>buprenorphine hcl sublingual tablet 8 mg</i>                | 2                | MO; QLL (60 per 30 days)        |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i>       | 3                | MO; QLL (360 per 30 days)       |
| <i>buprenorphine-naloxone sublingual tablet 8-2 mg</i>         | 3                | MO; QLL (90 per 30 days)        |
| <i>bupropion hcl oral tablet 100 mg</i>                        | 2                | MO; QLL (135 per 30 days)       |
| <i>bupropion hcl oral tablet 75 mg</i>                         | 2                | MO; QLL (180 per 30 days)       |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg</i> | 2                | MO; QLL (90 per 30 days)        |

| <b>Drug Name</b>                                                        | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|-------------------------------------------------------------------------|------------------|--------------------------------|
| <i>bupropion hcl oral tablet extended release 24 hr 300 mg</i>          | 2                | MO; QLL (30 per 30 days)       |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg</i>         | 2                | MO; QLL (120 per 30 days)      |
| <i>bupropion hcl oral tablet sustained-release 12 hr 150 mg, 200 mg</i> | 2                | MO; QLL (60 per 30 days)       |
| <i>bupirone oral tablet 10 mg, 15 mg, 5 mg</i>                          | 2                | MO                             |
| <i>bupirone oral tablet 30 mg</i>                                       | 4                | MO                             |
| <i>bupirone oral tablet 7.5 mg</i>                                      | 3                | MO                             |
| <i>butalbital compound w/ codeine</i>                                   | 4                | PAR; MO; QLL (180 per 30 days) |
| <i>butalbital-acetaminop-caf-cod</i>                                    | 4                | PAR; MO; QLL (180 per 30 days) |
| <i>butalbital-acetaminophen oral tablet 50-325 mg</i>                   | 4                | PAR; MO; QLL (180 per 30 days) |
| <i>butalbital-acetaminophen-caff oral capsule</i>                       | 4                | PAR; MO; QLL (180 per 30 days) |
| <i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>           | 4                | PAR; MO; QLL (180 per 30 days) |
| <i>butalbital-aspirin-caffeine oral capsule</i>                         | 4                | PAR; MO; QLL (180 per 30 days) |
| <i>butorphanol tartrate injection</i>                                   | 4                | MO                             |
| <i>butorphanol tartrate nasal</i>                                       | 4                | MO; QLL (5 per 28 days)        |
| <i>carbamazepine oral capsule, er multiphase 12 hr</i>                  | 4                | MO                             |
| <i>carbamazepine oral suspension 100 mg/5 ml</i>                        | 4                | MO                             |
| <i>carbamazepine oral suspension 200 mg/10 ml</i>                       | 4                | MO                             |
| <i>carbamazepine oral tablet</i>                                        | 2                | MO                             |
| <i>carbamazepine oral tablet extended release 12 hr</i>                 | 4                | MO                             |
| <i>carbamazepine oral tablet, chewable</i>                              | 2                | MO                             |
| <i>carbidopa-levodopa oral tablet</i>                                   | 2                | MO                             |
| <i>carbidopa-levodopa oral tablet extended release</i>                  | 2                | MO                             |
| <i>carbidopa-levodopa oral tablet, disintegrating</i>                   | 3                | MO                             |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                              | Drug Tier | Requirements /Limits       |
|--------------------------------------------------------|-----------|----------------------------|
| <i>carbidopa-levodopa-entacapone</i>                   | 4         | MO                         |
| <i>carisoprodol oral tablet 350 mg</i>                 | 3         | PAR; MO                    |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg</i>   | 4         | PAR; MO                    |
| <i>celecoxib oral capsule 50 mg</i>                    | 3         | PAR; MO                    |
| CELONTIN ORAL CAPSULE 300 MG                           | 4         | MO                         |
| <i>chlordiazepoxide hcl</i>                            | 3         | MO; QLL (120 per 30 days)  |
| <i>chlorpromazine</i>                                  | 4         | PAR; MO                    |
| <i>citalopram oral solution</i>                        | 4         | MO; QLL (600 per 30 days)  |
| <i>citalopram oral tablet 10 mg</i>                    | 1         | MO; QLL (120 per 30 days)  |
| <i>citalopram oral tablet 20 mg</i>                    | 1         | MO; QLL (60 per 30 days)   |
| <i>citalopram oral tablet 40 mg</i>                    | 1         | MO; QLL (30 per 30 days)   |
| <i>clomipramine</i>                                    | 4         | PAR; MO                    |
| <i>clonazepam oral tablet 0.5 mg</i>                   | 2         | MO; QLL (1200 per 30 days) |
| <i>clonazepam oral tablet 1 mg</i>                     | 2         | MO; QLL (600 per 30 days)  |
| <i>clonazepam oral tablet 2 mg</i>                     | 2         | MO; QLL (300 per 30 days)  |
| <i>clonazepam oral tablet, disintegrating 0.125 mg</i> | 4         | MO; QLL (4800 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.25 mg</i>  | 4         | MO; QLL (2400 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.5 mg</i>   | 4         | MO; QLL (1200 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 1 mg</i>     | 4         | MO; QLL (600 per 30 days)  |
| <i>clonazepam oral tablet, disintegrating 2 mg</i>     | 4         | MO; QLL (300 per 30 days)  |
| <i>clorazepate dipotassium</i>                         | 3         | MO                         |
| <i>clozapine oral tablet 100 mg</i>                    | 3         | MO; QLL (270 per 30 days)  |
| <i>clozapine oral tablet 200 mg</i>                    | 3         | MO; QLL (120 per 30 days)  |
| <i>clozapine oral tablet 25 mg</i>                     | 2         | MO; QLL (1080 per 30 days) |
| <i>clozapine oral tablet 50 mg</i>                     | 2         | MO; QLL (540 per 30 days)  |

| Drug Name                                                | Drug Tier | Requirements /Limits          |
|----------------------------------------------------------|-----------|-------------------------------|
| <i>clozapine oral tablet, disintegrating 100 mg</i>      | 4         | QLL (270 per 30 days)         |
| <i>clozapine oral tablet, disintegrating 12.5 mg</i>     | 4         | QLL (2160 per 30 days)        |
| CLOZAPINE ORAL TABLET, DISINTEGRATING 150 MG             | 5         | QLL (180 per 30 days)         |
| CLOZAPINE ORAL TABLET, DISINTEGRATING 200 MG             | 4         | QLL (120 per 30 days)         |
| <i>clozapine oral tablet, disintegrating 25 mg</i>       | 3         | QLL (1080 per 30 days)        |
| COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML                   | 5         | PAR; MO; QLL (30 per 30 days) |
| COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML                   | 5         | PAR; MO; QLL (12 per 28 days) |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>           | 2         | PAR; MO                       |
| <i>cyclobenzaprine oral tablet 7.5 mg</i>                | 4         | PAR; MO                       |
| <i>dalfampridine</i>                                     | 5         | PAR; MO; QLL (60 per 30 days) |
| <i>dantrolene</i>                                        | 4         | MO                            |
| <i>desipramine</i>                                       | 4         | PAR; MO                       |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG | 4         | MO; QLL (120 per 30 days)     |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 50 MG  | 4         | MO; QLL (240 per 30 days)     |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24HR 100 MG  | 4         | MO; QLL (120 per 30 days)     |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24HR 50 MG   | 4         | MO; QLL (240 per 30 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements /Limits</b>   |
|---------------------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg</i>                   | 4                | MO; QLL (120 per 30 days)     |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 25 mg</i>                    | 4                | MO; QLL (480 per 30 days)     |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 50 mg</i>                    | 4                | MO; QLL (240 per 30 days)     |
| <i>dextroamphetamine oral tablet 10 mg</i>                                                  | 4                | MO; QLL (180 per 30 days)     |
| <i>dextroamphetamine oral tablet 5 mg</i>                                                   | 4                | MO; QLL (90 per 30 days)      |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr</i>                    | 4                | PAR; MO; QLL (30 per 30 days) |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg</i> | 3                | PAR; MO; QLL (90 per 30 days) |
| <i>dextroamphetamine-amphetamine oral tablet 30 mg</i>                                      | 3                | PAR; MO; QLL (60 per 30 days) |
| DIASTAT                                                                                     | 4                | MO                            |
| DIASTAT ACUDIAL                                                                             | 4                | MO                            |
| <i>diazepam intensol</i>                                                                    | 2                | MO; QLL (240 per 30 days)     |
| <i>diazepam oral concentrate</i>                                                            | 2                | MO; QLL (240 per 30 days)     |
| <i>diazepam oral solution 5 mg/ 5 ml (1 mg/ml)</i>                                          | 2                | MO; QLL (1200 per 30 days)    |
| <i>diazepam oral tablet 10 mg</i>                                                           | 2                | MO; QLL (120 per 30 days)     |
| <i>diazepam oral tablet 2 mg</i>                                                            | 2                | MO; QLL (600 per 30 days)     |
| <i>diazepam oral tablet 5 mg</i>                                                            | 2                | MO; QLL (240 per 30 days)     |
| <i>diazepam rectal</i>                                                                      | 4                | MO                            |
| <i>diclofenac potassium</i>                                                                 | 2                | MO                            |
| <i>diclofenac sodium oral tablet extended release 24 hr</i>                                 | 2                | MO                            |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>                         | 3                | MO                            |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>                         | 2                | MO                            |

| <b>Drug Name</b>                                                      | <b>Drug Tier</b> | <b>Requirements /Limits</b>   |
|-----------------------------------------------------------------------|------------------|-------------------------------|
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>   | 1                | MO                            |
| <i>diclofenac sodium topical drops</i>                                | 4                | MO; QLL (300 per 30 days)     |
| <i>diclofenac sodium topical gel 1 %</i>                              | 3                | MO; QLL (1000 per 30 days)    |
| <i>diflunisal</i>                                                     | 3                | MO                            |
| <i>dihydroergotamine injection</i>                                    | 5                | PAR; MO                       |
| <i>dihydroergotamine nasal</i>                                        | 5                | MO; QLL (8 per 28 days)       |
| DILANTIN EXTENDED ORAL CAPSULE 100 MG                                 | 4                | MO                            |
| DILANTIN INFATABS                                                     | 3                | MO                            |
| DILANTIN ORAL CAPSULE 30 MG                                           | 3                | MO                            |
| <i>divalproex oral capsule, delayed rel sprinkle</i>                  | 4                | MO                            |
| <i>divalproex oral tablet extended release 24 hr</i>                  | 4                | MO                            |
| <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg</i> | 2                | MO                            |
| <i>divalproex oral tablet, delayed release (dr/ec) 500 mg</i>         | 3                | MO                            |
| <i>donepezil oral tablet 10 mg, 5 mg</i>                              | 1                | MO; QLL (30 per 30 days)      |
| <i>donepezil oral tablet, disintegrating</i>                          | 1                | MO; QLL (30 per 30 days)      |
| <i>doxepin oral</i>                                                   | 2                | MO                            |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg</i>          | 4                | MO; QLL (180 per 30 days)     |
| <i>duloxetine oral capsule, delayed release(dr/ec) 30 mg</i>          | 4                | MO; QLL (120 per 30 days)     |
| <i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>          | 3                | MO; QLL (90 per 30 days)      |
| <i>duloxetine oral capsule, delayed release(dr/ec) 60 mg</i>          | 4                | MO; QLL (60 per 30 days)      |
| <i>duramorph (pf) injection solution 0.5 mg/ml</i>                    | 4                | MO; QLL (180 per 30 days)     |
| <i>duramorph (pf) injection solution 1 mg/ml</i>                      | 4                | QLL (180 per 30 days)         |
| EMSAM                                                                 | 5                | PAR; MO; QLL (30 per 30 days) |
| <i>endocet oral tablet 10-325 mg, 7.5-325 mg</i>                      | 4                | MO; QLL (360 per 30 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                   | <b>Drug Tier</b> | <b>Requirements /Limits</b>   |
|----------------------------------------------------|------------------|-------------------------------|
| <i>endocet oral tablet 5-325 mg</i>                | 3                | MO; QLL (360 per 30 days)     |
| <i>entacapone</i>                                  | 4                | MO                            |
| <i>epitol</i>                                      | 1                | MO                            |
| EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG   | 4                | MO; QLL (480 per 30 days)     |
| EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 200 MG   | 4                | MO; QLL (240 per 30 days)     |
| EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 300 MG   | 4                | MO; QLL (180 per 30 days)     |
| <i>ergoloid</i>                                    | 4                | PAR; MO                       |
| <i>escitalopram oxalate oral solution</i>          | 4                | MO; QLL (600 per 30 days)     |
| <i>escitalopram oxalate oral tablet 10 mg</i>      | 2                | MO; QLL (60 per 30 days)      |
| <i>escitalopram oxalate oral tablet 20 mg</i>      | 2                | MO; QLL (30 per 30 days)      |
| <i>escitalopram oxalate oral tablet 5 mg</i>       | 2                | MO; QLL (120 per 30 days)     |
| <i>eszopiclone</i>                                 | 4                | PAR; MO; QLL (30 per 30 days) |
| <i>ethosuximide oral capsule</i>                   | 4                | MO                            |
| <i>ethosuximide oral solution</i>                  | 3                | MO                            |
| <i>etodolac oral capsule</i>                       | 3                | MO                            |
| <i>etodolac oral tablet</i>                        | 2                | MO                            |
| <i>etodolac oral tablet extended release 24 hr</i> | 3                | MO                            |
| FANAPT ORAL TABLET 1 MG                            | 4                | ST; MO; QLL (720 per 30 days) |
| FANAPT ORAL TABLET 10 MG, 12 MG                    | 5                | ST; MO; QLL (60 per 30 days)  |
| FANAPT ORAL TABLET 2 MG                            | 4                | ST; MO; QLL (360 per 30 days) |
| FANAPT ORAL TABLET 4 MG                            | 5                | ST; MO; QLL (180 per 30 days) |
| FANAPT ORAL TABLET 6 MG                            | 5                | ST; MO; QLL (120 per 30 days) |
| FANAPT ORAL TABLET 8 MG                            | 5                | ST; MO; QLL (90 per 30 days)  |

| <b>Drug Name</b>                                                                                 | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|--------------------------------------------------------------------------------------------------|------------------|--------------------------------|
| FANAPT ORAL TABLETS,DOSE PACK                                                                    | 4                | ST; MO; QLL (16 per 365 days)  |
| <i>felbamate</i>                                                                                 | 4                | MO                             |
| FELBATOL ORAL TABLET 400 MG                                                                      | 4                | MO                             |
| <i>fenoprofen oral tablet</i>                                                                    | 4                | MO                             |
| <i>fentanyl citrate</i>                                                                          | 5                | PAR; MO; QLL (120 per 30 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 4                | PAR; MO; QLL (15 per 30 days)  |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK                                                      | 4                | PAR; MO; QLL (56 per 365 days) |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 80 MG                                        | 4                | PAR; MO; QLL (30 per 30 days)  |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 20 MG                                                | 4                | PAR; MO; QLL (180 per 30 days) |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 40 MG                                                | 4                | PAR; MO; QLL (90 per 30 days)  |
| <i>fluoxetine oral capsule 10 mg</i>                                                             | 1                | MO; QLL (240 per 30 days)      |
| <i>fluoxetine oral capsule 20 mg</i>                                                             | 1                | MO; QLL (120 per 30 days)      |
| <i>fluoxetine oral capsule 40 mg</i>                                                             | 1                | MO; QLL (60 per 30 days)       |
| <i>fluoxetine oral capsule, delayed release(dr/ec)</i>                                           | 4                | MO; QLL (4 per 28 days)        |
| <i>fluoxetine oral solution</i>                                                                  | 2                | MO; QLL (600 per 30 days)      |
| <i>fluoxetine oral tablet 10 mg</i>                                                              | 2                | MO; QLL (240 per 30 days)      |
| <i>fluoxetine oral tablet 20 mg</i>                                                              | 3                | MO; QLL (120 per 30 days)      |
| <i>fluphenazine decanoate</i>                                                                    | 4                | MO                             |
| <i>fluphenazine hcl injection</i>                                                                | 4                | MO                             |
| <i>fluphenazine hcl oral</i>                                                                     | 2                | MO                             |
| <i>flurbiprofen</i>                                                                              | 2                | MO                             |
| <i>fluvoxamine oral tablet 100 mg</i>                                                            | 3                | MO; QLL (90 per 30 days)       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|-----------------------------------------------------------------|------------------|-----------------------------|
| <i>fluvoxamine oral tablet 25 mg</i>                            | 3                | MO; QLL (360 per 30 days)   |
| <i>fluvoxamine oral tablet 50 mg</i>                            | 3                | MO; QLL (180 per 30 days)   |
| <i>fosphenytoin</i>                                             | 4                | MO                          |
| FYCOMPA ORAL SUSPENSION                                         | 4                | MO; QLL (720 per 30 days)   |
| FYCOMPA ORAL TABLET 10 MG, 12 MG                                | 4                | MO; QLL (30 per 30 days)    |
| FYCOMPA ORAL TABLET 2 MG                                        | 4                | MO; QLL (180 per 30 days)   |
| FYCOMPA ORAL TABLET 4 MG                                        | 5                | MO; QLL (90 per 30 days)    |
| FYCOMPA ORAL TABLET 6 MG                                        | 4                | MO; QLL (60 per 30 days)    |
| FYCOMPA ORAL TABLET 8 MG                                        | 5                | MO; QLL (45 per 30 days)    |
| <i>gabapentin oral capsule 100 mg</i>                           | 2                | MO; QLL (1080 per 30 days)  |
| <i>gabapentin oral capsule 300 mg</i>                           | 2                | MO; QLL (360 per 30 days)   |
| <i>gabapentin oral capsule 400 mg</i>                           | 2                | MO; QLL (270 per 30 days)   |
| <i>gabapentin oral solution 250 mg/5 ml</i>                     | 4                | MO; QLL (2160 per 30 days)  |
| GABAPENTIN ORAL SOLUTION 250 MG/5 ML (5 ML), 300 MG/6 ML (6 ML) | 4                | QLL (2160 per 30 days)      |
| <i>gabapentin oral tablet 600 mg</i>                            | 4                | MO; QLL (180 per 30 days)   |
| <i>gabapentin oral tablet 800 mg</i>                            | 4                | MO; QLL (120 per 30 days)   |
| GABITRIL ORAL TABLET 12 MG                                      | 4                | MO                          |
| GABITRIL ORAL TABLET 16 MG                                      | 5                | MO                          |
| <i>galantamine oral capsule, ext rel. pellets 24 hr</i>         | 4                | MO; QLL (30 per 30 days)    |
| <i>galantamine oral solution</i>                                | 3                | MO; QLL (180 per 30 days)   |
| <i>galantamine oral tablet</i>                                  | 4                | MO; QLL (60 per 30 days)    |
| GEODON INTRAMUSCULAR                                            | 4                | MO; QLL (6 per 28 days)     |

| <b>Drug Name</b>                                                                | <b>Drug Tier</b> | <b>Requirements /Limits</b>   |
|---------------------------------------------------------------------------------|------------------|-------------------------------|
| GILENYA ORAL CAPSULE 0.5 MG                                                     | 5                | PAR; MO; QLL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i>                                 | 5                | PAR; MO; QLL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i>                                 | 5                | PAR; MO; QLL (12 per 28 days) |
| <i>glatopa subcutaneous syringe 20 mg/ml</i>                                    | 5                | PAR; MO; QLL (30 per 30 days) |
| <i>glatopa subcutaneous syringe 40 mg/ml</i>                                    | 5                | PAR; MO; QLL (12 per 28 days) |
| <i>guanfacine oral tablet extended release 24 hr</i>                            | 4                | PAR; MO; QLL (30 per 30 days) |
| <i>guanidine</i>                                                                | 4                | MO                            |
| <i>haloperidol</i>                                                              | 2                | MO                            |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml (1 ml)</i> | 4                | MO                            |
| <i>haloperidol decanoate intramuscular solution 50 mg/ml</i>                    | 3                | MO                            |
| <i>haloperidol lactate injection</i>                                            | 3                | MO                            |
| <i>haloperidol lactate intramuscular</i>                                        | 3                |                               |
| <i>haloperidol lactate oral</i>                                                 | 2                | MO                            |
| HETLIOZ                                                                         | 5                | PAR; MO; QLL (30 per 30 days) |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>                 | 4                | MO; QLL (2700 per 30 days)    |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i>    | 3                | MO; QLL (360 per 30 days)     |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>        | 3                | MO; QLL (50 per 30 days)      |
| HYDROMORPHONE (PF) INJECTION SOLUTION 1 MG/ML                                   | 4                | QLL (180 per 30 days)         |
| <i>hydromorphone (pf) injection solution 10 mg/ml</i>                           | 4                | MO; QLL (120 per 30 days)     |
| <i>hydromorphone (pf) injection solution 2 mg/ml</i>                            | 4                | QLL (180 per 30 days)         |
| <i>hydromorphone (pf) injection solution 4 mg/ml</i>                            | 4                | QLL (60 per 30 days)          |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                     | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|------------------------------------------------------|------------------|-----------------------------|
| HYDROMORPHONE INJECTION SOLUTION 1 MG/ML             | 4                | QLL (180 per 30 days)       |
| <i>hydromorphone injection solution 2 mg/ml</i>      | 4                | MO; QLL (180 per 30 days)   |
| HYDROMORPHONE INJECTION SOLUTION 4 MG/ML             | 4                | MO; QLL (60 per 30 days)    |
| <i>hydromorphone injection syringe 1 mg/ml</i>       | 4                |                             |
| <i>hydromorphone injection syringe 2 mg/ml</i>       | 4                | QLL (180 per 30 days)       |
| <i>hydromorphone injection syringe 4 mg/ml</i>       | 4                | MO                          |
| <i>hydromorphone oral tablet 2 mg, 4 mg</i>          | 3                | MO; QLL (360 per 30 days)   |
| <i>hydromorphone oral tablet 8 mg</i>                | 4                | MO; QLL (180 per 30 days)   |
| <i>ibu oral tablet 600 mg, 800 mg</i>                | 1                | MO                          |
| <i>ibuprofen oral suspension</i>                     | 1                | MO                          |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>  | 1                | MO                          |
| <i>ibuprofen-oxycodone</i>                           | 4                | MO; QLL (28 per 7 days)     |
| <i>imipramine hcl</i>                                | 2                | PAR; MO                     |
| <i>indomethacin oral capsule</i>                     | 2                | PAR; MO                     |
| <i>indomethacin oral capsule, extended release</i>   | 3                | PAR; MO                     |
| INVEGA ORAL TABLET EXTENDED RELEASE 24HR 1.5 MG      | 5                | MO; QLL (240 per 30 days)   |
| INVEGA ORAL TABLET EXTENDED RELEASE 24HR 3 MG        | 5                | MO; QLL (120 per 30 days)   |
| INVEGA ORAL TABLET EXTENDED RELEASE 24HR 6 MG        | 5                | MO; QLL (60 per 30 days)    |
| INVEGA ORAL TABLET EXTENDED RELEASE 24HR 9 MG        | 5                | MO; QLL (30 per 30 days)    |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 5                | MO; QLL (0.75 per 28 days)  |

| <b>Drug Name</b>                                           | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|------------------------------------------------------------|------------------|--------------------------------|
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML            | 5                | MO; QLL (1 per 28 days)        |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML        | 5                | MO; QLL (1.5 per 28 days)      |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML        | 4                | MO; QLL (0.25 per 28 days)     |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML         | 5                | MO; QLL (0.5 per 28 days)      |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML        | 5                | MO; QLL (0.875 per 90 days)    |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML        | 5                | MO; QLL (1.315 per 90 days)    |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML         | 5                | MO; QLL (1.75 per 90 days)     |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML        | 5                | MO; QLL (2.625 per 90 days)    |
| <i>ketoprofen oral capsule 25 mg</i>                       | 3                |                                |
| <i>ketoprofen oral capsule 75 mg</i>                       | 3                | MO                             |
| <i>ketorolac oral</i>                                      | 4                | PAR; MO                        |
| KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 100 MG          | 4                | ST; MO; QLL (120 per 30 days)  |
| KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 50 MG           | 4                | ST; MO; QLL (240 per 30 days)  |
| <i>lamotrigine oral tablet</i>                             | 2                | MO                             |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg</i> | 3                | MO                             |
| <i>lamotrigine oral tablet, chewable dispersible 5 mg</i>  | 2                | MO                             |
| LATUDA ORAL TABLET 120 MG, 60 MG                           | 5                | PAR; MO; QLL (30 per 30 days)  |
| LATUDA ORAL TABLET 20 MG                                   | 5                | PAR; MO; QLL (240 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                       | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|----------------------------------------------------------------------------------------|------------------|--------------------------------|
| LATUDA ORAL TABLET 40 MG                                                               | 5                | PAR; MO; QLL (120 per 30 days) |
| LATUDA ORAL TABLET 80 MG                                                               | 5                | PAR; MO; QLL (60 per 30 days)  |
| LEVETIRACETAM IN NAACL (ISO-OS) INTRAVENOUS PIGGYBACK 1,000 MG/100 ML, 1,500 MG/100 ML | 4                |                                |
| LEVETIRACETAM IN NAACL (ISO-OS) INTRAVENOUS PIGGYBACK 500 MG/100 ML                    | 4                | MO                             |
| <i>levetiracetam intravenous</i>                                                       | 4                | MO                             |
| <i>levetiracetam oral solution 100 mg/ml</i>                                           | 3                | MO                             |
| <i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i>                                  | 4                |                                |
| <i>levetiracetam oral tablet 1,000 mg</i>                                              | 3                | MO                             |
| <i>levetiracetam oral tablet 250 mg, 500 mg, 750 mg</i>                                | 2                | MO                             |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg</i>                         | 3                | MO; QLL (180 per 30 days)      |
| <i>levetiracetam oral tablet extended release 24 hr 750 mg</i>                         | 3                | MO; QLL (120 per 30 days)      |
| <i>lithium carbonate oral capsule 150 mg, 300 mg</i>                                   | 1                | MO                             |
| <i>lithium carbonate oral capsule 600 mg</i>                                           | 2                | MO                             |
| <i>lithium carbonate oral tablet</i>                                                   | 2                | MO                             |
| <i>lithium carbonate oral tablet extended release</i>                                  | 2                | MO                             |
| <i>lithium citrate oral solution 8 meq/5 ml</i>                                        | 3                | MO                             |
| <i>lorazepam intensol</i>                                                              | 3                | MO                             |
| <i>lorazepam oral concentrate</i>                                                      | 3                | MO                             |
| <i>lorazepam oral tablet</i>                                                           | 2                | MO                             |
| <i>loxapine succinate oral capsule 10 mg, 5 mg</i>                                     | 3                | MO                             |
| <i>loxapine succinate oral capsule 25 mg, 50 mg</i>                                    | 4                | MO                             |

| <b>Drug Name</b>                                 | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|--------------------------------------------------|------------------|--------------------------------|
| LYRICA ORAL CAPSULE 100 MG                       | 4                | PAR; MO; QLL (180 per 30 days) |
| LYRICA ORAL CAPSULE 150 MG                       | 4                | PAR; MO; QLL (120 per 30 days) |
| LYRICA ORAL CAPSULE 200 MG                       | 4                | PAR; MO; QLL (90 per 30 days)  |
| LYRICA ORAL CAPSULE 225 MG, 300 MG               | 4                | PAR; MO; QLL (60 per 30 days)  |
| LYRICA ORAL CAPSULE 25 MG                        | 4                | PAR; MO; QLL (720 per 30 days) |
| LYRICA ORAL CAPSULE 50 MG                        | 4                | PAR; MO; QLL (360 per 30 days) |
| LYRICA ORAL CAPSULE 75 MG                        | 4                | PAR; MO; QLL (240 per 30 days) |
| LYRICA ORAL SOLUTION                             | 4                | PAR; MO; QLL (900 per 30 days) |
| <i>maprotiline oral tablet 25 mg</i>             | 4                | MO; QLL (270 per 30 days)      |
| <i>maprotiline oral tablet 50 mg</i>             | 4                | MO; QLL (135 per 30 days)      |
| <i>maprotiline oral tablet 75 mg</i>             | 4                | MO                             |
| MARPLAN                                          | 4                | MO                             |
| <i>meclofenamate</i>                             | 4                | MO                             |
| <i>meloxicam oral tablet</i>                     | 1                | MO                             |
| <i>memantine oral capsule, sprinkle, er 24hr</i> | 3                | PAR; MO; QLL (30 per 30 days)  |
| <i>memantine oral solution</i>                   | 3                | PAR; MO; QLL (300 per 30 days) |
| <i>memantine oral tablet 10 mg</i>               | 2                | PAR; MO; QLL (60 per 30 days)  |
| <i>memantine oral tablet 5 mg</i>                | 2                | PAR; MO; QLL (90 per 30 days)  |
| MESTINON ORAL SYRUP                              | 5                | MO                             |
| MESTINON TIMESPAN                                | 5                | MO                             |
| <i>metadate er</i>                               | 4                | PAR; MO; QLL (90 per 30 days)  |
| <i>methadone intensol</i>                        | 3                | MO; QLL (30 per 30 days)       |
| <i>methadone oral concentrate</i>                | 3                | MO; QLL (30 per 30 days)       |
| <i>methadone oral solution 10 mg/5 ml</i>        | 3                | MO; QLL (900 per 30 days)      |
| <i>methadone oral solution 5 mg/5 ml</i>         | 3                | MO; QLL (1800 per 30 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements /Limits</b>     |
|------------------------------------------------------------------------------|------------------|---------------------------------|
| <i>methadone oral tablet 10 mg</i>                                           | 3                | MO; QLL (180 per 30 days)       |
| <i>methadone oral tablet 5 mg</i>                                            | 3                | MO; QLL (360 per 30 days)       |
| <i>methadose oral concentrate</i>                                            | 3                | MO; QLL (30 per 30 days)        |
| <i>methocarbamol oral</i>                                                    | 4                | PAR; MO                         |
| <i>methylphenidate hcl oral solution 10 mg/5 ml</i>                          | 3                | PAR; MO; QLL (900 per 30 days)  |
| <i>methylphenidate hcl oral solution 5 mg/5 ml</i>                           | 3                | PAR; MO; QLL (1800 per 30 days) |
| <i>methylphenidate hcl oral tablet</i>                                       | 3                | MO; QLL (90 per 30 days)        |
| <i>methylphenidate hcl oral tablet extended release 10 mg, 20 mg</i>         | 4                | PAR; MO; QLL (90 per 30 days)   |
| MIRAPEX ORAL TABLET 0.25 MG, 0.75 MG                                         | 4                | MO                              |
| <i>mirtazapine oral tablet 15 mg</i>                                         | 1                | MO; QLL (90 per 30 days)        |
| <i>mirtazapine oral tablet 30 mg</i>                                         | 1                | MO; QLL (45 per 30 days)        |
| <i>mirtazapine oral tablet 45 mg</i>                                         | 2                | MO; QLL (30 per 30 days)        |
| <i>mirtazapine oral tablet 7.5 mg</i>                                        | 3                | MO; QLL (180 per 30 days)       |
| <i>mirtazapine oral tablet, disintegrating 15 mg</i>                         | 3                | MO; QLL (90 per 30 days)        |
| <i>mirtazapine oral tablet, disintegrating 30 mg</i>                         | 3                | MO; QLL (45 per 30 days)        |
| <i>mirtazapine oral tablet, disintegrating 45 mg</i>                         | 3                | MO; QLL (30 per 30 days)        |
| <i>modafinil oral tablet 100 mg</i>                                          | 4                | PAR; MO; QLL (30 per 30 days)   |
| <i>modafinil oral tablet 200 mg</i>                                          | 4                | PAR; MO; QLL (60 per 30 days)   |
| <i>morphine (pf) injection solution 0.5 mg/ml</i>                            | 4                | QLL (180 per 30 days)           |
| <i>morphine (pf) injection solution 1 mg/ml</i>                              | 4                | MO; QLL (180 per 30 days)       |
| <i>morphine (pf) intravenous patient control.analgesia soln 150 mg/30 ml</i> | 4                | MO; QLL (30 per 30 days)        |
| <i>morphine (pf) intravenous patient control.analgesia soln 30 mg/30 ml</i>  | 4                | QLL (180 per 30 days)           |

| <b>Drug Name</b>                                                  | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|-------------------------------------------------------------------|------------------|-----------------------------|
| <i>morphine concentrate oral solution</i>                         | 3                | MO; QLL (270 per 30 days)   |
| <i>morphine injection solution 10 mg/ml</i>                       | 4                | MO; QLL (120 per 30 days)   |
| MORPHINE INJECTION SOLUTION 4 MG/ML                               | 4                | QLL (180 per 30 days)       |
| <i>morphine injection solution 5 mg/ml</i>                        | 4                | MO; QLL (180 per 30 days)   |
| <i>morphine injection solution 8 mg/ml</i>                        | 4                | QLL (180 per 30 days)       |
| <i>morphine injection syringe 10 mg/ml</i>                        | 4                | MO; QLL (120 per 30 days)   |
| <i>morphine injection syringe 2 mg/ml, 4 mg/ml</i>                | 4                | MO; QLL (180 per 30 days)   |
| <i>morphine injection syringe 5 mg/ml</i>                         | 4                | QLL (180 per 30 days)       |
| <i>morphine intravenous cartridge 10 mg/ml</i>                    | 4                | QLL (120 per 30 days)       |
| <i>morphine intravenous cartridge 2 mg/ml, 4 mg/ml</i>            | 4                | QLL (180 per 30 days)       |
| MORPHINE INTRAVENOUS CARTRIDGE 8 MG/ML                            | 4                | QLL (180 per 30 days)       |
| <i>morphine intravenous solution 10 mg/ml</i>                     | 4                | MO; QLL (120 per 30 days)   |
| MORPHINE INTRAVENOUS SOLUTION 4 MG/ML, 8 MG/ML                    | 4                | MO; QLL (180 per 30 days)   |
| <i>morphine intravenous syringe 2 mg/ml, 4 mg/ml</i>              | 4                | QLL (180 per 30 days)       |
| <i>morphine oral solution 10 mg/5 ml</i>                          | 3                | MO; QLL (2700 per 30 days)  |
| <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>                | 3                | MO; QLL (1350 per 30 days)  |
| <i>morphine oral tablet 15 mg</i>                                 | 3                | MO; QLL (360 per 30 days)   |
| <i>morphine oral tablet 30 mg</i>                                 | 3                | MO; QLL (180 per 30 days)   |
| <i>morphine oral tablet extended release 100 mg, 30 mg, 60 mg</i> | 4                | MO; QLL (90 per 30 days)    |
| <i>morphine oral tablet extended release 15 mg</i>                | 3                | MO; QLL (90 per 30 days)    |
| <i>morphine oral tablet extended release 200 mg</i>               | 4                | MO; QLL (60 per 30 days)    |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.



| <b>Drug Name</b>                                     | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|------------------------------------------------------|------------------|--------------------------------|
| <i>nabumetone</i>                                    | 2                | MO                             |
| <i>nalbuphine injection solution 10 mg/ml</i>        | 4                | MO; QLL (180 per 30 days)      |
| <i>nalbuphine injection solution 20 mg/ml</i>        | 4                | MO; QLL (90 per 30 days)       |
| <i>naloxone</i>                                      | 2                | MO                             |
| <i>naltrexone</i>                                    | 2                | MO                             |
| NAMENDA XR ORAL CAP,SPRINKLE,ER 24HR DOSE PACK       | 3                | PAR; MO; QLL (56 per 365 days) |
| NAMENDA XR ORAL CAPSULE,SPRINKLE,ER 24HR             | 3                | PAR; MO; QLL (30 per 30 days)  |
| NAMZARIC                                             | 3                | PAR; MO                        |
| <i>naproxen oral suspension</i>                      | 2                | MO                             |
| <i>naproxen oral tablet</i>                          | 1                | MO                             |
| <i>naproxen oral tablet, delayed release (dr/ec)</i> | 1                | MO                             |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i>    | 1                | MO                             |
| <i>naratriptan</i>                                   | 4                | MO; QLL (9 per 30 days)        |
| NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION       | 3                | MO                             |
| <i>nefazodone oral tablet 100 mg</i>                 | 3                | MO; QLL (180 per 30 days)      |
| <i>nefazodone oral tablet 150 mg</i>                 | 3                | MO; QLL (120 per 30 days)      |
| <i>nefazodone oral tablet 200 mg</i>                 | 3                | MO; QLL (90 per 30 days)       |
| <i>nefazodone oral tablet 250 mg</i>                 | 3                | MO; QLL (72 per 30 days)       |
| <i>nefazodone oral tablet 50 mg</i>                  | 3                | MO; QLL (360 per 30 days)      |
| NEUPRO                                               | 3                | PAR; MO; QLL (30 per 30 days)  |
| <i>nortriptyline oral capsule 10 mg, 25 mg</i>       | 1                | MO                             |
| <i>nortriptyline oral capsule 50 mg, 75 mg</i>       | 2                | MO                             |
| NORTRIPTYLINE ORAL SOLUTION                          | 4                | MO                             |
| NUEDEXTA                                             | 3                | MO; QLL (60 per 30 days)       |

| <b>Drug Name</b>                                                      | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|-----------------------------------------------------------------------|------------------|--------------------------------|
| NUPLAZID ORAL CAPSULE                                                 | 5                | PAR; MO; QLL (30 per 30 days)  |
| NUPLAZID ORAL TABLET 10 MG                                            | 5                | PAR; MO; QLL (30 per 30 days)  |
| NUPLAZID ORAL TABLET 17 MG                                            | 5                | PAR; MO; QLL (60 per 30 days)  |
| <i>olanzapine intramuscular</i>                                       | 4                | MO; QLL (60 per 30 days)       |
| <i>olanzapine oral tablet 10 mg</i>                                   | 3                | MO; QLL (60 per 30 days)       |
| <i>olanzapine oral tablet 15 mg</i>                                   | 3                | MO; QLL (40 per 30 days)       |
| <i>olanzapine oral tablet 2.5 mg</i>                                  | 3                | MO; QLL (240 per 30 days)      |
| <i>olanzapine oral tablet 20 mg</i>                                   | 3                | MO; QLL (30 per 30 days)       |
| <i>olanzapine oral tablet 5 mg</i>                                    | 3                | MO; QLL (120 per 30 days)      |
| <i>olanzapine oral tablet 7.5 mg</i>                                  | 3                | MO; QLL (80 per 30 days)       |
| <i>olanzapine oral tablet, disintegrating 10 mg</i>                   | 4                | MO; QLL (60 per 30 days)       |
| <i>olanzapine oral tablet, disintegrating 15 mg</i>                   | 4                | MO; QLL (40 per 30 days)       |
| <i>olanzapine oral tablet, disintegrating 20 mg</i>                   | 4                | MO; QLL (30 per 30 days)       |
| <i>olanzapine oral tablet, disintegrating 5 mg</i>                    | 4                | MO; QLL (120 per 30 days)      |
| <i>olanzapine-fluoxetine oral capsule 12-25 mg, 12-50 mg, 6-50 mg</i> | 4                | MO; QLL (30 per 30 days)       |
| <i>olanzapine-fluoxetine oral capsule 3-25 mg, 6-25 mg</i>            | 4                | MO; QLL (90 per 30 days)       |
| ONFI ORAL SUSPENSION                                                  | 5                | PAR; MO; QLL (480 per 30 days) |
| ONFI ORAL TABLET 10 MG                                                | 5                | PAR; MO; QLL (120 per 30 days) |
| ONFI ORAL TABLET 20 MG                                                | 5                | PAR; MO; QLL (60 per 30 days)  |
| ORAP                                                                  | 4                | MO                             |
| <i>oxaprozin</i>                                                      | 4                | MO                             |
| <i>oxazepam</i>                                                       | 4                | MO; QLL (120 per 30 days)      |
| <i>oxcarbazepine oral suspension</i>                                  | 4                | MO                             |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg</i>                       | 3                | MO                             |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|------------------------------------------------------------------------------|------------------|-----------------------------|
| <i>oxcarbazepine oral tablet 600 mg</i>                                      | 4                | MO                          |
| <i>oxycodone oral capsule</i>                                                | 4                | MO; QLL (360 per 30 days)   |
| <i>oxycodone oral concentrate</i>                                            | 4                | MO; QLL (180 per 30 days)   |
| <i>oxycodone oral solution</i>                                               | 4                | MO; QLL (1800 per 30 days)  |
| <i>oxycodone oral tablet 10 mg, 5 mg</i>                                     | 3                | MO; QLL (360 per 30 days)   |
| <i>oxycodone oral tablet 15 mg, 20 mg, 30 mg</i>                             | 4                | MO; QLL (180 per 30 days)   |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 7.5-325 mg</i> | 4                | MO; QLL (360 per 30 days)   |
| <i>oxycodone-acetaminophen oral tablet 5-325 mg</i>                          | 3                | MO; QLL (360 per 30 days)   |
| <i>oxycodone-aspirin</i>                                                     | 4                | MO; QLL (360 per 30 days)   |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg</i>                 | 5                | MO; QLL (240 per 30 days)   |
| <i>paliperidone oral tablet extended release 24hr 3 mg</i>                   | 5                | MO; QLL (120 per 30 days)   |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i>                   | 5                | MO; QLL (60 per 30 days)    |
| <i>paliperidone oral tablet extended release 24hr 9 mg</i>                   | 5                | MO; QLL (30 per 30 days)    |
| <i>paroxetine hcl oral tablet 10 mg</i>                                      | 1                | MO; QLL (180 per 30 days)   |
| <i>paroxetine hcl oral tablet 20 mg</i>                                      | 1                | MO; QLL (90 per 30 days)    |
| <i>paroxetine hcl oral tablet 30 mg</i>                                      | 2                | MO; QLL (60 per 30 days)    |
| <i>paroxetine hcl oral tablet 40 mg</i>                                      | 1                | MO; QLL (45 per 30 days)    |
| <i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg</i>             | 4                | MO; QLL (180 per 30 days)   |
| <i>paroxetine hcl oral tablet extended release 24 hr 25 mg</i>               | 4                | MO; QLL (90 per 30 days)    |
| <i>paroxetine hcl oral tablet extended release 24 hr 37.5 mg</i>             | 4                | MO; QLL (60 per 30 days)    |
| PAXIL ORAL SUSPENSION                                                        | 4                | MO; QLL (900 per 30 days)   |
| PEGANONE                                                                     | 4                | MO                          |

| <b>Drug Name</b>                                                                 | <b>Drug Tier</b> | <b>Requirements /Limits</b>     |
|----------------------------------------------------------------------------------|------------------|---------------------------------|
| <i>perphenazine</i>                                                              | 4                | MO                              |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-50 mg</i> | 4                | PAR; MO                         |
| <i>perphenazine-amitriptyline oral tablet 4-25 mg</i>                            | 3                | PAR; MO                         |
| <i>phenelzine</i>                                                                | 3                | MO                              |
| <i>phenobarbital oral elixir</i>                                                 | 4                | PAR; MO; QLL (3000 per 30 days) |
| <i>phenobarbital oral tablet 100 mg</i>                                          | 2                | PAR; MO; QLL (120 per 30 days)  |
| <i>phenobarbital oral tablet 15 mg</i>                                           | 2                | PAR; MO; QLL (800 per 30 days)  |
| <i>phenobarbital oral tablet 16.2 mg</i>                                         | 2                | PAR; MO; QLL (741 per 30 days)  |
| <i>phenobarbital oral tablet 30 mg</i>                                           | 2                | PAR; MO; QLL (400 per 30 days)  |
| <i>phenobarbital oral tablet 32.4 mg</i>                                         | 2                | PAR; MO; QLL (370 per 30 days)  |
| <i>phenobarbital oral tablet 60 mg</i>                                           | 2                | PAR; MO; QLL (200 per 30 days)  |
| <i>phenobarbital oral tablet 64.8 mg</i>                                         | 2                | PAR; MO; QLL (185 per 30 days)  |
| <i>phenobarbital oral tablet 97.2 mg</i>                                         | 2                | PAR; MO; QLL (123 per 30 days)  |
| PHENYTEK                                                                         | 4                | MO                              |
| <i>phenytoin oral suspension 100 mg/4 ml</i>                                     | 3                |                                 |
| <i>phenytoin oral suspension 125 mg/5 ml</i>                                     | 3                | MO                              |
| <i>phenytoin oral tablet, chewable</i>                                           | 3                | MO                              |
| <i>phenytoin sodium extended</i>                                                 | 2                | MO                              |
| <i>phenytoin sodium intravenous solution</i>                                     | 4                | MO                              |
| <i>phenytoin sodium intravenous syringe</i>                                      | 4                |                                 |
| <i>pimozide</i>                                                                  | 3                | MO                              |
| <i>piroxicam</i>                                                                 | 3                | MO                              |
| <i>pramipexole oral tablet</i>                                                   | 2                | MO                              |
| <i>primidone</i>                                                                 | 2                | MO                              |
| PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 100 MG                                | 4                | MO; QLL (120 per 30 days)       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                            | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|-------------------------------------------------------------|------------------|--------------------------------|
| PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG            | 4                | MO; QLL (480 per 30 days)      |
| PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 50 MG            | 4                | MO; QLL (240 per 30 days)      |
| <i>protriptyline</i>                                        | 4                | MO                             |
| <i>pyridostigmine bromide</i>                               | 3                | MO                             |
| <i>quetiapine oral tablet 100 mg</i>                        | 2                | MO; QLL (240 per 30 days)      |
| <i>quetiapine oral tablet 200 mg</i>                        | 2                | MO; QLL (120 per 30 days)      |
| <i>quetiapine oral tablet 25 mg</i>                         | 2                | MO; QLL (960 per 30 days)      |
| <i>quetiapine oral tablet 300 mg</i>                        | 2                | MO; QLL (80 per 30 days)       |
| <i>quetiapine oral tablet 400 mg</i>                        | 2                | MO; QLL (60 per 30 days)       |
| <i>quetiapine oral tablet 50 mg</i>                         | 2                | MO; QLL (480 per 30 days)      |
| <i>quetiapine oral tablet extended release 24 hr 150 mg</i> | 4                | PAR; MO; QLL (150 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 200 mg</i> | 4                | PAR; MO; QLL (120 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 300 mg</i> | 4                | PAR; MO; QLL (80 per 30 days)  |
| <i>quetiapine oral tablet extended release 24 hr 400 mg</i> | 4                | PAR; MO; QLL (60 per 30 days)  |
| <i>quetiapine oral tablet extended release 24 hr 50 mg</i>  | 4                | PAR; MO; QLL (480 per 30 days) |
| <i>rasagiline</i>                                           | 3                | MO                             |
| RAZADYNE ORAL TABLET 4 MG                                   | 4                | MO                             |
| <i>regonol</i>                                              | 4                |                                |
| REQUIP ORAL TABLET 1 MG, 4 MG, 5 MG                         | 4                | MO                             |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG             | 5                | PAR; MO; QLL (60 per 30 days)  |
| REXULTI ORAL TABLET 3 MG, 4 MG                              | 5                | PAR; MO; QLL (30 per 30 days)  |

| <b>Drug Name</b>                                                            | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|-----------------------------------------------------------------------------|------------------|-----------------------------|
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML                         | 4                | MO; QLL (2 per 28 days)     |
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML | 5                | MO; QLL (2 per 28 days)     |
| <i>risperidone oral solution</i>                                            | 3                | MO; QLL (480 per 30 days)   |
| <i>risperidone oral tablet 0.25 mg</i>                                      | 2                | MO; QLL (1920 per 30 days)  |
| <i>risperidone oral tablet 0.5 mg</i>                                       | 2                | MO; QLL (960 per 30 days)   |
| <i>risperidone oral tablet 1 mg</i>                                         | 2                | MO; QLL (480 per 30 days)   |
| <i>risperidone oral tablet 2 mg</i>                                         | 2                | MO; QLL (240 per 30 days)   |
| <i>risperidone oral tablet 3 mg</i>                                         | 2                | MO; QLL (150 per 30 days)   |
| <i>risperidone oral tablet 4 mg</i>                                         | 2                | MO; QLL (120 per 30 days)   |
| <i>risperidone oral tablet, disintegrating 0.25 mg</i>                      | 4                | MO; QLL (1920 per 30 days)  |
| <i>risperidone oral tablet, disintegrating 0.5 mg</i>                       | 4                | MO; QLL (960 per 30 days)   |
| <i>risperidone oral tablet, disintegrating 1 mg</i>                         | 4                | MO; QLL (480 per 30 days)   |
| <i>risperidone oral tablet, disintegrating 2 mg</i>                         | 4                | MO; QLL (240 per 30 days)   |
| <i>risperidone oral tablet, disintegrating 3 mg</i>                         | 4                | MO; QLL (150 per 30 days)   |
| <i>risperidone oral tablet, disintegrating 4 mg</i>                         | 4                | MO; QLL (120 per 30 days)   |
| <i>rivastigmine tartrate</i>                                                | 4                | MO; QLL (60 per 30 days)    |
| <i>rivastigmine transdermal patch</i>                                       | 4                | MO; QLL (30 per 30 days)    |
| <i>rizatriptan</i>                                                          | 4                | MO; QLL (12 per 30 days)    |
| <i>ropinirole oral tablet</i>                                               | 2                | MO                          |
| <i>ropinirole oral tablet extended release 24 hr</i>                        | 4                | MO                          |
| <i>roweepra oral tablet 500 mg</i>                                          | 2                | MO                          |
| ROZEREM                                                                     | 3                | MO; QLL (30 per 30 days)    |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                            | <b>Drug Tier</b> | <b>Requirements /Limits</b>        |
|-------------------------------------------------------------|------------------|------------------------------------|
| SABRIL ORAL POWDER IN PACKET                                | 4                | PAR; MO; LA; QLL (180 per 30 days) |
| SABRIL ORAL TABLET                                          | 5                | PAR; MO; LA; QLL (180 per 30 days) |
| SAPHRIS SUBLINGUAL TABLET 10 MG                             | 5                | MO; QLL (60 per 30 days)           |
| SAPHRIS SUBLINGUAL TABLET 2.5 MG                            | 4                | MO; QLL (240 per 30 days)          |
| SAPHRIS SUBLINGUAL TABLET 5 MG                              | 4                | MO; QLL (120 per 30 days)          |
| <i>selegiline hcl</i>                                       | 3                | MO                                 |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG       | 4                | PAR; MO; QLL (150 per 30 days)     |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 200 MG       | 4                | PAR; MO; QLL (120 per 30 days)     |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 300 MG       | 4                | PAR; MO; QLL (80 per 30 days)      |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 400 MG       | 5                | PAR; MO; QLL (60 per 30 days)      |
| SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 50 MG        | 4                | PAR; MO; QLL (480 per 30 days)     |
| <i>sertraline oral concentrate</i>                          | 4                | MO; QLL (300 per 30 days)          |
| <i>sertraline oral tablet 100 mg</i>                        | 1                | MO; QLL (60 per 30 days)           |
| <i>sertraline oral tablet 25 mg</i>                         | 1                | MO; QLL (240 per 30 days)          |
| <i>sertraline oral tablet 50 mg</i>                         | 1                | MO; QLL (120 per 30 days)          |
| SINEMET CR ORAL TABLET EXTENDED RELEASE 25-100 MG           | 4                | MO                                 |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 250 MG, 500 MG | 4                | PAR; MO; QLL (60 per 30 days)      |
| SPRITAM ORAL TABLET FOR SUSPENSION 750 MG                   | 4                | PAR; MO; QLL (120 per 30 days)     |

| <b>Drug Name</b>                                       | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|--------------------------------------------------------|------------------|--------------------------------|
| STRATTERA ORAL CAPSULE 10 MG, 18 MG, 25 MG, 40 MG      | 4                | PAR; MO; QLL (60 per 30 days)  |
| STRATTERA ORAL CAPSULE 100 MG, 60 MG, 80 MG            | 4                | PAR; MO; QLL (30 per 30 days)  |
| <i>sulindac oral tablet 150 mg</i>                     | 1                | MO                             |
| <i>sulindac oral tablet 200 mg</i>                     | 2                | MO                             |
| <i>sumatriptan nasal spray</i>                         | 4                | MO                             |
| <i>sumatriptan succinate oral</i>                      | 2                | MO; QLL (9 per 30 days)        |
| <i>sumatriptan succinate subcutaneous cartridge</i>    | 4                | MO                             |
| <i>sumatriptan succinate subcutaneous pen injector</i> | 4                | MO                             |
| <i>sumatriptan succinate subcutaneous solution</i>     | 4                | MO                             |
| SURMONTIL                                              | 4                | PAR; MO                        |
| SYMBYAX ORAL CAPSULE 12-25 MG, 12-50 MG, 6-50 MG       | 4                | MO; QLL (30 per 30 days)       |
| SYMBYAX ORAL CAPSULE 3-25 MG                           | 4                | MO; QLL (90 per 30 days)       |
| TECFIDERA                                              | 5                | PAR; MO                        |
| TEGRETOL XR ORAL TABLET EXTENDED RELEASE 12 HR 100 MG  | 4                | MO                             |
| <i>temazepam oral capsule 15 mg, 30 mg</i>             | 2                | MO; QLL (30 per 30 days)       |
| <i>tetrabenazine oral tablet 12.5 mg</i>               | 5                | PAR; MO; QLL (240 per 30 days) |
| <i>tetrabenazine oral tablet 25 mg</i>                 | 5                | PAR; MO; QLL (120 per 30 days) |
| <i>thioridazine oral tablet 10 mg, 25 mg, 50 mg</i>    | 2                | ST; MO                         |
| <i>thioridazine oral tablet 100 mg</i>                 | 3                | ST; MO                         |
| <i>thiothixene</i>                                     | 2                | MO                             |
| <i>tiagabine</i>                                       | 4                | MO                             |
| <i>tizanidine oral tablet</i>                          | 2                | MO                             |
| <i>tolcapone</i>                                       | 5                | PAR; MO; QLL (180 per 30 days) |
| <i>topiramate oral capsule, sprinkle</i>               | 4                | PAR; MO                        |
| <i>topiramate oral tablet 100 mg</i>                   | 2                | PAR; MO; QLL (480 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                                                                    | Drug Tier | Requirements /Limits            |
|----------------------------------------------------------------------------------------------|-----------|---------------------------------|
| <i>topiramate oral tablet 200 mg</i>                                                         | 2         | PAR; MO; QLL (240 per 30 days)  |
| <i>topiramate oral tablet 25 mg</i>                                                          | 2         | PAR; MO; QLL (1920 per 30 days) |
| <i>topiramate oral tablet 50 mg</i>                                                          | 2         | PAR; MO; QLL (960 per 30 days)  |
| <i>tramadol oral tablet</i>                                                                  | 3         | MO; QLL (240 per 30 days)       |
| <i>tramadol-acetaminophen</i>                                                                | 4         | MO; QLL (40 per 30 days)        |
| <i>tranlycypromine</i>                                                                       | 4         | MO                              |
| <i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>                                           | 1         | MO                              |
| <i>trazodone oral tablet 300 mg</i>                                                          | 4         | MO                              |
| <i>trifluoperazine oral tablet 1 mg, 2 mg</i>                                                | 3         | MO                              |
| <i>trifluoperazine oral tablet 10 mg, 5 mg</i>                                               | 4         | MO                              |
| <i>trihexyphenidyl</i>                                                                       | 2         | PAR; MO                         |
| <i>trimipramine</i>                                                                          | 4         | PAR; MO                         |
| TRINTELLIX ORAL TABLET 10 MG                                                                 | 4         | ST; MO; QLL (60 per 30 days)    |
| TRINTELLIX ORAL TABLET 20 MG                                                                 | 4         | ST; MO; QLL (30 per 30 days)    |
| TRINTELLIX ORAL TABLET 5 MG                                                                  | 4         | ST; MO; QLL (120 per 30 days)   |
| TYSABRI                                                                                      | 5         | PAR; MO; LA                     |
| <i>valproate sodium</i>                                                                      | 2         | MO                              |
| <i>valproic acid</i>                                                                         | 3         | MO                              |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>                              | 2         | MO                              |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i> | 2         |                                 |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg</i>                                | 2         | MO; QLL (60 per 30 days)        |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg</i>                               | 2         | MO; QLL (180 per 30 days)       |
| <i>venlafaxine oral capsule, extended release 24hr 75 mg</i>                                 | 2         | MO; QLL (90 per 30 days)        |
| <i>venlafaxine oral tablet 100 mg</i>                                                        | 3         | MO; QLL (113 per 30 days)       |
| <i>venlafaxine oral tablet 25 mg</i>                                                         | 3         | MO; QLL (450 per 30 days)       |

| Drug Name                                                    | Drug Tier | Requirements /Limits               |
|--------------------------------------------------------------|-----------|------------------------------------|
| <i>venlafaxine oral tablet 37.5 mg</i>                       | 3         | MO; QLL (300 per 30 days)          |
| <i>venlafaxine oral tablet 50 mg</i>                         | 3         | MO; QLL (225 per 30 days)          |
| <i>venlafaxine oral tablet 75 mg</i>                         | 3         | MO; QLL (150 per 30 days)          |
| <i>venlafaxine oral tablet extended release 24hr 150 mg</i>  | 4         | MO; QLL (60 per 30 days)           |
| VENLAFAXINE ORAL TABLET EXTENDED RELEASE 24HR 225 MG         | 4         | MO; QLL (30 per 30 days)           |
| <i>venlafaxine oral tablet extended release 24hr 37.5 mg</i> | 4         | MO; QLL (180 per 30 days)          |
| <i>venlafaxine oral tablet extended release 24hr 75 mg</i>   | 4         | MO; QLL (90 per 30 days)           |
| VERSACLOZ                                                    | 4         | QLL (600 per 30 days)              |
| <i>vigabatrin</i>                                            | 5         | PAR; MO; LA; QLL (180 per 30 days) |
| VIIBRYD ORAL TABLET 10 MG                                    | 4         | ST; MO; QLL (120 per 30 days)      |
| VIIBRYD ORAL TABLET 20 MG                                    | 4         | ST; MO; QLL (60 per 30 days)       |
| VIIBRYD ORAL TABLET 40 MG                                    | 4         | ST; MO; QLL (30 per 30 days)       |
| VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)         | 4         | ST; MO; QLL (30 per 30 days)       |
| VIMPAT INTRAVENOUS                                           | 4         | QLL (1200 per 30 days)             |
| VIMPAT ORAL SOLUTION                                         | 5         | MO; QLL (1200 per 30 days)         |
| VIMPAT ORAL TABLET 100 MG                                    | 4         | MO; QLL (120 per 30 days)          |
| VIMPAT ORAL TABLET 150 MG, 200 MG                            | 4         | MO; QLL (60 per 30 days)           |
| VIMPAT ORAL TABLET 50 MG                                     | 4         | MO; QLL (240 per 30 days)          |
| VOLTAREN TOPICAL                                             | 3         | MO; QLL (1000 per 30 days)         |
| VRAYLAR ORAL CAPSULE                                         | 5         | PAR; MO; QLL (30 per 30 days)      |
| VRAYLAR ORAL CAPSULE,DOSE PACK                               | 4         | PAR; MO; QLL (14 per 365 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                            | <b>Drug Tier</b> | <b>Requirements /Limits</b>        |
|-----------------------------------------------------------------------------|------------------|------------------------------------|
| XENAZINE ORAL TABLET 12.5 MG                                                | 5                | PAR; MO; LA; QLL (240 per 30 days) |
| XENAZINE ORAL TABLET 25 MG                                                  | 5                | PAR; MO; LA; QLL (120 per 30 days) |
| XYREM                                                                       | 5                | PAR; MO; LA; QLL (540 per 30 days) |
| <i>zaleplon oral capsule 10 mg</i>                                          | 2                | PAR; MO; QLL (60 per 30 days)      |
| <i>zaleplon oral capsule 5 mg</i>                                           | 2                | PAR; MO; QLL (30 per 30 days)      |
| ZARONTIN ORAL CAPSULE                                                       | 4                | MO                                 |
| <i>zenzedi oral tablet 10 mg</i>                                            | 4                | PAR; MO; QLL (180 per 30 days)     |
| <i>zenzedi oral tablet 5 mg</i>                                             | 4                | PAR; MO; QLL (90 per 30 days)      |
| <i>ziprasidone hcl oral capsule 20 mg</i>                                   | 4                | MO; QLL (240 per 30 days)          |
| <i>ziprasidone hcl oral capsule 40 mg</i>                                   | 4                | MO; QLL (120 per 30 days)          |
| <i>ziprasidone hcl oral capsule 60 mg, 80 mg</i>                            | 4                | MO; QLL (60 per 30 days)           |
| <i>zolpidem oral tablet</i>                                                 | 2                | PAR; MO; QLL (30 per 30 days)      |
| <i>zolpidem oral tablet, ext release multiphase</i>                         | 4                | PAR; MO; QLL (30 per 30 days)      |
| <i>zonisamide oral capsule 100 mg, 50 mg</i>                                | 3                | MO                                 |
| <i>zonisamide oral capsule 25 mg</i>                                        | 2                | MO                                 |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG         | 4                | MO; QLL (2 per 28 days)            |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG, 405 MG | 5                | MO; QLL (2 per 28 days)            |
| <b>Cardiovascular, Hypertension / Lipids</b>                                |                  |                                    |
| ACCUPRIL                                                                    | 4                | MO                                 |

| <b>Drug Name</b>                                                                        | <b>Drug Tier</b> | <b>Requirements /Limits</b>  |
|-----------------------------------------------------------------------------------------|------------------|------------------------------|
| ACCURETIC ORAL TABLET 20-12.5 MG, 20-25 MG                                              | 4                | MO                           |
| <i>acebutolol</i>                                                                       | 2                | MO                           |
| ADALAT CC                                                                               | 4                | MO                           |
| <i>afeditab cr</i>                                                                      | 2                | MO                           |
| AGGRENOX                                                                                | 4                | ST; MO; QLL (60 per 30 days) |
| ALDACTAZIDE ORAL TABLET 25-25 MG                                                        | 4                | MO                           |
| ALTACE ORAL CAPSULE 10 MG, 2.5 MG, 5 MG                                                 | 4                | MO                           |
| ALTOPREV                                                                                | 4                | PAR; MO                      |
| <i>amiloride</i>                                                                        | 3                | MO                           |
| <i>amiloride-hydrochlorothiazide</i>                                                    | 1                | MO                           |
| <i>amiodarone intravenous solution</i>                                                  | 4                | B/D PAR; MO                  |
| <i>amiodarone intravenous syringe</i>                                                   | 4                | B/D PAR                      |
| <i>amiodarone oral tablet 100 mg, 200 mg</i>                                            | 2                | MO                           |
| <i>amiodarone oral tablet 400 mg</i>                                                    | 4                | MO                           |
| <i>amlodipine besylate oral tablet</i>                                                  | 1                | MO                           |
| <i>amlodipine-atorvastatin</i>                                                          | 3                | MO                           |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> | 2                | MO                           |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg</i>                                     | 3                | MO                           |
| <i>amlodipine-olmesartan</i>                                                            | 3                | MO                           |
| <i>amlodipine-valsartan</i>                                                             | 2                | MO                           |
| <i>amlodipine-valsartan-hydrochlorothiazide</i>                                         | 4                | MO                           |
| <i>aspirin-dipyridamole</i>                                                             | 3                | ST; MO; QLL (60 per 30 days) |
| ATACAND                                                                                 | 4                | MO                           |
| ATACAND HCT                                                                             | 4                | MO                           |
| <i>atenolol</i>                                                                         | 1                | MO                           |
| <i>atenolol-chlorthalidone</i>                                                          | 1                | MO                           |
| <i>atorvastatin</i>                                                                     | 6                | MO; CG                       |
| AVALIDE                                                                                 | 4                | MO                           |
| AVAPRO                                                                                  | 4                | MO                           |
| AZOR                                                                                    | 3                | MO                           |
| <i>benazepril</i>                                                                       | 6                | MO; CG                       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                      | Drug Tier | Requirements /Limits      |
|------------------------------------------------|-----------|---------------------------|
| <i>benazepril-hydrochlorothiazide</i>          | 6         | MO; CG                    |
| BENICAR                                        | 3         | MO                        |
| BENICAR HCT                                    | 3         | MO                        |
| <i>betaxolol oral</i>                          | 2         | MO                        |
| BIDIL                                          | 3         | MO; QLL (180 per 30 days) |
| <i>bisoprolol fumarate</i>                     | 2         | MO                        |
| <i>bisoprolol-hydrochlorothiazide</i>          | 1         | MO                        |
| BRILINTA                                       | 3         | MO; QLL (60 per 30 days)  |
| <i>bumetanide injection</i>                    | 3         | MO                        |
| <i>bumetanide oral tablet 0.5 mg, 1 mg</i>     | 2         | MO                        |
| <i>bumetanide oral tablet 2 mg</i>             | 3         | MO                        |
| BYSTOLIC ORAL TABLET 10 MG, 20 MG, 5 MG        | 4         | ST; MO                    |
| BYSTOLIC ORAL TABLET 2.5 MG                    | 4         | MO                        |
| CALAN ORAL TABLET 120 MG                       | 4         | MO                        |
| CALAN SR ORAL TABLET EXTENDED RELEASE 120 MG   | 4         | MO                        |
| <i>candesartan</i>                             | 3         | MO                        |
| <i>candesartan-hydrochlorothiazid</i>          | 3         | MO                        |
| <i>captopril</i>                               | 1         | MO                        |
| <i>captopril-hydrochlorothiazide</i>           | 1         | MO                        |
| CARDIZEM LA                                    | 4         | MO                        |
| <i>cartia xt</i>                               | 2         | MO                        |
| <i>carvedilol</i>                              | 1         | MO                        |
| <i>chlorothiazide oral tablet 250 mg</i>       | 1         | MO                        |
| <i>chlorothiazide oral tablet 500 mg</i>       | 2         | MO                        |
| <i>chlorothiazide sodium</i>                   | 4         | MO                        |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 2         | MO                        |
| <i>cholestyramine (with sugar)</i>             | 2         | MO                        |
| <i>cholestyramine light</i>                    | 2         | MO                        |
| <i>cilostazol</i>                              | 2         | MO                        |
| <i>clonidine hcl oral tablet</i>               | 1         | MO                        |
| <i>clonidine transdermal patch</i>             | 4         | MO; QLL (4 per 28 days)   |

| Drug Name                                                                               | Drug Tier | Requirements /Limits          |
|-----------------------------------------------------------------------------------------|-----------|-------------------------------|
| <i>clopidogrel oral tablet 300 mg</i>                                                   | 3         | MO; QLL (1 per 30 days)       |
| <i>clopidogrel oral tablet 75 mg</i>                                                    | 2         | MO; QLL (30 per 30 days)      |
| <i>colesevelam</i>                                                                      | 3         | MO                            |
| <i>colestipol</i>                                                                       | 2         | MO                            |
| CORLANOR                                                                                | 4         | PAR; MO; QLL (60 per 30 days) |
| CORZIDE ORAL TABLET 40-5 MG                                                             | 4         | MO                            |
| COUMADIN ORAL                                                                           | 4         | MO                            |
| COZAAR                                                                                  | 4         | MO                            |
| CRESTOR                                                                                 | 3         | MO                            |
| DEMSER                                                                                  | 5         | MO                            |
| <i>digitek oral tablet 125 mcg</i>                                                      | 2         | MO                            |
| <i>digitek oral tablet 250 mcg</i>                                                      | 2         | PAR; MO                       |
| <i>digox oral tablet 125 mcg</i>                                                        | 3         | MO                            |
| <i>digoxin injection solution</i>                                                       | 4         | PAR; MO                       |
| <i>digoxin oral solution 50 mcg/ml</i>                                                  | 3         | MO                            |
| <i>digoxin oral tablet 125 mcg</i>                                                      | 2         | MO                            |
| <i>digoxin oral tablet 250 mcg</i>                                                      | 2         | PAR; MO                       |
| <i>dilt-xr</i>                                                                          | 2         | MO                            |
| <i>diltiazem hcl intravenous</i>                                                        | 4         |                               |
| <i>diltiazem hcl oral capsule, ext.rel 24h degradable</i>                               | 2         | MO                            |
| <i>diltiazem hcl oral capsule, extended release 12 hr</i>                               | 3         | MO                            |
| <i>diltiazem hcl oral capsule, extended release 24 hr</i>                               | 2         | MO                            |
| <i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> | 2         | MO                            |
| <i>diltiazem hcl oral capsule, extended release 24hr 360 mg</i>                         | 4         | MO                            |
| <i>diltiazem hcl oral tablet</i>                                                        | 1         | MO                            |
| DIOVAN HCT                                                                              | 4         | MO                            |
| <i>disopyramide phosphate oral capsule</i>                                              | 4         | PAR; MO                       |
| <i>dofetilide</i>                                                                       | 4         | MO                            |
| <i>doxazosin</i>                                                                        | 2         | MO                            |
| DYAZIDE                                                                                 | 4         | MO                            |
| EFFIENT                                                                                 | 3         | MO; QLL (30 per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                                                    | Drug Tier | Requirements /Limits       |
|------------------------------------------------------------------------------|-----------|----------------------------|
| ELIQUIS ORAL TABLET 2.5 MG                                                   | 3         | MO; QLL (60 per 30 days)   |
| ELIQUIS ORAL TABLET 5 MG                                                     | 3         | MO; QLL (74 per 30 days)   |
| <i>enalapril maleate</i>                                                     | 6         | MO; CG                     |
| <i>enalapril-hydrochlorothiazide</i>                                         | 6         | MO; CG                     |
| <i>enoxaparin subcutaneous solution</i>                                      | 4         | MO; QLL (84 per 28 days)   |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i>                  | 4         | MO; QLL (28 per 28 days)   |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i>           | 4         | MO; QLL (22.4 per 28 days) |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i>                          | 4         | MO; QLL (8.4 per 28 days)  |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>                          | 4         | MO; QLL (11.2 per 28 days) |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i>                          | 4         | MO; QLL (16.8 per 28 days) |
| ENTRESTO                                                                     | 4         | PAR; MO                    |
| <i>eplerenone</i>                                                            | 4         | MO                         |
| <i>eprosartan</i>                                                            | 3         | MO                         |
| EXFORGE                                                                      | 4         | MO                         |
| EXFORGE HCT                                                                  | 4         | MO                         |
| <i>ezetimibe</i>                                                             | 4         | MO                         |
| <i>felodipine</i>                                                            | 2         | MO                         |
| <i>fenofibrate micronized oral capsule 130 mg</i>                            | 4         | MO                         |
| <i>fenofibrate micronized oral capsule 134 mg, 67 mg</i>                     | 2         | MO                         |
| <i>fenofibrate micronized oral capsule 200 mg, 43 mg</i>                     | 3         | MO                         |
| <i>fenofibrate nanocrystallized oral tablet 145 mg</i>                       | 3         | MO                         |
| <i>fenofibrate nanocrystallized oral tablet 48 mg</i>                        | 2         | MO                         |
| <i>fenofibrate oral tablet 160 mg</i>                                        | 3         | MO                         |
| <i>fenofibrate oral tablet 54 mg</i>                                         | 2         | MO                         |
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg</i> | 3         | MO                         |
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 45 mg</i>  | 2         | MO                         |
| <i>flecainide</i>                                                            | 2         | MO                         |

| Drug Name                                                                                                                            | Drug Tier | Requirements /Limits     |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------|
| <i>fluvastatin oral capsule 20 mg</i>                                                                                                | 3         | MO                       |
| <i>fluvastatin oral capsule 40 mg</i>                                                                                                | 4         | MO                       |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i>                                                                                | 5         | MO; QLL (24 per 30 days) |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>                                                                               | 5         | MO; QLL (15 per 30 days) |
| <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i>                                                                                 | 5         | MO; QLL (12 per 30 days) |
| <i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i>                                                                               | 5         | MO; QLL (18 per 30 days) |
| <i>fosinopril</i>                                                                                                                    | 6         | MO; CG                   |
| <i>fosinopril-hydrochlorothiazide</i>                                                                                                | 1         | MO                       |
| <i>furosemide injection</i>                                                                                                          | 3         | MO                       |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>                                                                       | 1         | MO                       |
| <i>furosemide oral tablet</i>                                                                                                        | 1         | MO                       |
| <i>gemfibrozil</i>                                                                                                                   | 2         | MO                       |
| <i>guanfacine oral tablet</i>                                                                                                        | 2         | PAR; MO                  |
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml)</i>                                  | 4         |                          |
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i> | 4         | MO                       |
| <i>heparin (porcine) in nacl (pf)</i>                                                                                                | 4         | B/D PAR                  |
| <i>heparin (porcine) injection cartridge</i>                                                                                         | 4         | B/D PAR; MO              |
| <i>heparin (porcine) injection solution</i>                                                                                          | 4         | B/D PAR; MO              |
| <i>heparin (porcine) injection syringe 5,000 unit/ml</i>                                                                             | 4         | MO                       |
| HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML                                                    | 4         | B/D PAR                  |
| <i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml</i>                                             | 4         | MO                       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.



| Drug Name                                                                                | Drug Tier | Requirements /Limits              |
|------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/500 ml</i> | 4         | B/D PAR; MO                       |
| <i>heparin, porcine (pf) injection</i>                                                   | 4         | MO                                |
| <i>hydralazine injection</i>                                                             | 4         | MO                                |
| <i>hydralazine oral</i>                                                                  | 2         | MO                                |
| <i>hydrochlorothiazide</i>                                                               | 1         | MO                                |
| HYZAAR                                                                                   | 4         | MO                                |
| <i>indapamide</i>                                                                        | 1         | MO                                |
| <i>irbesartan</i>                                                                        | 6         | MO; CG                            |
| <i>irbesartan-hydrochlorothiazide</i>                                                    | 1         | MO                                |
| <i>isosorbide dinitrate oral tablet</i>                                                  | 3         | MO                                |
| <i>isosorbide dinitrate oral tablet extended release</i>                                 | 3         |                                   |
| <i>isosorbide mononitrate</i>                                                            | 2         | MO                                |
| <i>isradipine</i>                                                                        | 3         | MO                                |
| <i>jantoven</i>                                                                          | 1         | MO                                |
| JUXTAPID                                                                                 | 5         | PAR; MO; LA; QLL (30 per 30 days) |
| KYNAMRO                                                                                  | 5         | PAR; MO; LA; QLL (4 per 28 days)  |
| <i>labetalol intravenous solution</i>                                                    | 4         | MO                                |
| <i>labetalol oral tablet 100 mg, 200 mg</i>                                              | 2         | MO                                |
| <i>labetalol oral tablet 300 mg</i>                                                      | 3         | MO                                |
| LANOXIN ORAL TABLET 125 MCG, 62.5 MCG                                                    | 3         | MO                                |
| LIPITOR ORAL TABLET 10 MG                                                                | 4         | MO                                |
| <i>lisinopril</i>                                                                        | 6         | MO; CG                            |
| <i>lisinopril-hydrochlorothiazide</i>                                                    | 6         | MO; CG                            |
| LIVALO                                                                                   | 4         | MO                                |
| LOPID                                                                                    | 4         | MO                                |
| <i>losartan</i>                                                                          | 6         | MO; CG                            |
| <i>losartan-hydrochlorothiazide</i>                                                      | 6         | MO; CG                            |
| LOTENSIN ORAL TABLET 10 MG, 20 MG, 40 MG                                                 | 4         | MO                                |
| <i>lovastatin</i>                                                                        | 6         | MO; CG                            |
| <i>matzim la</i>                                                                         | 4         | MO                                |
| MAXZIDE                                                                                  | 4         | MO                                |

| Drug Name                                                                       | Drug Tier | Requirements /Limits     |
|---------------------------------------------------------------------------------|-----------|--------------------------|
| MAXZIDE-25MG                                                                    | 4         | MO                       |
| <i>methyclothiazide</i>                                                         | 3         | MO                       |
| <i>methyl dopa</i>                                                              | 2         | PAR; MO                  |
| <i>metolazone oral tablet 10 mg, 5 mg</i>                                       | 3         | MO                       |
| <i>metolazone oral tablet 2.5 mg</i>                                            | 2         | MO                       |
| <i>metoprolol succinate</i>                                                     | 2         | MO                       |
| <i>metoprolol tartrate intravenous solution</i>                                 | 4         | MO                       |
| <i>metoprolol tartrate intravenous syringe</i>                                  | 4         |                          |
| <i>metoprolol tartrate oral</i>                                                 | 1         | MO                       |
| <i>metoprolol tartrate-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg</i> | 3         | MO                       |
| <i>metoprolol tartrate-hydrochlorothiazide oral tablet 50-25 mg</i>             | 2         | MO                       |
| <i>mexiletine oral capsule 150 mg, 250 mg</i>                                   | 3         | MO                       |
| <i>mexiletine oral capsule 200 mg</i>                                           | 4         | MO                       |
| MICARDIS                                                                        | 4         | MO                       |
| MICARDIS HCT                                                                    | 4         | MO                       |
| MICROZIDE                                                                       | 4         | MO                       |
| MINIPRESS ORAL CAPSULE 2 MG                                                     | 4         | MO                       |
| <i>minoxidil oral</i>                                                           | 2         | MO                       |
| <i>moexipril</i>                                                                | 1         | MO                       |
| <i>moexipril-hydrochlorothiazide</i>                                            | 1         | MO                       |
| MULTAQ                                                                          | 4         | MO; QLL (60 per 30 days) |
| <i>nadolol oral tablet 20 mg, 40 mg</i>                                         | 3         | MO                       |
| <i>nadolol oral tablet 80 mg</i>                                                | 4         | MO                       |
| <i>nadolol-bendroflumethiazide</i>                                              | 3         | MO                       |
| <i>niacin oral tablet extended release 24 hr</i>                                | 4         | MO                       |
| NIACOR                                                                          | 2         | MO                       |
| <i>nicardipine intravenous solution</i>                                         | 4         | MO                       |
| <i>nicardipine oral</i>                                                         | 2         | MO                       |
| <i>nifedipine oral tablet extended release</i>                                  | 2         | MO                       |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements /Limits</b>  |
|--------------------------------------------------------------------|------------------|------------------------------|
| <i>nifedipine oral tablet extended release 24hr</i>                | 2                | MO                           |
| <i>nimodipine</i>                                                  | 4                | MO                           |
| <i>nitro-bid</i>                                                   | 3                | MO                           |
| <i>nitroglycerin intravenous</i>                                   | 4                | B/D PAR                      |
| <i>nitroglycerin sublingual</i>                                    | 3                | MO                           |
| <i>nitroglycerin transdermal patch 24 hour</i>                     | 2                | MO                           |
| <i>nitroglycerin translingual spray, non-aerosol</i>               | 4                | MO                           |
| NITROSTAT                                                          | 3                | MO                           |
| NORPACE                                                            | 4                | PAR; MO                      |
| NORVASC                                                            | 4                | MO                           |
| <i>olmesartan</i>                                                  | 3                | MO                           |
| <i>olmesartan-amlodipine-hydrochlorothiazide</i>                   | 3                | MO                           |
| <i>olmesartan-hydrochlorothiazide</i>                              | 3                | MO                           |
| <i>omega-3 acid ethyl esters</i>                                   | 3                | MO                           |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG                    | 3                | PAR; MO                      |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG | 5                | PAR; MO                      |
| <i>pacerone oral tablet 100 mg, 400 mg</i>                         | 4                | MO                           |
| <i>pacerone oral tablet 200 mg</i>                                 | 2                | MO                           |
| <i>pentoxifylline</i>                                              | 2                | MO                           |
| <i>perindopril erbumine</i>                                        | 1                | MO                           |
| <i>pindolol oral tablet 10 mg</i>                                  | 3                | MO                           |
| <i>pindolol oral tablet 5 mg</i>                                   | 2                | MO                           |
| PRADAXA                                                            | 4                | MO; QLL (60 per 30 days)     |
| PRALUENT PEN                                                       | 5                | PAR; MO; QLL (2 per 28 days) |
| <i>prasugrel</i>                                                   | 3                | MO; QLL (30 per 30 days)     |
| PRAVACHOL ORAL TABLET 20 MG                                        | 4                | MO                           |
| <i>pravastatin</i>                                                 | 6                | MO; CG                       |
| <i>prazosin oral capsule 1 mg, 2 mg</i>                            | 2                | MO                           |
| <i>prazosin oral capsule 5 mg</i>                                  | 3                | MO                           |
| <i>prevalite</i>                                                   | 2                | MO                           |

| <b>Drug Name</b>                                                       | <b>Drug Tier</b> | <b>Requirements /Limits</b>       |
|------------------------------------------------------------------------|------------------|-----------------------------------|
| PRINIVIL ORAL TABLET 10 MG, 20 MG, 5 MG                                | 4                | MO                                |
| <i>procainamide injection solution 100 mg/ml</i>                       | 4                | MO                                |
| <i>procainamide injection solution 500 mg/ml</i>                       | 4                |                                   |
| PROCARDIA                                                              | 4                | PAR; MO                           |
| PROCARDIA XL ORAL TABLET EXTENDED RELEASE 24HR 30 MG                   | 4                | MO                                |
| PROMACTA ORAL TABLET 12.5 MG, 25 MG, 75 MG                             | 5                | PAR; MO; LA; QLL (30 per 30 days) |
| PROMACTA ORAL TABLET 50 MG                                             | 5                | PAR; MO; LA; QLL (90 per 30 days) |
| <i>propafenone oral tablet 150 mg</i>                                  | 2                | MO                                |
| <i>propafenone oral tablet 225 mg</i>                                  | 3                | MO                                |
| <i>propafenone oral tablet 300 mg</i>                                  | 4                | MO                                |
| <i>propranolol intravenous</i>                                         | 4                |                                   |
| <i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg</i> | 3                | MO                                |
| <i>propranolol oral capsule, extended release 24 hr 60 mg, 80 mg</i>   | 2                | MO                                |
| <i>propranolol oral solution</i>                                       | 2                | MO                                |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>              | 1                | MO                                |
| <i>propranolol oral tablet 60 mg</i>                                   | 2                | MO                                |
| <i>propranolol-hydrochlorothiazid</i>                                  | 2                | MO                                |
| <i>quinapril</i>                                                       | 6                | MO; CG                            |
| <i>quinapril-hydrochlorothiazide</i>                                   | 1                | MO                                |
| <i>quinidine gluconate injection</i>                                   | 4                | MO                                |
| <i>quinidine sulfate oral tablet</i>                                   | 2                | MO                                |
| <i>ramipril</i>                                                        | 6                | MO; CG                            |
| RANEXA                                                                 | 3                | ST; MO                            |
| REMODULIN                                                              | 5                | PAR; MO; LA                       |
| REPATHA                                                                | 5                | PAR; MO; QLL (3.5 per 28 days)    |
| PUSHTRONEX                                                             |                  |                                   |
| REPATHA SURECLICK                                                      | 5                | PAR; MO; QLL (3 per 28 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                                     | Drug Tier | Requirements /Limits         |
|---------------------------------------------------------------|-----------|------------------------------|
| REPATHA SYRINGE                                               | 5         | PAR; MO; QLL (3 per 28 days) |
| <i>rosuvastatin</i>                                           | 3         | MO                           |
| <i>simvastatin</i>                                            | 6         | MO; CG                       |
| <i>sorine oral tablet 120 mg, 160 mg</i>                      | 2         | MO                           |
| <i>sorine oral tablet 240 mg</i>                              | 2         |                              |
| <i>sorine oral tablet 80 mg</i>                               | 1         | MO                           |
| <i>sotalol af oral tablet 120 mg, 160 mg</i>                  | 2         | MO                           |
| <i>sotalol af oral tablet 80 mg</i>                           | 1         | MO                           |
| <i>sotalol oral tablet 120 mg, 160 mg, 240 mg</i>             | 2         | MO                           |
| <i>sotalol oral tablet 80 mg</i>                              | 1         | MO                           |
| <i>spironolacton-hydrochlorothiaz</i>                         | 2         | MO                           |
| <i>spironolactone</i>                                         | 1         | MO                           |
| SULAR ORAL TABLET EXTENDED RELEASE 24 HR 17 MG                | 4         | MO                           |
| <i>taztia xt</i>                                              | 2         | MO                           |
| TEKTURNA                                                      | 3         | MO                           |
| TEKTURNA HCT                                                  | 3         | MO                           |
| <i>telmisartan</i>                                            | 3         | MO                           |
| <i>telmisartan-amlodipine</i>                                 | 3         | MO                           |
| <i>telmisartan-hydrochlorothiazid</i>                         | 3         | MO                           |
| TENORETIC 100                                                 | 4         | MO                           |
| TENORETIC 50                                                  | 4         | MO                           |
| <i>terazosin oral capsule</i>                                 | 1         | MO                           |
| TIAZAC                                                        | 4         | MO                           |
| TIKOSYN                                                       | 4         | MO                           |
| <i>timolol maleate oral tablet 10 mg, 5 mg</i>                | 2         | MO                           |
| <i>timolol maleate oral tablet 20 mg</i>                      | 3         | MO                           |
| TOPROL XL                                                     | 4         | MO                           |
| <i>toremide oral</i>                                          | 2         | MO                           |
| <i>trandolapril</i>                                           | 6         | MO; CG                       |
| <i>trandolapril-verapamil</i>                                 | 4         | MO                           |
| <i>tranexamic acid intravenous</i>                            | 3         | MO                           |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> | 1         | MO                           |

| Drug Name                                                                   | Drug Tier | Requirements /Limits                |
|-----------------------------------------------------------------------------|-----------|-------------------------------------|
| <i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>                 | 4         | MO                                  |
| <i>triamterene-hydrochlorothiazid oral tablet</i>                           | 1         | MO                                  |
| TRIBENZOR                                                                   | 3         | MO                                  |
| TRICOR ORAL TABLET 48 MG                                                    | 4         | MO                                  |
| TRILIPIX ORAL CAPSULE,DELAYED RELEASE(DR/EC) 45 MG                          | 4         | MO                                  |
| TWYNSTA ORAL TABLET 40-10 MG, 40-5 MG, 80-5 MG                              | 4         | MO                                  |
| UPTRAVI ORAL TABLET                                                         | 5         | PAR; MO; LA; QLL (60 per 30 days)   |
| UPTRAVI ORAL TABLETS,DOSE PACK                                              | 5         | PAR; MO; LA; QLL (400 per 365 days) |
| <i>valsartan</i>                                                            | 1         | MO                                  |
| <i>valsartan-hydrochlorothiazide</i>                                        | 6         | MO; CG                              |
| VASCEPA                                                                     | 4         | MO                                  |
| VASERETIC                                                                   | 4         | MO                                  |
| VASOTEC ORAL TABLET 2.5 MG                                                  | 4         | MO                                  |
| VECAMYL                                                                     | 4         |                                     |
| <i>verapamil intravenous solution</i>                                       | 2         | MO                                  |
| <i>verapamil intravenous syringe</i>                                        | 4         |                                     |
| <i>verapamil oral capsule, 24 hr er pellet ct</i>                           | 2         | MO                                  |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> | 2         | MO                                  |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>                 | 3         | MO                                  |
| <i>verapamil oral tablet</i>                                                | 1         | MO                                  |
| <i>verapamil oral tablet extended release 120 mg</i>                        | 2         | MO                                  |
| <i>verapamil oral tablet extended release 180 mg, 240 mg</i>                | 1         | MO                                  |
| <i>warfarin</i>                                                             | 1         | MO                                  |
| WELCHOL                                                                     | 3         | MO                                  |
| XARELTO ORAL TABLET 10 MG, 20 MG                                            | 3         | MO; QLL (30 per 30 days)            |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                   | <b>Drug Tier</b> | <b>Requirements /Limits</b>   |
|----------------------------------------------------|------------------|-------------------------------|
| XARELTO ORAL TABLET 15 MG                          | 3                | MO; QLL (42 per 30 days)      |
| XARELTO ORAL TABLETS,DOSE PACK                     | 3                | MO; QLL (102 per 365 days)    |
| ZESTORETIC                                         | 4                | MO                            |
| ZESTRIL ORAL TABLET 10 MG, 20 MG, 40 MG, 5 MG      | 4                | MO                            |
| ZETIA                                              | 4                | MO                            |
| ZIAC ORAL TABLET 10-6.25 MG, 5-6.25 MG             | 4                | MO                            |
| ZOCOR ORAL TABLET 10 MG                            | 4                | MO                            |
| <b>Dermatologicals/Topical Therapy</b>             |                  |                               |
| <i>acitretin oral capsule 10 mg</i>                | 4                | MO                            |
| <i>acitretin oral capsule 17.5 mg, 25 mg</i>       | 5                | MO                            |
| <i>acyclovir topical</i>                           | 4                | MO; QLL (30 per 30 days)      |
| <i>adapalene topical cream</i>                     | 4                | MO                            |
| <i>adapalene topical gel 0.1 %</i>                 | 4                | MO                            |
| <i>ala-cort topical cream 2.5 %</i>                | 1                | MO                            |
| <i>alclometasone topical cream</i>                 | 4                | MO                            |
| <i>alclometasone topical ointment</i>              | 3                | MO                            |
| <i>amcinonide topical cream</i>                    | 4                | MO                            |
| <i>amcinonide topical lotion</i>                   | 4                | MO                            |
| <i>amcinonide topical ointment</i>                 | 4                |                               |
| <i>ammonium lactate</i>                            | 2                | MO                            |
| <i>avita topical cream</i>                         | 4                | PAR; MO; QLL (45 per 30 days) |
| <i>betamethasone dipropionate topical cream</i>    | 4                | MO                            |
| <i>betamethasone dipropionate topical lotion</i>   | 3                | MO                            |
| <i>betamethasone dipropionate topical ointment</i> | 4                | MO                            |
| <i>betamethasone valerate topical cream</i>        | 2                | MO                            |
| <i>betamethasone valerate topical lotion</i>       | 4                | MO                            |
| <i>betamethasone valerate topical ointment</i>     | 3                | MO                            |
| <i>betamethasone, augmented topical cream</i>      | 2                | MO                            |

| <b>Drug Name</b>                                 | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|--------------------------------------------------|------------------|-----------------------------|
| <i>betamethasone, augmented topical gel</i>      | 4                | MO                          |
| <i>betamethasone, augmented topical lotion</i>   | 4                | MO                          |
| <i>betamethasone, augmented topical ointment</i> | 4                | MO                          |
| <i>calcipotriene scalp</i>                       | 4                | MO; QLL (60 per 30 days)    |
| <i>calcipotriene topical</i>                     | 4                | MO; QLL (120 per 30 days)   |
| <i>calcitriol topical</i>                        | 4                | MO                          |
| <i>ciclodan</i>                                  | 3                | MO                          |
| <i>ciclopirox topical cream</i>                  | 3                | MO                          |
| <i>ciclopirox topical gel</i>                    | 4                | MO                          |
| <i>ciclopirox topical shampoo</i>                | 4                | MO                          |
| <i>ciclopirox topical solution</i>               | 2                | MO                          |
| <i>ciclopirox topical suspension</i>             | 3                | MO                          |
| <i>claravis</i>                                  | 4                | MO                          |
| <i>clindamycin phosphate topical gel</i>         | 3                | MO                          |
| <i>clindamycin phosphate topical lotion</i>      | 3                | MO                          |
| <i>clindamycin phosphate topical solution</i>    | 3                | MO                          |
| <i>clindamycin phosphate topical swab</i>        | 2                | MO                          |
| <i>clindamycin-benzoyl peroxide topical gel</i>  | 4                | MO                          |
| <i>clobetasol scalp</i>                          | 2                | MO                          |
| <i>clobetasol topical cream</i>                  | 2                | MO; QLL (120 per 30 days)   |
| <i>clobetasol topical foam</i>                   | 4                | MO; QLL (100 per 30 days)   |
| <i>clobetasol topical gel</i>                    | 2                | MO                          |
| <i>clobetasol topical lotion</i>                 | 4                | MO                          |
| <i>clobetasol topical ointment</i>               | 3                | MO; QLL (120 per 30 days)   |
| <i>clobetasol topical shampoo</i>                | 4                | MO                          |
| <i>clobetasol-emollient topical cream</i>        | 3                | MO; QLL (120 per 30 days)   |
| <i>clobetasol-emollient topical foam</i>         | 4                | MO; QLL (100 per 30 days)   |
| CLOBEX TOPICAL LOTION                            | 4                | MO                          |
| <i>clotrimazole topical cream</i>                | 3                | MO                          |
| <i>clotrimazole topical solution</i>             | 2                | MO                          |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                        | Drug Tier | Requirements /Limits           |
|--------------------------------------------------|-----------|--------------------------------|
| <i>clotrimazole-betamethasone topical cream</i>  | 3         | MO                             |
| <i>clotrimazole-betamethasone topical lotion</i> | 4         | MO                             |
| DENAVIR                                          | 5         | MO; QLL (5 per 30 days)        |
| DERMATOP TOPICAL OINTMENT                        | 4         | MO                             |
| <i>desonide</i>                                  | 4         | MO                             |
| <i>desoximetasone topical cream</i>              | 4         | MO                             |
| <i>desoximetasone topical gel</i>                | 4         | MO                             |
| <i>desoximetasone topical ointment 0.25 %</i>    | 4         | MO                             |
| <i>diclofenac sodium topical gel 3 %</i>         | 5         | PAR; MO; QLL (100 per 30 days) |
| <i>diflorasone</i>                               | 4         | MO                             |
| <i>econazole</i>                                 | 2         | MO                             |
| ELIDEL                                           | 4         | PAR; MO; QLL (100 per 90 days) |
| <i>ery pads</i>                                  | 3         | MO                             |
| <i>erythromycin with ethanol</i>                 | 2         | MO                             |
| <i>erythromycin-benzoyl peroxide</i>             | 3         | MO                             |
| EXELDERM                                         | 4         | MO                             |
| <i>fluocinolone</i>                              | 4         | MO; QLL (120 per 30 days)      |
| <i>fluocinolone and shower cap</i>               | 4         | MO; QLL (120 per 30 days)      |
| <i>fluocinonide topical cream 0.05 %</i>         | 2         | MO; QLL (240 per 30 days)      |
| <i>fluocinonide topical cream 0.1 %</i>          | 5         | MO; QLL (120 per 30 days)      |
| <i>fluocinonide topical gel</i>                  | 3         | MO; QLL (240 per 30 days)      |
| <i>fluocinonide topical ointment</i>             | 3         | MO; QLL (240 per 30 days)      |
| <i>fluocinonide topical solution</i>             | 4         | MO; QLL (240 per 30 days)      |
| <i>fluocinonide-e</i>                            | 2         | MO; QLL (240 per 30 days)      |
| FLUOCINONIDE-EMOLLIENT                           | 2         | QLL (240 per 30 days)          |
| <i>fluorouracil topical cream 5 %</i>            | 3         | MO                             |
| <i>fluorouracil topical solution 2 %</i>         | 4         | MO                             |

| Drug Name                                                    | Drug Tier | Requirements /Limits          |
|--------------------------------------------------------------|-----------|-------------------------------|
| <i>fluorouracil topical solution 5 %</i>                     | 3         | MO                            |
| <i>fluticasone topical cream</i>                             | 3         | MO                            |
| <i>fluticasone topical lotion</i>                            | 4         | MO                            |
| <i>fluticasone topical ointment</i>                          | 3         | MO                            |
| <i>gentamicin topical</i>                                    | 3         | MO                            |
| <i>halobetasol propionate</i>                                | 4         | MO                            |
| HALOG                                                        | 4         | MO                            |
| <i>hydrocortisone butyrate topical cream</i>                 | 2         | MO                            |
| <i>hydrocortisone butyrate topical ointment</i>              | 4         | MO                            |
| <i>hydrocortisone butyrate topical solution</i>              | 2         | MO                            |
| <i>hydrocortisone topical cream 1 %, 2.5 %</i>               | 1         | MO                            |
| <i>hydrocortisone topical lotion 2.5 %</i>                   | 3         | MO                            |
| <i>hydrocortisone topical ointment 1 %, 2.5 %</i>            | 1         | MO                            |
| <i>hydrocortisone valerate</i>                               | 4         | MO                            |
| <i>hydrocortisone-min oil-wht pet</i>                        | 2         | MO                            |
| <i>imiquimod topical cream in packet</i>                     | 4         | MO                            |
| <i>keetoconazole topical cream</i>                           | 3         | MO                            |
| <i>keetoconazole topical shampoo</i>                         | 2         | MO                            |
| <i>lidocaine (pf) injection solution 5 mg/ml (0.5 %)</i>     | 4         | MO                            |
| <i>lidocaine hcl injection solution 20 mg/ml (2 %)</i>       | 3         | MO                            |
| <i>lidocaine hcl laryngotracheal</i>                         | 2         | MO; QLL (300 per 30 days)     |
| <i>lidocaine hcl mucous membrane jelly</i>                   | 2         | MO                            |
| <i>lidocaine hcl mucous membrane jelly in applicator</i>     | 2         | MO                            |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | 2         | MO; QLL (300 per 30 days)     |
| <i>lidocaine topical adhesive patch,medicated</i>            | 4         | PAR; MO; QLL (90 per 30 days) |
| <i>lidocaine topical ointment</i>                            | 4         | MO; QLL (150 per 30 days)     |
| <i>lidocaine viscous</i>                                     | 2         | MO                            |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                        | Drug Tier | Requirements /Limits           |
|--------------------------------------------------|-----------|--------------------------------|
| <i>lidocaine-prilocaine topical cream</i>        | 4         | MO; QLL (30 per 30 days)       |
| <i>lindane topical shampoo</i>                   | 4         | MO                             |
| <i>malathion</i>                                 | 4         | MO                             |
| <i>methoxsalen</i>                               | 5         | PAR; MO                        |
| <i>metronidazole topical cream</i>               | 4         | MO                             |
| <i>metronidazole topical gel 0.75 %</i>          | 3         | MO                             |
| <i>metronidazole topical gel 1 %</i>             | 4         | MO                             |
| <i>metronidazole topical lotion</i>              | 4         | MO                             |
| <i>mometasone topical</i>                        | 2         | MO                             |
| <i>mupirocin topical cream</i>                   | 4         | MO                             |
| <i>mupirocin topical ointment</i>                | 2         | MO                             |
| <i>myorisan oral capsule 10 mg, 20 mg, 40 mg</i> | 4         | MO                             |
| <i>nyamyc</i>                                    | 3         | MO                             |
| <i>nystatin topical cream</i>                    | 2         | MO                             |
| <i>nystatin topical ointment</i>                 | 2         | MO                             |
| <i>nystatin topical powder</i>                   | 3         | MO                             |
| <i>nystatin-triamcinolone</i>                    | 4         | MO                             |
| <i>nystop</i>                                    | 3         | MO                             |
| PANRETIN                                         | 5         | MO                             |
| <i>permethrin topical cream</i>                  | 3         | MO                             |
| PICATO                                           | 4         | MO                             |
| <i>podofilox</i>                                 | 4         | MO                             |
| <i>prednicarbate</i>                             | 4         | MO                             |
| <i>rosadan topical cream</i>                     | 2         | MO                             |
| <i>rosadan topical gel</i>                       | 2         | MO                             |
| SANTYL                                           | 4         | MO; QLL (30 per 30 days)       |
| <i>selenium sulfide topical lotion</i>           | 2         | MO                             |
| SILVADENE                                        | 3         | MO                             |
| <i>silver sulfadiazine</i>                       | 3         | MO                             |
| <i>ssd topical cream 1%</i>                      | 3         | MO                             |
| STELARA<br>SUBCUTANEOUS<br>SYRINGE               | 5         | PAR; MO; QLL (1 per 28 days)   |
| <i>sulfacetamide sodium (acne)</i>               | 4         | MO                             |
| SULFAMYLON TOPICAL<br>CREAM                      | 4         | MO                             |
| <i>tacrolimus topical</i>                        | 4         | PAR; MO; QLL (100 per 90 days) |
| TALTZ SYRINGE                                    | 5         | PAR; MO                        |
| <i>tazarotene</i>                                | 4         | PAR; MO                        |
| TAZORAC                                          | 4         | PAR; MO                        |

| Drug Name                                                             | Drug Tier | Requirements /Limits            |
|-----------------------------------------------------------------------|-----------|---------------------------------|
| TEMOVATE TOPICAL<br>CREAM                                             | 4         | MO; QLL (120 per 30 days)       |
| TEMOVATE TOPICAL<br>OINTMENT                                          | 4         | MO; QLL (120 per 30 days)       |
| <i>tretinoin topical cream</i>                                        | 3         | PAR; MO; QLL (45 per 30 days)   |
| <i>tretinoin topical gel 0.01 %, 0.025 %</i>                          | 3         | PAR; MO; QLL (45 per 30 days)   |
| <i>triamcinolone acetonide topical cream 0.025 %</i>                  | 1         | MO                              |
| <i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i>             | 2         | MO                              |
| <i>triamcinolone acetonide topical lotion</i>                         | 3         | MO                              |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 2         | MO                              |
| <i>trianex</i>                                                        | 5         | MO                              |
| <i>triderm topical cream</i>                                          | 1         | MO                              |
| UVADEX                                                                | 4         | B/D PAR                         |
| VALCHLOR                                                              | 5         | PAR; MO                         |
| <i>zenatane oral capsule 10 mg, 20 mg, 40 mg</i>                      | 4         | MO                              |
| <i>zenatane oral capsule 30 mg</i>                                    | 3         | MO                              |
| <b>Diagnostics / Miscellaneous Agents</b>                             |           |                                 |
| <i>acamprosate</i>                                                    | 4         | MO                              |
| <i>acetic acid irrigation</i>                                         | 2         | MO                              |
| <i>acetylcysteine intravenous</i>                                     | 2         | MO                              |
| ADAGEN                                                                | 5         | MO                              |
| <i>alendronate oral tablet 40 mg</i>                                  | 6         | MO; CG; QLL (30 per 30 days)    |
| <i>anagrelide</i>                                                     | 3         | MO                              |
| ARALAST NP                                                            | 5         | PAR; MO; LA                     |
| BUPHENYL ORAL<br>TABLET                                               | 5         | PAR; MO                         |
| <i>bupropion hcl (smoking deter)</i>                                  | 2         | MO; QLL (60 per 30 days)        |
| CARBAGLU                                                              | 5         | PAR; MO; LA                     |
| <i>cevimeline</i>                                                     | 4         | MO                              |
| CHANTIX                                                               | 4         | PAR; MO; QLL (60 per 30 days)   |
| CHANTIX<br>CONTINUING MONTH<br>BOX                                    | 4         | PAR; MO; QLL (56 per 28 days)   |
| CHANTIX STARTING<br>MONTH BOX                                         | 4         | PAR; MO; QLL (106 per 365 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                     | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|----------------------------------------------------------------------|------------------|-----------------------------|
| CLINIMIX 4.25%/D5W SULFIT FREE                                       | 4                | B/D PAR                     |
| CLINIMIX E 2.75%/D10W SUL FREE                                       | 4                | B/D PAR                     |
| CLINIMIX E 2.75%/D5W SULF FREE                                       | 4                | B/D PAR                     |
| CLINIMIX N9G20E 2.75%-D10W(SF)                                       | 4                | B/D PAR                     |
| <i>d10 %-0.45 % sodium chloride</i>                                  | 4                |                             |
| <i>d2.5 %-0.45 % sodium chloride</i>                                 | 4                |                             |
| <i>d5 % and 0.9 % sodium chloride</i>                                | 3                | MO                          |
| <i>d5 %-0.45 % sodium chloride</i>                                   | 3                | MO                          |
| <i>dextrose 10 % and 0.2 % nacl</i>                                  | 4                |                             |
| <i>dextrose 10 % in water (d10w)</i>                                 | 4                | MO                          |
| <i>dextrose 25 % in water (d25w)</i>                                 | 4                |                             |
| <i>dextrose 30 % in water (d30w)</i>                                 | 4                |                             |
| <i>dextrose 40 % in water (d40w)</i>                                 | 4                |                             |
| <i>dextrose 5 % in water (d5w)</i>                                   | 4                | MO                          |
| <i>dextrose 5 %-lactated ringers</i>                                 | 3                | MO                          |
| <i>dextrose 5%-0.2 % sod chloride</i>                                | 4                |                             |
| <i>dextrose 5%-0.3 % sod.chloride</i>                                | 4                |                             |
| <i>dextrose 50 % in water (d50w) intravenous parenteral solution</i> | 4                | MO                          |
| <i>dextrose 50 % in water (d50w) intravenous syringe</i>             | 4                |                             |
| <i>dextrose 70 % in water (d70w)</i>                                 | 4                | MO                          |
| <i>dextrose with sodium chloride disulfiram</i>                      | 4                | MO                          |
| <i>etidronate disodium</i>                                           | 2                | MO                          |
| EXJADE                                                               | 5                | PAR; MO; LA                 |
| INCRELEX                                                             | 5                | PAR; MO; LA                 |
| <i>kionex (with sorbitol)</i>                                        | 3                | MO                          |
| <i>lactated ringers irrigation</i>                                   | 4                | MO                          |

| <b>Drug Name</b>                                          | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|-----------------------------------------------------------|------------------|--------------------------------|
| <i>levocarnitine (with sugar)</i>                         | 3                | B/D PAR; MO                    |
| <i>levocarnitine oral tablet</i>                          | 3                | MO                             |
| <i>midodrine</i>                                          | 4                | MO                             |
| <i>neomycin-polymyxin b gu</i>                            | 4                | MO                             |
| NICOTROL NS                                               | 3                | MO; QLL (120 per 30 days)      |
| NORTHERA ORAL CAPSULE 100 MG                              | 5                | PAR; MO; QLL (540 per 30 days) |
| NORTHERA ORAL CAPSULE 200 MG                              | 5                | PAR; MO; QLL (270 per 30 days) |
| NORTHERA ORAL CAPSULE 300 MG                              | 5                | PAR; MO; QLL (180 per 30 days) |
| ORFADIN ORAL CAPSULE 10 MG, 2 MG, 5 MG                    | 5                | PAR; LA                        |
| ORFADIN ORAL CAPSULE 20 MG                                | 5                | PAR; MO; LA                    |
| ORFADIN ORAL SUSPENSION                                   | 5                | PAR; MO; LA                    |
| PHYSIOLYTE                                                | 4                |                                |
| PHYSIOSOL IRRIGATION                                      | 4                |                                |
| <i>pilocarpine hcl oral</i>                               | 4                | MO                             |
| PROLASTIN-C INTRAVENOUS RECON SOLN                        | 5                | PAR; LA                        |
| PROLASTIN-C INTRAVENOUS SOLUTION                          | 5                | PAR; MO                        |
| RAVICTI                                                   | 5                | PAR; MO; QLL (525 per 30 days) |
| RENVELA ORAL TABLET                                       | 3                | MO; QLL (540 per 30 days)      |
| <i>riluzole</i>                                           | 4                | MO                             |
| <i>ringer's irrigation</i>                                | 4                | MO                             |
| <i>risedronate oral tablet 30 mg</i>                      | 4                | ST; MO; QLL (30 per 30 days)   |
| <i>sevelamer carbonate oral powder in packet 0.8 gram</i> | 5                | MO; QLL (540 per 30 days)      |
| <i>sevelamer carbonate oral powder in packet 2.4 gram</i> | 5                | MO; QLL (180 per 30 days)      |
| <i>sevelamer carbonate oral tablet</i>                    | 3                | MO; QLL (540 per 30 days)      |
| <i>sodium chloride 0.9 % intravenous</i>                  | 3                | MO                             |
| <i>sodium chloride irrigation</i>                         | 3                | MO                             |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|-----------------------------------------------------------------|------------------|-----------------------------|
| <i>sodium phenylbutyrate</i>                                    | 5                | PAR; MO                     |
| <i>sodium polystyrene (sorb free)</i>                           | 4                | MO                          |
| <i>sodium polystyrene sulfonate oral</i>                        | 4                | MO                          |
| <i>sodium polystyrene sulfonate rectal enema 30 gram/120 ml</i> | 4                |                             |
| SODIUM POLYSTYRENE SULFONATE RECTAL ENEMA 50 GRAM/200 ML        | 4                |                             |
| <i>sps (with sorbitol) oral</i>                                 | 4                | MO                          |
| <i>sps (with sorbitol) rectal</i>                               | 4                |                             |
| SYPRINE                                                         | 5                | MO                          |
| THIOLA                                                          | 5                | PAR; MO                     |
| <i>trientine</i>                                                | 5                | MO                          |
| <i>water for irrigation, sterile</i>                            | 3                | MO                          |
| <i>zoledronic acid-mannitol-water 5 mg/100 ml</i>               | 4                | PAR; MO                     |
| <b>Ear, Nose / Throat Medications</b>                           |                  |                             |
| <i>acetic acid otic (ear)</i>                                   | 1                | MO                          |
| <i>azelastine nasal aerosol,spray</i>                           | 3                | MO; QLL (30 per 25 days)    |
| <i>azelastine nasal spray,non-aerosol</i>                       | 4                | MO; QLL (30 per 25 days)    |
| <i>chlorhexidine gluconate mucous membrane</i>                  | 1                | MO                          |
| CIPRODEX                                                        | 3                | MO                          |
| COLY-MYCIN S                                                    | 4                | MO                          |
| <i>denta 5000 plus</i>                                          | 2                | MO                          |
| <i>dentagel</i>                                                 | 2                | MO                          |
| <i>fluocinolone acetonide oil otic</i>                          | 4                | MO                          |
| <i>hydrocortisone-acetic acid</i>                               | 4                | MO                          |
| <i>ipratropium bromide nasal</i>                                | 2                | MO; QLL (30 per 30 days)    |
| <i>neomycin-polymyxin-hc otic (ear)</i>                         | 2                | MO                          |
| <i>ofloxacin otic (ear)</i>                                     | 2                | MO                          |
| <i>paroex oral rinse</i>                                        | 1                | MO                          |
| <i>periogard</i>                                                | 1                | MO                          |
| <i>sf 5000 plus</i>                                             | 2                | MO                          |
| <i>triamcinolone acetonide dental</i>                           | 3                | MO                          |
| <b>Endocrine/Diabetes</b>                                       |                  |                             |
| <i>a-hydrocort</i>                                              | 4                | MO                          |

| <b>Drug Name</b>                                                          | <b>Drug Tier</b> | <b>Requirements /Limits</b>      |
|---------------------------------------------------------------------------|------------------|----------------------------------|
| <i>acarbose oral tablet 100 mg</i>                                        | 3                | MO; QLL (90 per 30 days)         |
| <i>acarbose oral tablet 25 mg</i>                                         | 3                | MO; QLL (360 per 30 days)        |
| <i>acarbose oral tablet 50 mg</i>                                         | 3                | MO; QLL (180 per 30 days)        |
| ACTHAR H.P.                                                               | 5                | PAR; MO                          |
| ACTOPLUS MET XR ORAL TABLET, ER                                           | 4                | MO; QLL (60 per 30 days)         |
| MULTIPHASE 24 HR 15-1,000 MG                                              |                  |                                  |
| ACTOPLUS MET XR ORAL TABLET, ER                                           | 4                | MO; QLL (45 per 30 days)         |
| MULTIPHASE 24 HR 30-1,000 MG                                              |                  |                                  |
| <i>alcohol pads</i>                                                       | 1                | MO                               |
| ALDURAZYME                                                                | 5                | PAR; MO                          |
| AMARYL ORAL TABLET 1 MG                                                   | 4                | MO; QLL (240 per 30 days)        |
| AMARYL ORAL TABLET 2 MG                                                   | 4                | MO; QLL (120 per 30 days)        |
| AMARYL ORAL TABLET 4 MG                                                   | 4                | MO; QLL (60 per 30 days)         |
| ANADROL-50                                                                | 5                | PAR; MO                          |
| ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %) | 3                | PAR; MO; QLL (150 per 30 days)   |
| ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM)            | 3                | PAR; MO; QLL (112.5 per 30 days) |
| ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (40.5 MG/2.5 GRAM)              | 3                | PAR; MO; QLL (150 per 30 days)   |
| <i>armour thyroid</i>                                                     | 2                | PAR; MO                          |
| AVANDIA ORAL TABLET 2 MG                                                  | 4                | PAR; MO; QLL (120 per 30 days)   |
| AVANDIA ORAL TABLET 4 MG                                                  | 4                | PAR; MO; QLL (60 per 30 days)    |
| BYDUREON                                                                  | 3                | MO; QLL (4 per 28 days)          |
| BYDUREON BCISE                                                            | 3                | MO; QLL (4 per 28 days)          |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.



| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements /Limits</b>      |
|------------------------------------------------------------------------------|------------------|----------------------------------|
| BYETTA<br>SUBCUTANEOUS PEN<br>INJECTOR 10 MCG/<br>DOSE(250 MCG/ML) 2.4<br>ML | 3                | MO; QLL (2.4 per<br>30 days)     |
| BYETTA<br>SUBCUTANEOUS PEN<br>INJECTOR 5 MCG/<br>DOSE (250 MCG/ML) 1.2<br>ML | 3                | MO; QLL (1.2 per<br>30 days)     |
| <i>cabergoline</i>                                                           | 3                | MO                               |
| <i>calcitonin (salmon)</i>                                                   | 3                | MO; QLL (4 per<br>30 days)       |
| <i>calcitriol intravenous solution<br/>1 mcg/ml</i>                          | 4                | MO                               |
| <i>calcitriol oral capsule</i>                                               | 2                | MO                               |
| <i>calcitriol oral solution</i>                                              | 3                | B/D PAR; MO                      |
| CEREZYME<br>INTRAVENOUS RECON<br>SOLN 400 UNIT                               | 5                | PAR; MO                          |
| <i>cortisone</i>                                                             | 4                | MO                               |
| CYCLOSET                                                                     | 4                | ST; MO; QLL<br>(180 per 30 days) |
| CYTOMEL                                                                      | 4                | MO                               |
| <i>danazol</i>                                                               | 3                | MO                               |
| <i>desmopressin injection</i>                                                | 4                | MO                               |
| <i>desmopressin nasal spray with<br/>pump</i>                                | 4                | MO                               |
| <i>desmopressin nasal spray, non-<br/>aerosol</i>                            | 4                | MO                               |
| <i>desmopressin oral</i>                                                     | 4                | MO                               |
| <i>dexamethasone intensol</i>                                                | 4                | MO                               |
| <i>dexamethasone oral elixir</i>                                             | 4                | MO                               |
| <i>dexamethasone oral solution</i>                                           | 4                | MO                               |
| <i>dexamethasone oral tablet 0.5<br/>mg, 0.75 mg, 1 mg, 1.5 mg</i>           | 1                | MO                               |
| <i>dexamethasone oral tablet 2<br/>mg, 4 mg, 6 mg</i>                        | 2                | MO                               |
| <i>dexamethasone sodium phos<br/>(pf)</i>                                    | 4                | MO                               |
| <i>dexamethasone sodium<br/>phosphate injection solution</i>                 | 3                | MO                               |
| <i>dexamethasone sodium<br/>phosphate injection syringe</i>                  | 4                | MO                               |
| <i>doxercalciferol intravenous</i>                                           | 4                |                                  |

| <b>Drug Name</b>                                                 | <b>Drug Tier</b> | <b>Requirements /Limits</b>      |
|------------------------------------------------------------------|------------------|----------------------------------|
| <i>doxercalciferol oral capsule<br/>0.5 mcg</i>                  | 4                | B/D PAR; MO                      |
| <i>doxercalciferol oral capsule 1<br/>mcg, 2.5 mcg</i>           | 5                | MO                               |
| DUETACT ORAL<br>TABLET 30-4 MG                                   | 4                | MO; QLL (30 per<br>30 days)      |
| ELAPRASE                                                         | 5                | PAR; MO                          |
| FABRAZYME                                                        | 5                | PAR; MO                          |
| <i>fludrocortisone</i>                                           | 3                | MO                               |
| <i>gauze pads 2 x 2</i>                                          | 1                | MO; QLL (200 per<br>30 days)     |
| <i>glimepiride oral tablet 1 mg</i>                              | 6                | MO; CG; QLL<br>(240 per 30 days) |
| <i>glimepiride oral tablet 2 mg</i>                              | 6                | MO; CG; QLL<br>(120 per 30 days) |
| <i>glimepiride oral tablet 4 mg</i>                              | 6                | MO; CG; QLL (60<br>per 30 days)  |
| <i>glipizide oral tablet 10 mg</i>                               | 6                | MO; CG; QLL<br>(120 per 30 days) |
| <i>glipizide oral tablet 5 mg</i>                                | 6                | MO; CG; QLL<br>(240 per 30 days) |
| <i>glipizide oral tablet extended<br/>release 24hr 10 mg</i>     | 6                | MO; CG; QLL (60<br>per 30 days)  |
| <i>glipizide oral tablet extended<br/>release 24hr 2.5 mg</i>    | 6                | MO; CG; QLL<br>(240 per 30 days) |
| <i>glipizide oral tablet extended<br/>release 24hr 5 mg</i>      | 6                | MO; CG; QLL<br>(120 per 30 days) |
| <i>glipizide-metformin oral<br/>tablet 2.5-250 mg</i>            | 6                | MO; CG; QLL<br>(240 per 30 days) |
| <i>glipizide-metformin oral<br/>tablet 2.5-500 mg, 5-500 mg</i>  | 6                | MO; CG; QLL<br>(120 per 30 days) |
| GLUCAGEN HYPOKIT                                                 | 3                | MO                               |
| GLUCAGON                                                         | 4                | MO                               |
| EMERGENCY KIT<br>(HUMAN)                                         |                  |                                  |
| GLUCOPHAGE ORAL<br>TABLET 1,000 MG                               | 4                | MO; QLL (60 per<br>30 days)      |
| GLUCOPHAGE ORAL<br>TABLET 500 MG                                 | 4                | MO; QLL (150 per<br>30 days)     |
| GLUCOPHAGE ORAL<br>TABLET 850 MG                                 | 4                | MO; QLL (90 per<br>30 days)      |
| GLUCOPHAGE XR<br>ORAL TABLET<br>EXTENDED RELEASE 24<br>HR 500 MG | 4                | MO; QLL (120 per<br>30 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                            | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|-------------------------------------------------------------|------------------|--------------------------------|
| GLUCOPHAGE XR ORAL TABLET EXTENDED RELEASE 24 HR 750 MG     | 4                | MO; QLL (60 per 30 days)       |
| GLUCOTROL ORAL TABLET 10 MG                                 | 4                | MO; QLL (120 per 30 days)      |
| GLUCOTROL ORAL TABLET 5 MG                                  | 4                | MO; QLL (240 per 30 days)      |
| GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 10 MG        | 4                | MO; QLL (60 per 30 days)       |
| GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 2.5 MG       | 4                | MO; QLL (240 per 30 days)      |
| GLUCOTROL XL ORAL TABLET EXTENDED RELEASE 24HR 5 MG         | 4                | MO; QLL (120 per 30 days)      |
| GLUCOVANCE                                                  | 4                | PAR; MO; QLL (120 per 30 days) |
| GLUMETZA ORAL TABLET,ER GAST.RETENTION 24 HR 1,000 MG       | 5                | MO; QLL (60 per 30 days)       |
| GLUMETZA ORAL TABLET,ER GAST.RETENTION 24 HR 500 MG         | 5                | MO; QLL (120 per 30 days)      |
| <i>glyburide micronized oral tablet 1.5 mg</i>              | 2                | PAR; MO; QLL (240 per 30 days) |
| <i>glyburide micronized oral tablet 3 mg</i>                | 2                | PAR; MO; QLL (120 per 30 days) |
| <i>glyburide micronized oral tablet 6 mg</i>                | 2                | PAR; MO; QLL (60 per 30 days)  |
| <i>glyburide oral tablet 1.25 mg</i>                        | 2                | PAR; MO; QLL (480 per 30 days) |
| <i>glyburide oral tablet 2.5 mg</i>                         | 2                | PAR; MO; QLL (240 per 30 days) |
| <i>glyburide oral tablet 5 mg</i>                           | 2                | PAR; MO; QLL (120 per 30 days) |
| <i>glyburide-metformin oral tablet 1.25-250 mg</i>          | 2                | PAR; MO; QLL (240 per 30 days) |
| <i>glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | 2                | PAR; MO; QLL (120 per 30 days) |
| GLYSET ORAL TABLET 100 MG                                   | 4                | MO; QLL (90 per 30 days)       |

| <b>Drug Name</b>                                         | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|----------------------------------------------------------|------------------|-----------------------------|
| GLYSET ORAL TABLET 25 MG                                 | 4                | MO; QLL (360 per 30 days)   |
| GLYSET ORAL TABLET 50 MG                                 | 4                | MO; QLL (180 per 30 days)   |
| HUMALOG JUNIOR KWIKPEN U-100                             | 3                | MO                          |
| HUMALOG KWIKPEN INSULIN                                  | 3                | MO                          |
| HUMALOG MIX 50-50 INSULN U-100                           | 3                | MO                          |
| HUMALOG MIX 50-50 KWIKPEN                                | 3                | MO                          |
| HUMALOG MIX 75-25 KWIKPEN                                | 3                | MO                          |
| HUMALOG MIX 75-25(U-100)INSULN                           | 3                | MO                          |
| HUMALOG U-100 INSULIN                                    | 3                | MO                          |
| HUMULIN 70/30 U-100 INSULIN                              | 3                | MO                          |
| HUMULIN 70/30 U-100 KWIKPEN                              | 3                | MO                          |
| HUMULIN N NPH INSULIN KWIKPEN                            | 3                | MO                          |
| HUMULIN N NPH U-100 INSULIN                              | 3                | MO                          |
| HUMULIN R REGULAR U-100 INSULN                           | 3                | MO                          |
| HUMULIN R U-500 (CONC) INSULIN                           | 3                | MO                          |
| HUMULIN R U-500 (CONC) KWIKPEN                           | 3                | MO                          |
| <i>hydrocortisone oral tablet 10 mg, 5 mg</i>            | 3                | MO                          |
| <i>hydrocortisone oral tablet 20 mg</i>                  | 2                | MO                          |
| <i>insulin pen needle</i>                                | 2                | MO; QLL (200 per 30 days)   |
| <i>insulin syringe (disp) u-100 0.3 ml, 1 ml, 1/2 ml</i> | 2                | MO; QLL (200 per 30 days)   |
| JANUMET                                                  | 3                | MO; QLL (60 per 30 days)    |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG | 3                | MO; QLL (30 per 30 days)    |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                                                         | <b>Drug Tier</b> | <b>Requirements /Limits</b>   |
|--------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------|
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG                                                       | 3                | MO; QLL (60 per 30 days)      |
| JANUVIA ORAL TABLET 100 MG                                                                                               | 3                | MO; QLL (30 per 30 days)      |
| JANUVIA ORAL TABLET 25 MG                                                                                                | 3                | MO; QLL (120 per 30 days)     |
| JANUVIA ORAL TABLET 50 MG                                                                                                | 3                | MO; QLL (60 per 30 days)      |
| JARDIANCE                                                                                                                | 3                | MO; QLL (30 per 30 days)      |
| JENTADUETO                                                                                                               | 3                | MO; QLL (60 per 30 days)      |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG                                                           | 3                | MO; QLL (60 per 30 days)      |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG                                                             | 3                | MO; QLL (30 per 30 days)      |
| KORLYM                                                                                                                   | 5                | PAR; MO                       |
| KUVAN ORAL TABLET, SOLUBLE                                                                                               | 5                | PAR; MO                       |
| LANTUS SOLOSTAR U-100 INSULIN                                                                                            | 3                | MO                            |
| LANTUS U-100 INSULIN                                                                                                     | 3                | MO                            |
| LEVEMIR FLEXTOUCH U-100 INSULN                                                                                           | 3                | MO                            |
| LEVEMIR U-100 INSULIN                                                                                                    | 3                | MO                            |
| <i>levothyroxine oral</i>                                                                                                | 1                | MO                            |
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 3                | MO                            |
| <i>liothyronine intravenous</i>                                                                                          | 5                | MO                            |
| <i>liothyronine oral</i>                                                                                                 | 2                | MO                            |
| <i>metformin oral tablet 1,000 mg</i>                                                                                    | 6                | MO; CG; QLL (60 per 30 days)  |
| <i>metformin oral tablet 500 mg</i>                                                                                      | 6                | MO; CG; QLL (150 per 30 days) |
| <i>metformin oral tablet 850 mg</i>                                                                                      | 6                | MO; CG; QLL (90 per 30 days)  |

| <b>Drug Name</b>                                                         | <b>Drug Tier</b> | <b>Requirements /Limits</b>      |
|--------------------------------------------------------------------------|------------------|----------------------------------|
| <i>metformin oral tablet extended release 24 hr 500 mg</i>               | 6                | MO; CG; QLL (120 per 30 days)    |
| <i>metformin oral tablet extended release 24 hr 750 mg</i>               | 6                | MO; CG; QLL (60 per 30 days)     |
| <i>metformin oral tablet extended release 24 hrs osm-tab 500mg</i>       | 4                | MO; QLL (150 per 30 days)        |
| <i>metformin oral tablet extended release 24hr 1,000 mg</i>              | 4                | MO; QLL (60 per 30 days)         |
| <i>metformin oral tablet,er gast.retention 24 hr 1,000 mg</i>            | 5                | MO; QLL (60 per 30 days)         |
| <i>metformin oral tablet,er gast.retention 24 hr 500 mg</i>              | 5                | MO; QLL (120 per 30 days)        |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                               | 2                | MO                               |
| <i>methylprednisolone acetate</i>                                        | 3                | MO                               |
| <i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg</i>                 | 3                | MO                               |
| <i>methylprednisolone oral tablet 8 mg</i>                               | 4                | MO                               |
| <i>methylprednisolone oral tablets,dose pack</i>                         | 3                | MO                               |
| <i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i> | 4                | MO                               |
| <i>methylprednisolone sodium succ intravenous</i>                        | 4                | MO                               |
| MIACALCIN INJECTION                                                      | 5                | B/D PAR; MO                      |
| <i>miglitol oral tablet 100 mg</i>                                       | 4                | MO; QLL (90 per 30 days)         |
| <i>miglitol oral tablet 25 mg</i>                                        | 4                | MO; QLL (360 per 30 days)        |
| <i>miglitol oral tablet 50 mg</i>                                        | 4                | MO; QLL (180 per 30 days)        |
| <i>miglustat</i>                                                         | 5                | PAR; MO; LA                      |
| NAGLAZYME                                                                | 5                | PAR; MO; LA                      |
| <i>nateglinide oral tablet 120 mg</i>                                    | 4                | MO; QLL (90 per 30 days)         |
| <i>nateglinide oral tablet 60 mg</i>                                     | 4                | MO; QLL (180 per 30 days)        |
| NATPARA                                                                  | 5                | PAR; MO; LA; QLL (2 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                     | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|--------------------------------------------------------------------------------------|------------------|--------------------------------|
| <i>needles, insulin disp.,safety</i>                                                 | 2                | MO; QLL (200 per 30 days)      |
| <i>oxandrolone oral tablet 10 mg</i>                                                 | 5                | PAR; MO; QLL (60 per 30 days)  |
| <i>oxandrolone oral tablet 2.5 mg</i>                                                | 3                | PAR; MO; QLL (240 per 30 days) |
| OZEMPIC                                                                              | 3                | MO                             |
| <i>pamidronate intravenous recon soln</i>                                            | 4                | MO                             |
| <i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 90 mg/10 ml (9 mg/ml)</i> | 4                | MO                             |
| <i>pamidronate intravenous solution 60 mg/10 ml (6 mg/ml)</i>                        | 2                | B/D PAR; MO                    |
| <i>paricalcitol oral</i>                                                             | 4                | MO                             |
| <i>pioglitazone oral tablet 15 mg</i>                                                | 2                | MO; QLL (90 per 30 days)       |
| <i>pioglitazone oral tablet 30 mg</i>                                                | 2                | MO; QLL (45 per 30 days)       |
| <i>pioglitazone oral tablet 45 mg</i>                                                | 2                | MO; QLL (30 per 30 days)       |
| <i>pioglitazone-glimepiride</i>                                                      | 4                | MO; QLL (30 per 30 days)       |
| <i>pioglitazone-metformin</i>                                                        | 4                | MO; QLL (90 per 30 days)       |
| PRECOSE ORAL TABLET 100 MG                                                           | 4                | MO; QLL (90 per 30 days)       |
| PRECOSE ORAL TABLET 25 MG                                                            | 4                | MO; QLL (360 per 30 days)      |
| PRECOSE ORAL TABLET 50 MG                                                            | 4                | MO; QLL (180 per 30 days)      |
| <i>prednisolone oral solution 15 mg/5 ml</i>                                         | 3                | MO                             |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml)</i>              | 3                | MO                             |
| <i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i>      | 4                | MO                             |
| <i>prednisolone sodium phosphate oral tablet, disintegrating</i>                     | 4                | MO                             |
| <i>prednisone intensol</i>                                                           | 4                | MO                             |
| <i>prednisone oral solution</i>                                                      | 3                | MO                             |
| <i>prednisone oral tablet</i>                                                        | 1                | MO                             |

| <b>Drug Name</b>                                                                       | <b>Drug Tier</b> | <b>Requirements /Limits</b>        |
|----------------------------------------------------------------------------------------|------------------|------------------------------------|
| <i>prednisone oral tablets,dose pack</i>                                               | 1                | MO                                 |
| PROGLYCEM                                                                              | 5                | MO                                 |
| <i>propylthiouracil</i>                                                                | 3                | MO                                 |
| <i>repaglinide oral tablet 0.5 mg</i>                                                  | 4                | MO; QLL (960 per 30 days)          |
| <i>repaglinide oral tablet 1 mg</i>                                                    | 4                | MO; QLL (480 per 30 days)          |
| <i>repaglinide oral tablet 2 mg</i>                                                    | 4                | MO; QLL (240 per 30 days)          |
| RIOMET                                                                                 | 4                | MO; QLL (780 per 30 days)          |
| SAMSCA ORAL TABLET 15 MG                                                               | 5                | PAR; MO; QLL (30 per 30 days)      |
| SAMSCA ORAL TABLET 30 MG                                                               | 5                | PAR; MO; QLL (60 per 30 days)      |
| SENSIPAR ORAL TABLET 30 MG                                                             | 3                | B/D PAR; MO; QLL (60 per 30 days)  |
| SENSIPAR ORAL TABLET 60 MG                                                             | 5                | B/D PAR; MO; QLL (60 per 30 days)  |
| SENSIPAR ORAL TABLET 90 MG                                                             | 5                | B/D PAR; MO; QLL (120 per 30 days) |
| SOMAVERT                                                                               | 5                | PAR; MO                            |
| STIMATE                                                                                | 5                | MO                                 |
| SYMLINPEN 120                                                                          | 5                | PAR; MO; QLL (11 per 30 days)      |
| SYMLINPEN 60                                                                           | 5                | PAR; MO; QLL (6 per 30 days)       |
| SYNAREL                                                                                | 5                | PAR; MO                            |
| SYNJARDY                                                                               | 3                | MO; QLL (60 per 30 days)           |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 12.5-1,000 MG, 5-1,000 MG | 3                | MO; QLL (60 per 30 days)           |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 25-1,000 MG                            | 3                | MO; QLL (30 per 30 days)           |
| SYNTHROID                                                                              | 3                | MO                                 |
| TANZEUM                                                                                | 4                | MO; QLL (4 per 28 days)            |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                                                    | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|---------------------------------------------------------------------------------------------------------------------|------------------|--------------------------------|
| TAPAZOLE                                                                                                            | 3                | MO                             |
| testosterone cypionate                                                                                              | 2                | PAR; MO                        |
| testosterone enanthate                                                                                              | 4                | PAR; MO                        |
| TESTOSTERONE TRANSDERMAL GEL                                                                                        | 3                | PAR; MO; QLL (300 per 30 days) |
| TESTOSTERONE TRANSDERMAL GEL IN METERED-DOSE PUMP 10 MG/0.5 GRAM / ACTUATION                                        | 3                | PAR; MO; QLL (120 per 30 days) |
| TESTOSTERONE TRANSDERMAL GEL IN METERED-DOSE PUMP 12.5 MG/ 1.25 GRAM (1 %)                                          | 3                | PAR; MO; QLL (300 per 30 days) |
| testosterone transdermal gel in packet 1 % (25 mg/2.5gram)                                                          | 3                | PAR; MO; QLL (300 per 30 days) |
| TESTOSTERONE TRANSDERMAL GEL IN PACKET 1 % (50 MG/5 GRAM)                                                           | 3                | PAR; MO; QLL (300 per 30 days) |
| thyroid (pork) oral tablet 30 mg, 60 mg                                                                             | 2                | PAR                            |
| thyroid (pork) oral tablet 90 mg                                                                                    | 2                | PAR; MO                        |
| tolazamide oral tablet 250 mg                                                                                       | 1                | MO; QLL (120 per 30 days)      |
| tolazamide oral tablet 500 mg                                                                                       | 1                | MO; QLL (60 per 30 days)       |
| tolbutamide                                                                                                         | 2                | MO; QLL (180 per 30 days)      |
| TOUJEO MAX U-300 SOLOSTAR                                                                                           | 3                | MO                             |
| TOUJEO SOLOSTAR U-300 INSULIN                                                                                       | 3                | MO                             |
| TRADJENTA                                                                                                           | 3                | MO; QLL (30 per 30 days)       |
| triamcinolone acetonide injection                                                                                   | 4                | MO                             |
| TRULICITY                                                                                                           | 3                | MO; QLL (2 per 28 days)        |
| unithroid oral tablet 100 mcg, 112 mcg, 125 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg | 3                | MO                             |

| <b>Drug Name</b>                                                    | <b>Drug Tier</b> | <b>Requirements /Limits</b>       |
|---------------------------------------------------------------------|------------------|-----------------------------------|
| unithroid oral tablet 137 mcg                                       | 1                | MO                                |
| VICTOZA 2-PAK                                                       | 3                | MO; QLL (9 per 30 days)           |
| VICTOZA 3-PAK                                                       | 3                | MO; QLL (9 per 30 days)           |
| VPRIV                                                               | 5                | PAR; MO                           |
| ZAVESCA                                                             | 5                | PAR; MO; LA                       |
| zoledronic acid intravenous solution 4 mg/5 ml intravenous solution | 4                | PAR; MO                           |
| ZOMETA                                                              | 5                | PAR; MO                           |
| INTRAVENOUS PIGGYBACK                                               |                  |                                   |
| <b>Gastroenterology</b>                                             |                  |                                   |
| alosetron                                                           | 5                | PAR; MO; QLL (60 per 30 days)     |
| AMITIZA                                                             | 3                | MO; QLL (60 per 30 days)          |
| aprepitant oral capsule 125 mg                                      | 3                | B/D PAR; MO; QLL (5 per 30 days)  |
| aprepitant oral capsule 40 mg                                       | 3                | B/D PAR; MO; QLL (1 per 28 days)  |
| aprepitant oral capsule 80 mg                                       | 3                | B/D PAR; MO; QLL (10 per 30 days) |
| aprepitant oral capsule, dose pack                                  | 3                | B/D PAR; MO; QLL (15 per 30 days) |
| APRISO                                                              | 3                | MO                                |
| ASACOL HD                                                           | 3                | MO                                |
| atropine injection solution 0.4 mg/ml                               | 4                | MO                                |
| atropine injection syringe 0.05 mg/ml, 0.1 mg/ml                    | 4                |                                   |
| balsalazide                                                         | 4                | MO                                |
| budesonide oral                                                     | 5                | MO                                |
| CANASA                                                              | 5                | MO                                |
| carafate oral suspension                                            | 4                | MO                                |
| cimetidine                                                          | 3                | MO                                |
| cimetidine hcl oral                                                 | 3                | MO                                |
| compro                                                              | 4                | MO                                |
| constulose                                                          | 2                | MO                                |
| CREON                                                               | 3                | MO                                |
| cromolyn oral                                                       | 4                | MO                                |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                        | <b>Drug Tier</b> | <b>Requirements /Limits</b>        |
|---------------------------------------------------------|------------------|------------------------------------|
| CYSTADANE                                               | 5                | MO                                 |
| DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS)            | 3                | MO                                 |
| DEXILANT                                                | 4                | ST; MO; QLL (30 per 30 days)       |
| <i>dicyclomine oral capsule</i>                         | 1                | MO                                 |
| <i>dicyclomine oral solution</i>                        | 4                | MO                                 |
| <i>dicyclomine oral tablet</i>                          | 2                | MO                                 |
| DIPENTUM                                                | 5                | MO                                 |
| <i>diphenoxylate-atropine oral liquid</i>               | 1                | MO                                 |
| <i>diphenoxylate-atropine oral tablet</i>               | 3                | MO                                 |
| <i>dronabinol oral capsule 10 mg</i>                    | 5                | B/D PAR; MO; QLL (120 per 30 days) |
| <i>dronabinol oral capsule 2.5 mg, 5 mg</i>             | 4                | B/D PAR; MO; QLL (120 per 30 days) |
| EMEND ORAL CAPSULE 125 MG                               | 3                | B/D PAR; MO; QLL (5 per 30 days)   |
| EMEND ORAL CAPSULE 40 MG                                | 3                | B/D PAR; MO; QLL (1 per 28 days)   |
| EMEND ORAL CAPSULE 80 MG                                | 3                | B/D PAR; MO; QLL (10 per 30 days)  |
| EMEND ORAL CAPSULE,DOSE PACK                            | 3                | B/D PAR; MO; QLL (15 per 30 days)  |
| EMEND ORAL SUSPENSION FOR RECONSTITUTION                | 3                | B/D PAR; MO; QLL (15 per 30 days)  |
| <i>enulose</i>                                          | 2                | MO                                 |
| <i>esomeprazole magnesium</i>                           | 4                | MO; QLL (30 per 30 days)           |
| <i>esomeprazole sodium intravenous recon soln 20 mg</i> | 4                |                                    |
| <i>esomeprazole sodium intravenous recon soln 40 mg</i> | 4                | MO                                 |
| <i>famotidine (pf)</i>                                  | 3                | MO                                 |
| <i>famotidine (pf)-nacl (iso-os)</i>                    | 3                | MO                                 |
| <i>famotidine intravenous solution</i>                  | 4                | MO                                 |

| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements /Limits</b>       |
|--------------------------------------------------------------------|------------------|-----------------------------------|
| <i>famotidine oral suspension</i>                                  | 4                | MO                                |
| <i>famotidine oral tablet 20 mg, 40 mg</i>                         | 1                | MO                                |
| GATTEX 30-VIAL                                                     | 5                | PAR; MO                           |
| GATTEX ONE-VIAL                                                    | 5                | PAR; MO                           |
| <i>gavilyte-c</i>                                                  | 2                | MO                                |
| <i>gavilyte-g</i>                                                  | 2                | MO                                |
| <i>gavilyte-n</i>                                                  | 2                | MO                                |
| <i>generlac</i>                                                    | 2                | MO                                |
| <i>glycopyrrolate injection</i>                                    | 4                | MO                                |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i>                       | 3                | MO                                |
| <i>granisetron (pf) intravenous solution 100 mcg/ml</i>            | 4                | MO                                |
| <i>granisetron hcl intravenous</i>                                 | 4                | MO                                |
| <i>granisetron hcl oral</i>                                        | 4                | B/D PAR; MO; QLL (30 per 30 days) |
| <i>hydrocortisone rectal</i>                                       | 4                | MO                                |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> | 1                | MO                                |
| <i>lactulose oral solution</i>                                     | 2                | MO                                |
| <i>lansoprazole oral capsule, delayed release(dr/ec)</i>           | 4                | MO; QLL (30 per 30 days)          |
| LIALDA                                                             | 3                | MO                                |
| LINZESS                                                            | 3                | MO; QLL (30 per 30 days)          |
| <i>loperamide oral capsule</i>                                     | 3                | MO                                |
| <i>meclizine oral tablet 12.5 mg, 25 mg</i>                        | 2                | MO                                |
| <i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i>    | 3                | MO                                |
| MESALAMINE ORAL TABLET,DELAYED RELEASE (DR/EC) 800 MG              | 3                | MO                                |
| <i>mesalamine rectal</i>                                           | 3                | MO                                |
| <i>mesalamine with cleansing wipe</i>                              | 4                | MO                                |
| <i>methscopolamine</i>                                             | 4                | MO                                |
| <i>metoclopramide hcl injection solution</i>                       | 3                | MO                                |
| <i>metoclopramide hcl injection syringe</i>                        | 4                |                                   |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                                               | Drug Tier | Requirements /Limits               |
|-------------------------------------------------------------------------|-----------|------------------------------------|
| <i>metoclopramide hcl oral solution</i>                                 | 2         | MO                                 |
| <i>metoclopramide hcl oral tablet</i>                                   | 1         | MO                                 |
| <i>misoprostol oral tablet 100 mcg</i>                                  | 3         | MO                                 |
| <i>misoprostol oral tablet 200 mcg</i>                                  | 4         | MO                                 |
| MOVANTIK                                                                | 3         | MO; QLL (30 per 30 days)           |
| MOVIPREP                                                                | 4         | MO                                 |
| <i>nizatidine oral capsule</i>                                          | 3         | MO                                 |
| <i>omeprazole oral capsule, delayed release(dr/ec)</i>                  | 2         | MO; QLL (30 per 30 days)           |
| <i>ondansetron hcl (pf) injection solution</i>                          | 4         | MO                                 |
| <i>ondansetron hcl (pf) injection syringe</i>                           | 3         | MO                                 |
| <i>ondansetron hcl intravenous</i>                                      | 4         | MO                                 |
| <i>ondansetron hcl oral solution</i>                                    | 4         | B/D PAR; MO; QLL (450 per 30 days) |
| <i>ondansetron hcl oral tablet 24 mg</i>                                | 4         | B/D PAR; QLL (30 per 30 days)      |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i>                           | 3         | B/D PAR; MO; QLL (90 per 30 days)  |
| <i>ondansetron oral tablet, disintegrating 4 mg</i>                     | 4         | B/D PAR; MO; QLL (90 per 30 days)  |
| <i>ondansetron oral tablet, disintegrating 8 mg</i>                     | 3         | B/D PAR; MO; QLL (90 per 30 days)  |
| <i>opium tincture</i>                                                   | 2         | MO                                 |
| OSMOPREP                                                                | 4         | MO                                 |
| <i>pantoprazole intravenous</i>                                         | 4         | MO                                 |
| <i>pantoprazole oral</i>                                                | 1         | MO; QLL (30 per 30 days)           |
| <i>paregoric</i>                                                        | 2         | MO                                 |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 - 5.86 gram</i> | 2         | MO                                 |
| <i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 - 5.84 gram</i> | 2         |                                    |
| <i>peg-electrolyte soln</i>                                             | 2         |                                    |
| PENTASA                                                                 | 3         | MO                                 |

| Drug Name                                                                 | Drug Tier | Requirements /Limits          |
|---------------------------------------------------------------------------|-----------|-------------------------------|
| <i>polyethylene glycol 3350</i>                                           | 2         | MO                            |
| <i>prochlorperazine</i>                                                   | 4         | MO                            |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 4         | MO                            |
| <i>prochlorperazine maleate</i>                                           | 2         | MO                            |
| <i>procto-med hc</i>                                                      | 4         | MO                            |
| <i>procto-pak</i>                                                         | 2         | MO                            |
| <i>proctosol hc topical</i>                                               | 2         | MO                            |
| <i>proctozone-hc</i>                                                      | 1         | MO                            |
| <i>propantheline</i>                                                      | 4         | MO                            |
| <i>ranitidine hcl injection</i>                                           | 4         | MO                            |
| <i>ranitidine hcl oral capsule</i>                                        | 3         | MO                            |
| <i>ranitidine hcl oral syrup</i>                                          | 4         | MO                            |
| <i>ranitidine hcl oral tablet 150 mg, 300 mg</i>                          | 1         | MO                            |
| RELISTOR SUBCUTANEOUS SOLUTION                                            | 5         | PAR; MO; QLL (18 per 30 days) |
| RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML                                | 5         | PAR; MO; QLL (18 per 30 days) |
| RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML                                 | 5         | PAR; MO; QLL (12 per 30 days) |
| REMICADE                                                                  | 5         | PAR; MO                       |
| <i>scopolamine base</i>                                                   | 4         | MO; QLL (10 per 30 days)      |
| SUCRAID                                                                   | 5         | MO                            |
| <i>sucrafate oral tablet</i>                                              | 2         | MO                            |
| <i>sulfasalazine</i>                                                      | 2         | MO                            |
| SUPREP BOWEL PREP KIT                                                     | 3         | MO                            |
| <i>transderm-scop</i>                                                     | 4         | MO; QLL (10 per 30 days)      |
| <i>trilyte with flavor packets</i>                                        | 2         | MO                            |
| UCERIS ORAL                                                               | 5         | MO                            |
| <i>ursodiol</i>                                                           | 3         | MO                            |
| <b>Immunology, Vaccines / Biotechnology</b>                               |           |                               |
| ACTHIB (PF)                                                               | 3         | MO                            |
| ACTIMMUNE                                                                 | 5         | PAR; MO                       |
| ADACEL(TDAP ADOLESN/ADULT)(PF)                                            | 3         | MO                            |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                                                      | <b>Drug Tier</b> | <b>Requirements /Limits</b>  |
|-----------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 300 MCG/ML                                        | 5                | PAR; MO                      |
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 25 MCG/ML, 40 MCG/ML, 60 MCG/ML                                           | 4                | PAR; MO                      |
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 25 MCG/0.42 ML, 40 MCG/0.4 ML, 60 MCG/0.3 ML                | 4                | PAR; MO                      |
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 300 MCG/0.6 ML, 500 MCG/ML | 5                | PAR; MO                      |
| ARCALYST                                                                                                              | 5                | PAR; MO                      |
| AVONEX (WITH ALBUMIN)                                                                                                 | 5                | PAR; MO; QLL (4 per 28 days) |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT                                                                                 | 5                | PAR; MO; QLL (4 per 28 days) |
| AVONEX INTRAMUSCULAR SYRINGE KIT                                                                                      | 5                | PAR; MO; QLL (4 per 28 days) |
| BCG VACCINE, LIVE (PF)                                                                                                | 4                | MO                           |
| BETASERON SUBCUTANEOUS KIT                                                                                            | 5                | PAR; MO                      |
| BEXSERO                                                                                                               | 3                | MO                           |
| BOOSTRIX TDAP                                                                                                         | 3                | MO                           |
| BOTOX                                                                                                                 | 4                | PAR; MO                      |
| DAPTACEL (DTAP PEDIATRIC) (PF)                                                                                        | 3                | MO                           |
| DYSPORT                                                                                                               | 4                | PAR; MO                      |
| EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG                                                                                  | 5                | PAR; MO                      |
| ENGERIX-B (PF)                                                                                                        | 3                | B/D PAR; MO                  |

| <b>Drug Name</b>                                        | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|---------------------------------------------------------|------------------|--------------------------------|
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE          | 3                | B/D PAR; MO                    |
| <i>fomepizole</i>                                       | 5                |                                |
| GAMUNEX-C                                               | 5                | PAR; MO                        |
| GARDASIL 9 (PF)                                         | 3                | MO                             |
| HAVRIX (PF) INTRAMUSCULAR SUSPENSION                    | 3                | MO                             |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML   | 3                | MO                             |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML | 3                | MO                             |
| HIBERIX (PF)                                            | 5                |                                |
| HYPERRAB (PF)                                           | 5                |                                |
| ILARIS (PF) SUBCUTANEOUS SOLUTION                       | 5                | PAR; MO; LA                    |
| IMOVAX RABIES VACCINE (PF)                              | 3                | MO                             |
| INFANRIX (DTAP) (PF)                                    | 5                | PAR; MO                        |
| INTRON A INJECTION                                      | 3                | MO                             |
| IPOL                                                    | 3                | MO                             |
| IXIARO (PF)                                             | 3                | MO                             |
| KEDRAB (PF)                                             | 3                |                                |
| KINRIX (PF) INTRAMUSCULAR SUSPENSION                    | 3                | MO                             |
| KINRIX (PF) INTRAMUSCULAR SYRINGE                       | 3                | MO                             |
| M-M-R II (PF)                                           | 3                | MO                             |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION                    | 3                | MO                             |
| MENVEO A-C-Y-W-135-DIP (PF)                             | 3                | MO                             |
| MOZOBIL                                                 | 5                | PAR; MO                        |
| NEULASTA                                                | 5                | PAR; MO; QLL (1.2 per 28 days) |
| NEUPOGEN                                                | 5                | PAR; MO                        |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.



| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements /Limits</b>  |
|----------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| NORDITROPIN FLEXPRO                                                                                      | 5                | PAR; MO                      |
| OCTAGAM                                                                                                  | 5                | PAR; MO                      |
| OMNITROPE                                                                                                | 5                | PAR; MO                      |
| PEDIARIX (PF)                                                                                            | 3                | MO                           |
| PEDVAX HIB (PF)                                                                                          | 3                | MO                           |
| PEGASYS                                                                                                  | 5                | PAR; MO                      |
| PEGASYS PROCLICK                                                                                         | 5                | PAR; MO                      |
| PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML                                                                 | 5                | PAR; MO                      |
| PENTACEL (PF)                                                                                            | 3                | MO                           |
| PLEGRIDY                                                                                                 | 5                | PAR; MO; QLL (1 per 28 days) |
| PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 4                | PAR; MO                      |
| PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML                                                | 5                | PAR; MO                      |
| PROLEUKIN                                                                                                | 5                | B/D PAR; MO                  |
| PROQUAD (PF)                                                                                             | 3                | MO                           |
| QUADRACEL (PF)                                                                                           | 3                | MO                           |
| RABAVERT (PF)                                                                                            | 4                | MO                           |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION                                                              | 3                | B/D PAR; MO                  |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML                                                       | 3                | B/D PAR                      |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 5 MCG/0.5 ML                                                    | 3                | B/D PAR                      |
| ROTARIX                                                                                                  | 3                |                              |
| ROTATEQ VACCINE                                                                                          | 3                | MO                           |
| SHINGRIX (PF)                                                                                            | 3                | MO                           |
| STAMARIL (PF)                                                                                            | 3                |                              |
| SYLATRON                                                                                                 | 5                | PAR; MO                      |
| TENIVAC (PF) INTRAMUSCULAR SYRINGE                                                                       | 4                | MO                           |

| <b>Drug Name</b>                                  | <b>Drug Tier</b> | <b>Requirements /Limits</b>  |
|---------------------------------------------------|------------------|------------------------------|
| TETANUS,DIPHThERIA TOX PED(PF)                    | 3                | MO                           |
| TETANUS-DIPHThERIA TOXOIDS-TD                     | 3                | MO                           |
| THYMOGLOBULIN                                     | 5                | B/D PAR                      |
| TICE BCG                                          | 4                | B/D PAR; MO                  |
| TRUMENBA                                          | 3                | MO                           |
| TWINRIX (PF) INTRAMUSCULAR SYRINGE                | 3                | MO                           |
| TYPHIM VI INTRAMUSCULAR SOLUTION                  | 3                |                              |
| TYPHIM VI INTRAMUSCULAR SYRINGE                   | 3                | MO                           |
| VAQTA (PF)                                        | 3                | MO                           |
| VARIVAX (PF)                                      | 3                | MO                           |
| VARIZIG INTRAMUSCULAR SOLUTION                    | 3                | MO                           |
| XEOMIN INTRAMUSCULAR RECON SOLN 100 UNIT, 50 UNIT | 4                | PAR; MO                      |
| XEOMIN INTRAMUSCULAR RECON SOLN 200 UNIT          | 5                | PAR; MO                      |
| YF-VAX (PF)                                       | 3                | MO                           |
| ZOSTAVAX (PF)                                     | 3                | MO                           |
| <b>Musculoskeletal / Rheumatology</b>             |                  |                              |
| <i>alendronate oral solution</i>                  | 3                | MO; QLL (300 per 28 days)    |
| <i>alendronate oral tablet 10 mg, 5 mg</i>        | 6                | MO; CG; QLL (30 per 30 days) |
| <i>alendronate oral tablet 35 mg, 70 mg</i>       | 6                | MO; CG; QLL (4 per 28 days)  |
| <i>allopurinol</i>                                | 1                | MO                           |
| <i>allopurinol sodium intravenous</i>             | 4                |                              |
| <i>aloprim</i>                                    | 4                |                              |
| BENLYSTA                                          | 5                | PAR; MO                      |
| BONIVA INTRAVENOUS                                | 4                | B/D PAR; MO                  |
| COLCRYS                                           | 3                | MO                           |
| DEPEN TITRATABS                                   | 5                | MO                           |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                   | <b>Drug Tier</b> | <b>Requirements /Limits</b>     | <b>Drug Name</b>                                                                       | <b>Drug Tier</b> | <b>Requirements /Limits</b>   |
|------------------------------------------------------------------------------------|------------------|---------------------------------|----------------------------------------------------------------------------------------|------------------|-------------------------------|
| ENBREL MINI                                                                        | 5                | PAR; MO; QLL (8 per 28 days)    | HUMIRA PEN                                                                             | 5                | PAR; MO; QLL (6 per 365 days) |
| ENBREL SUBCUTANEOUS RECON SOLN                                                     | 5                | PAR; MO; QLL (8 per 28 days)    | CROHN'S-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML                         |                  |                               |
| ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5ML (0.51)                                     | 5                | PAR; MO; QLL (4.08 per 28 days) | HUMIRA PEN                                                                             | 5                | PAR; MO; QLL (4 per 28 days)  |
| ENBREL SUBCUTANEOUS SYRINGE 50 MG/ML (0.98 ML)                                     | 5                | PAR; MO; QLL (8 per 28 days)    | HUMIRA PEN PSORIASIS-UVEITIS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML                | 5                | PAR; MO; QLL (6 per 365 days) |
| ENBREL SURECLICK                                                                   | 5                | PAR; MO; QLL (8 per 28 days)    | HUMIRA PEN PSORIASIS-UVEITIS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML   | 5                | PAR; MO; QLL (6 per 365 days) |
| FORTEO                                                                             | 5                | PAR; MO; QLL (3 per 28 days)    | HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 10 MG/0.2 ML, 20 MG/0.2 ML, 20 MG/0.4 ML | 5                | PAR; MO; QLL (2 per 28 days)  |
| FOSAMAX ORAL TABLET 70 MG                                                          | 4                | ST; MO; QLL (4 per 28 days)     | HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML, 40 MG/0.8 ML                             | 5                | PAR; MO; QLL (4 per 28 days)  |
| FOSAMAX PLUS D                                                                     | 4                | ST; MO; QLL (4 per 28 days)     | <i>ibandronate intravenous solution</i>                                                | 4                | B/D PAR; MO                   |
| HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML (6 PACK)      | 5                | PAR; MO; QLL (12 per 365 days)  | <i>ibandronate intravenous syringe</i>                                                 | 4                | MO                            |
| HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML, 80 MG/0.8 ML | 5                | PAR; MO; QLL (6 per 365 days)   | <i>ibandronate oral</i>                                                                | 3                | MO; QLL (1 per 28 days)       |
| HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML  | 5                | PAR; MO; QLL (4 per 365 days)   | <i>leflunomide oral tablet 10 mg</i>                                                   | 4                | MO                            |
| HUMIRA PEN                                                                         | 5                | PAR; MO; QLL (4 per 28 days)    | <i>leflunomide oral tablet 20 mg</i>                                                   | 3                | MO                            |
| HUMIRA PEN CROHN'S-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML          | 5                | PAR; MO; QLL (12 per 365 days)  | <i>probenecid</i>                                                                      | 3                | MO                            |
|                                                                                    |                  |                                 | <i>probenecid-colchicine</i>                                                           | 3                | MO                            |
|                                                                                    |                  |                                 | PROLIA                                                                                 | 4                | PAR; MO; QLL (2 per 365 days) |
|                                                                                    |                  |                                 | <i>raloxifene</i>                                                                      | 3                | MO; QLL (30 per 30 days)      |
|                                                                                    |                  |                                 | RIDAURA                                                                                | 5                | MO                            |
|                                                                                    |                  |                                 | <i>risedronate oral tablet 150 mg</i>                                                  | 4                | ST; MO; QLL (1 per 28 days)   |
|                                                                                    |                  |                                 | <i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>                  | 4                | ST; MO; QLL (4 per 28 days)   |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                               | Drug Tier | Requirements /Limits          |
|---------------------------------------------------------|-----------|-------------------------------|
| <i>risedronate oral tablet 5 mg</i>                     | 4         | ST; MO; QLL (30 per 30 days)  |
| <i>risedronate oral tablet, delayed release (dr/ec)</i> | 4         | MO; QLL (4 per 28 days)       |
| SAVELLA ORAL TABLET 100 MG                              | 3         | MO; QLL (60 per 30 days)      |
| SAVELLA ORAL TABLET 12.5 MG                             | 3         | MO; QLL (480 per 30 days)     |
| SAVELLA ORAL TABLET 25 MG                               | 3         | MO; QLL (240 per 30 days)     |
| SAVELLA ORAL TABLET 50 MG                               | 3         | MO; QLL (120 per 30 days)     |
| SAVELLA ORAL TABLETS, DOSE PACK                         | 3         | MO; QLL (110 per 365 days)    |
| ULORIC                                                  | 3         | ST; MO                        |
| XELJANZ                                                 | 5         | PAR; MO; QLL (60 per 30 days) |
| <b>Obstetrics / Gynecology</b>                          |           |                               |
| <i>altavera (28)</i>                                    | 4         | MO                            |
| <i>alyacen 1/35 (28)</i>                                | 4         | MO                            |
| <i>alyacen 7/7/7 (28)</i>                               | 4         | MO                            |
| <i>amethia</i>                                          | 4         | MO                            |
| <i>apri</i>                                             | 3         | MO                            |
| <i>aranelle (28)</i>                                    | 4         | MO                            |
| <i>aubra</i>                                            | 4         | MO                            |
| <i>aviane</i>                                           | 3         | MO                            |
| <i>azurette (28)</i>                                    | 4         | MO                            |
| <i>balziva (28)</i>                                     | 4         | MO                            |
| <i>blisovi fe 1.5/30 (28)</i>                           | 4         | MO                            |
| <i>brielllyn</i>                                        | 4         | MO                            |
| <i>camila</i>                                           | 3         | MO                            |
| CAZIANZ (28)                                            | 4         | MO                            |
| <i>clindamycin phosphate vaginal</i>                    | 4         | MO                            |
| <i>cryselle (28)</i>                                    | 3         | MO                            |
| <i>cyclafem 1/35 (28)</i>                               | 3         | MO                            |
| <i>cyclafem 7/7/7 (28)</i>                              | 3         | MO                            |
| <i>dasetta 1/35 (28)</i>                                | 4         | MO                            |
| <i>dasetta 7/7/7 (28)</i>                               | 4         | MO                            |
| DELESTROGEN                                             | 4         | MO                            |
| DEPO-ESTRADIOL                                          | 3         | MO                            |
| DEPO-PROVERA                                            | 4         | MO                            |
| INTRAMUSCULAR SUSPENSION 400 MG/ML                      |           |                               |

| Drug Name                                                                                                | Drug Tier | Requirements /Limits         |
|----------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| <i>drospirenone-ethinyl estradiol</i>                                                                    | 4         | MO                           |
| ELESTRIN                                                                                                 | 4         | PAR; MO                      |
| <i>elinest</i>                                                                                           | 4         | MO                           |
| ELLA                                                                                                     | 3         |                              |
| <i>emoquette</i>                                                                                         | 3         | MO                           |
| <i>enpresse</i>                                                                                          | 3         | MO                           |
| <i>errin</i>                                                                                             | 3         | MO                           |
| <i>estarylla</i>                                                                                         | 4         | MO                           |
| ESTRACE VAGINAL                                                                                          | 4         | MO                           |
| <i>estradiol oral</i>                                                                                    | 1         | PAR; MO                      |
| <i>estradiol transdermal patch semiweekly</i>                                                            | 4         | PAR; MO; QLL (8 per 28 days) |
| <i>estradiol transdermal patch weekly</i>                                                                | 4         | PAR; MO; QLL (4 per 28 days) |
| <i>estradiol vaginal</i>                                                                                 | 4         | MO                           |
| <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>                                           | 4         | MO                           |
| <i>estradiol-norethindrone acet</i>                                                                      | 4         | PAR; MO                      |
| ESTRING                                                                                                  | 4         | MO; QLL (1 per 90 days)      |
| <i>estropipate oral tablet 0.75 mg</i>                                                                   | 2         | PAR; MO                      |
| EVAMIST                                                                                                  | 4         | PAR; MO                      |
| <i>falmina (28)</i>                                                                                      | 3         | MO                           |
| FEMRING                                                                                                  | 4         | MO; QLL (1 per 90 days)      |
| <i>gianvi (28)</i>                                                                                       | 4         | MO                           |
| <i>heather</i>                                                                                           | 4         | MO                           |
| <i>hydroxyprogesterone caproate</i>                                                                      | 5         | MO                           |
| <i>introvale</i>                                                                                         | 3         | MO                           |
| <i>jinteli</i>                                                                                           | 4         | PAR; MO                      |
| <i>jolessa</i>                                                                                           | 4         | MO                           |
| <i>jolivette</i>                                                                                         | 3         | MO                           |
| <i>junel 1.5/30 (21)</i>                                                                                 | 3         | MO                           |
| <i>junel 1/20 (21)</i>                                                                                   | 3         | MO                           |
| <i>junel fe 1.5/30 (28)</i>                                                                              | 3         | MO                           |
| <i>junel fe 1/20 (28)</i>                                                                                | 3         | MO                           |
| <i>junel fe 24</i>                                                                                       | 4         | MO                           |
| <i>kariva (28)</i>                                                                                       | 4         | MO                           |
| <i>kelnor 1/35 (28)</i>                                                                                  | 3         | MO                           |
| <i>l norgest/e.estradiol-e.estradiol oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 4         | MO                           |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                                                 | Drug Tier | Requirements /Limits |
|---------------------------------------------------------------------------|-----------|----------------------|
| <i>larin 1/20 (21)</i>                                                    | 4         | MO                   |
| <i>larin fe 1.5/30 (28)</i>                                               | 4         | MO                   |
| <i>larin fe 1/20 (28)</i>                                                 | 3         | MO                   |
| <i>leena 28</i>                                                           | 3         | MO                   |
| <i>lessina</i>                                                            | 4         | MO                   |
| <i>levonest (28)</i>                                                      | 3         | MO                   |
| <i>levonorg-eth estrad triphasic</i>                                      | 4         | MO                   |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 90-20 mcg</i> | 3         | MO                   |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>             | 4         | MO                   |
| <i>levonorgestrel-ethinyl estrad oral tablets, dose pack, 3 month</i>     | 4         | MO                   |
| <i>levora-28</i>                                                          | 3         | MO                   |
| <i>LO LOESTRIN FE</i>                                                     | 4         | MO                   |
| <i>loryna (28)</i>                                                        | 4         | MO                   |
| <i>low-ogestrel (28)</i>                                                  | 4         | MO                   |
| <i>lutra (28)</i>                                                         | 3         | MO                   |
| <i>lyza</i>                                                               | 4         | MO                   |
| <i>marlissa</i>                                                           | 3         | MO                   |
| <i>medroxyprogesterone intramuscular suspension</i>                       | 3         | MO                   |
| <i>medroxyprogesterone intramuscular syringe</i>                          | 4         | MO                   |
| <i>medroxyprogesterone oral</i>                                           | 1         | MO                   |
| <i>MENEST</i>                                                             | 4         | PAR; MO              |
| <i>methylgonovine oral</i>                                                | 4         | MO                   |
| <i>metronidazole vaginal</i>                                              | 2         | MO                   |
| <i>miconazole-3 vaginal suppository</i>                                   | 3         | MO                   |
| <i>microgestin 1.5/30 (21)</i>                                            | 3         | MO                   |
| <i>microgestin 1/20 (21)</i>                                              | 3         | MO                   |
| <i>microgestin fe 1.5/30 (28)</i>                                         | 3         | MO                   |
| <i>microgestin fe 1/20 (28)</i>                                           | 3         | MO                   |
| <i>mimvey</i>                                                             | 4         | PAR; MO              |
| <i>mimvey lo</i>                                                          | 4         | PAR; MO              |
| <i>mono-linyah</i>                                                        | 4         | MO                   |
| <i>mononessa (28)</i>                                                     | 3         | MO                   |
| <i>MYZILRA</i>                                                            | 4         | MO                   |
| <i>necon 0.5/35 (28)</i>                                                  | 3         | MO                   |
| <i>necon 7/7/7 (28)</i>                                                   | 3         | MO                   |
| <i>nikki (28)</i>                                                         | 4         | MO                   |
| <i>nora-be</i>                                                            | 3         | MO                   |
| <i>norethindrone (contraceptive)</i>                                      | 3         | MO                   |

| Drug Name                                                                                        | Drug Tier | Requirements /Limits |
|--------------------------------------------------------------------------------------------------|-----------|----------------------|
| <i>norethindrone acetate</i>                                                                     | 3         | MO                   |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg</i> | 4         | MO                   |
| <i>nortrel 0.5/35 (28)</i>                                                                       | 3         | MO                   |
| <i>nortrel 1/35 (21)</i>                                                                         | 4         | MO                   |
| <i>nortrel 1/35 (28)</i>                                                                         | 4         | MO                   |
| <i>nortrel 7/7/7 (28)</i>                                                                        | 3         | MO                   |
| <i>NUVARING</i>                                                                                  | 4         | MO                   |
| <i>ocella</i>                                                                                    | 4         | MO                   |
| <i>ogestrel (28)</i>                                                                             | 4         | MO                   |
| <i>orsythia</i>                                                                                  | 3         | MO                   |
| <i>ORTHO MICRONOR</i>                                                                            | 4         | MO                   |
| <i>philit</i>                                                                                    | 4         | MO                   |
| <i>pimtreea (28)</i>                                                                             | 4         | MO                   |
| <i>pirmella oral tablet 1-35 mg-mcg</i>                                                          | 3         | MO                   |
| <i>portia</i>                                                                                    | 3         | MO                   |
| <i>PREMARIN ORAL</i>                                                                             | 3         | PAR; MO              |
| <i>PREMARIN VAGINAL</i>                                                                          | 3         | MO                   |
| <i>PREMPHASE</i>                                                                                 | 3         | PAR; MO              |
| <i>PREMPRO</i>                                                                                   | 3         | PAR; MO              |
| <i>previfem</i>                                                                                  | 3         | MO                   |
| <i>progesterone micronized</i>                                                                   | 3         | MO                   |
| <i>quasense</i>                                                                                  | 4         | MO                   |
| <i>reclipsen (28)</i>                                                                            | 3         | MO                   |
| <i>sharobel</i>                                                                                  | 3         | MO                   |
| <i>sprintec (28)</i>                                                                             | 3         | MO                   |
| <i>sronyx</i>                                                                                    | 3         | MO                   |
| <i>syeda</i>                                                                                     | 4         | MO                   |
| <i>terconazole vaginal cream</i>                                                                 | 3         | MO                   |
| <i>terconazole vaginal suppository</i>                                                           | 4         | MO                   |
| <i>tilia fe</i>                                                                                  | 4         | MO                   |
| <i>tranexamic acid oral</i>                                                                      | 4         | MO                   |
| <i>tri-estarylla</i>                                                                             | 4         | MO                   |
| <i>tri-legest fe</i>                                                                             | 4         | MO                   |
| <i>tri-linyah</i>                                                                                | 4         | MO                   |
| <i>tri-previfem (28)</i>                                                                         | 3         | MO                   |
| <i>tri-sprintec (28)</i>                                                                         | 3         | MO                   |
| <i>trinessa (28)</i>                                                                             | 3         | MO                   |
| <i>trivora (28)</i>                                                                              | 3         | MO                   |
| <i>VAGIFEM</i>                                                                                   | 4         | MO                   |
| <i>vandazole</i>                                                                                 | 3         | MO                   |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                    | <b>Drug Tier</b> | <b>Requirements /Limits</b>  |
|-----------------------------------------------------|------------------|------------------------------|
| <i>velivet triphasic regimen (28)</i>               | 3                | MO                           |
| <i>viorele (28)</i>                                 | 4                | MO                           |
| VIVELLE-DOT                                         | 4                | PAR; MO; QLL (8 per 28 days) |
| <i>vyfemla (28)</i>                                 | 4                | MO                           |
| <i>xulane</i>                                       | 4                | MO                           |
| <i>yuvaferm</i>                                     | 4                | MO                           |
| ZARAH                                               | 4                | MO                           |
| <i>zenchent (28)</i>                                | 3                | MO                           |
| <i>zovia 1/35e (28)</i>                             | 3                | MO                           |
| <b>Ophthalmology</b>                                |                  |                              |
| <i>acetazolamide oral capsule, extended release</i> | 4                | MO                           |
| <i>acetazolamide oral tablet 125 mg</i>             | 2                | MO                           |
| <i>acetazolamide oral tablet 250 mg</i>             | 3                | MO                           |
| <i>acetazolamide sodium solution for injection</i>  | 4                | MO                           |
| ALPHAGAN P OPTHALMIC (EYE) DROPS 0.1 %              | 3                | MO                           |
| ALPHAGAN P OPTHALMIC (EYE) DROPS 0.15 %             | 4                | MO                           |
| <i>apraclonidine</i>                                | 3                | MO                           |
| <i>atropine ophthalmic (eye) drops</i>              | 3                | MO                           |
| <i>azelastine ophthalmic (eye)</i>                  | 3                | MO                           |
| AZOPT                                               | 4                | MO                           |
| <i>bacitracin ophthalmic (eye)</i>                  | 3                | MO                           |
| <i>bacitracin-polymyxin b ophthalmic (eye)</i>      | 2                | MO                           |
| BESIVANCE                                           | 4                | MO                           |
| BETAGAN OPTHALMIC (EYE) DROPS 0.5 %                 | 4                | MO                           |
| <i>betaxolol ophthalmic (eye)</i>                   | 3                | MO                           |
| BETIMOL                                             | 4                | MO                           |
| BETOPTIC S                                          | 4                | MO                           |
| <i>bimatoprost ophthalmic (eye)</i>                 | 3                | MO                           |
| BLEPHAMIDE S.O.P.                                   | 4                | MO                           |
| <i>brimonidine ophthalmic (eye) drops 0.15 %</i>    | 3                | MO                           |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i>     | 2                | MO                           |

| <b>Drug Name</b>                                       | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|--------------------------------------------------------|------------------|-----------------------------|
| <i>bromfenac</i>                                       | 4                | MO                          |
| <i>carteolol</i>                                       | 1                | MO                          |
| <i>ciprofloxacin hcl ophthalmic (eye)</i>              | 2                | MO                          |
| COMBIGAN                                               | 3                | MO                          |
| COSOPT                                                 | 4                | MO                          |
| <i>cromolyn ophthalmic (eye)</i>                       | 2                | MO                          |
| CYSTARAN                                               | 5                | MO                          |
| <i>dexamethasone sodium phosphate ophthalmic (eye)</i> | 2                | MO                          |
| <i>diclofenac sodium ophthalmic (eye)</i>              | 2                | MO                          |
| <i>dorzolamide</i>                                     | 2                | MO                          |
| <i>dorzolamide-timolol</i>                             | 2                | MO                          |
| DUREZOL                                                | 3                | MO                          |
| <i>epinastine</i>                                      | 3                | MO                          |
| <i>erythromycin ophthalmic (eye)</i>                   | 2                | MO                          |
| <i>fluorometholone</i>                                 | 2                | MO                          |
| <i>flurbiprofen ophthalmic drops</i>                   | 1                | MO                          |
| <i>gatifloxacin</i>                                    | 4                | MO                          |
| <i>gentak ophthalmic (eye) ointment</i>                | 2                | MO                          |
| <i>gentamicin ophthalmic (eye) drops</i>               | 2                | MO                          |
| <i>gentamicin ophthalmic (eye) ointment</i>            | 2                |                             |
| ILEVRO                                                 | 3                | MO                          |
| IOPIDINE OPTHALMIC (EYE) DROPS                         | 4                | MO                          |
| ISOPTO CARPINE                                         | 4                | MO                          |
| <i>ketorolac ophthalmic (eye)</i>                      | 2                | MO                          |
| LACRISERT                                              | 3                | MO; QLL (60 per 30 days)    |
| <i>latanoprost</i>                                     | 1                | MO                          |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i>        | 2                | MO                          |
| <i>levofloxacin ophthalmic (eye)</i>                   | 4                | MO                          |
| LUMIGAN OPTHALMIC (EYE) DROPS 0.01 %                   | 3                | MO                          |
| <i>methazolamide</i>                                   | 4                | MO                          |
| <i>metipranolol</i>                                    | 2                |                             |
| MOXEZA                                                 | 3                | MO                          |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                             | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|--------------------------------------------------------------|------------------|-----------------------------|
| MOXIFLOXACIN OPTHALMIC (EYE)                                 | 3                | MO                          |
| NATACYN                                                      | 4                | MO                          |
| <i>neo-polycin</i>                                           | 2                | MO                          |
| <i>neo-polycin hc</i>                                        | 2                | MO                          |
| <i>neomycin-bacitracin-poly-hc</i>                           | 3                | MO                          |
| <i>neomycin-bacitracin-polymyxin</i>                         | 3                | MO                          |
| <i>neomycin-polymyxin b-dexameth</i>                         | 2                | MO                          |
| <i>neomycin-polymyxin-gramicidin</i>                         | 3                | MO                          |
| <i>neomycin-polymyxin-hc ophthalmic (eye)</i>                | 3                | MO                          |
| NEVANAC                                                      | 3                | MO                          |
| <i>ofloxacin ophthalmic (eye)</i>                            | 2                | MO                          |
| <i>olopatadine ophthalmic (eye) drops 0.1 %</i>              | 4                | MO                          |
| <i>olopatadine ophthalmic (eye) drops 0.2 %</i>              | 3                | MO                          |
| PAZEO                                                        | 3                | MO                          |
| PHOSPHOLINE IODIDE                                           | 4                | MO                          |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>  | 3                | MO                          |
| <i>polycin</i>                                               | 2                | MO                          |
| <i>polymyxin b sulf-trimethoprim</i>                         | 1                | MO                          |
| <i>prednisolone acetate</i>                                  | 2                | MO                          |
| <i>prednisolone sodium phosphate ophthalmic (eye)</i>        | 2                | MO                          |
| SIMBRINZA                                                    | 4                | MO                          |
| <i>sulfacetamide sodium ophthalmic (eye) drops</i>           | 2                | MO                          |
| <i>sulfacetamide sodium ophthalmic (eye) ointment</i>        | 3                | MO                          |
| <i>sulfacetamide-prednisolone</i>                            | 2                | MO                          |
| <i>timolol maleate ophthalmic (eye) drops</i>                | 1                | MO                          |
| <i>timolol maleate ophthalmic (eye) gel forming solution</i> | 3                | MO                          |
| TIMOPTIC OCUDOSE (PF) OPTHALMIC (EYE) DROPPERETTE 0.25 %     | 4                | MO                          |

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements /Limits</b>        |
|------------------------------------------------------------------------------------------|------------------|------------------------------------|
| TIMOPTIC OPTHALMIC (EYE) DROPS 0.25 %                                                    | 4                | MO                                 |
| TIMOPTIC-XE                                                                              | 4                | MO                                 |
| TOBRADEX OPTHALMIC (EYE) OINTMENT                                                        | 3                | MO                                 |
| TOBRADEX ST                                                                              | 3                | MO                                 |
| <i>tobramycin</i>                                                                        | 2                | MO                                 |
| <i>tobramycin-dexamethasone ophthalmic suspension</i>                                    | 3                | MO                                 |
| TRAVATAN Z                                                                               | 3                | MO                                 |
| <i>trifluridine</i>                                                                      | 3                | MO                                 |
| VIGAMOX                                                                                  | 3                | MO                                 |
| XALATAN                                                                                  | 4                | MO                                 |
| XIIDRA                                                                                   | 3                | PAR; MO; QLL (60 per 30 days)      |
| ZIOPTAN (PF)                                                                             | 4                | MO                                 |
| ZIRGAN                                                                                   | 4                | MO                                 |
| <b>Respiratory And Allergy</b>                                                           |                  |                                    |
| <i>acetylcysteine solution 100 mg/ml (10 %)</i>                                          | 2                | B/D PAR; MO                        |
| <i>acetylcysteine solution 200 mg/ml (20 %)</i>                                          | 3                | B/D PAR; MO                        |
| ADEMPAS                                                                                  | 5                | PAR; MO; LA                        |
| ADVAIR DISKUS                                                                            | 3                | MO; QLL (60 per 30 days)           |
| ADVAIR HFA                                                                               | 3                | MO; QLL (12 per 30 days)           |
| AEROSPAN                                                                                 | 4                | MO; QLL (18 per 30 days)           |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml</i> | 3                | B/D PAR; MO; QLL (360 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 2.5 mg /3 ml (0.083 %)</i>     | 2                | B/D PAR; MO; QLL (360 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml, 5 mg/ml</i>     | 2                | B/D PAR; MO; QLL (60 per 30 days)  |
| <i>albuterol sulfate oral syrup</i>                                                      | 1                | MO                                 |
| <i>albuterol sulfate oral tablet</i>                                                     | 4                | MO                                 |
| <i>albuterol sulfate oral tablet extended release 12 hr 4 mg</i>                         | 3                | MO                                 |
| <i>albuterol sulfate oral tablet extended release 12 hr 8 mg</i>                         | 4                | MO                                 |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                                                                             | <b>Drug Tier</b> | <b>Requirements /Limits</b>        |
|----------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------------|
| <i>aminophylline intravenous</i>                                                                                                             | 4                |                                    |
| ANORO ELLIPTA                                                                                                                                | 3                | MO; QLL (60 per 30 days)           |
| ARNUITY ELLIPTA                                                                                                                              | 3                | MO; QLL (30 per 30 days)           |
| ASMANEX HFA                                                                                                                                  | 3                | MO; QLL (13 per 30 days)           |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (30 DOSES), 220 MCG (120 DOSES), 220 MCG (30 DOSES), 220 MCG (60 DOSES) | 3                | MO; QLL (1 per 30 days)            |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG (14 DOSES)                                                              | 3                | QLL (2 per 30 days)                |
| ATROVENT HFA                                                                                                                                 | 4                | MO; QLL (26 per 30 days)           |
| BREO ELLIPTA                                                                                                                                 | 3                | MO; QLL (60 per 30 days)           |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>                                                           | 4                | B/D PAR; MO; QLL (120 per 30 days) |
| <i>cetirizine oral solution 1 mg/ml</i>                                                                                                      | 2                | MO                                 |
| CINRYZE                                                                                                                                      | 5                | PAR; MO                            |
| <i>clemastine oral tablet 2.68 mg</i>                                                                                                        | 2                | PAR; MO                            |
| COMBIVENT RESPIMAT                                                                                                                           | 4                | MO; QLL (8 per 30 days)            |
| <i>cromolyn inhalation</i>                                                                                                                   | 2                | B/D PAR; MO; QLL (240 per 30 days) |
| <i>cyproheptadine</i>                                                                                                                        | 3                | PAR; MO                            |
| DALIRESP                                                                                                                                     | 4                | PAR; MO; QLL (30 per 30 days)      |
| <i>desloratadine</i>                                                                                                                         | 2                | MO                                 |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i>                                                                                       | 3                | PAR; MO                            |
| <i>diphenhydramine hcl injection syringe</i>                                                                                                 | 4                | PAR; MO                            |

| <b>Drug Name</b>                                                                  | <b>Drug Tier</b> | <b>Requirements /Limits</b>    |
|-----------------------------------------------------------------------------------|------------------|--------------------------------|
| DULERA                                                                            | 3                | MO; QLL (13 per 30 days)       |
| ELIXOPHYLLIN ORAL ELIXIR 80 MG/15 ML                                              | 3                | MO                             |
| <i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.15 mg/0.3 ml</i>        | 3                | MO; QLL (2 per 28 days)        |
| EPINEPHRINE INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML                                 | 3                | MO; QLL (2 per 28 days)        |
| ESBRIET ORAL CAPSULE                                                              | 5                | PAR; MO; QLL (270 per 30 days) |
| ESBRIET ORAL TABLET 267 MG                                                        | 5                | PAR; MO; QLL (270 per 30 days) |
| ESBRIET ORAL TABLET 801 MG                                                        | 5                | PAR; MO; QLL (90 per 30 days)  |
| FIRAZYR                                                                           | 5                | PAR; MO                        |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION | 3                | MO; QLL (60 per 30 days)       |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION                   | 3                | MO; QLL (240 per 30 days)      |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION                      | 3                | MO; QLL (12 per 30 days)       |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION                      | 3                | MO; QLL (24 per 30 days)       |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION                       | 3                | MO; QLL (11 per 30 days)       |
| <i>flunisolide nasal spray, non-aerosol 25 mcg (0.025 %)</i>                      | 2                | MO; QLL (75 per 30 days)       |
| <i>fluticasone nasal</i>                                                          | 1                | MO; QLL (16 per 30 days)       |
| <i>hydroxyzine hcl intramuscular solution 25 mg/ml</i>                            | 4                | PAR; MO                        |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                                        | <b>Drug Tier</b> | <b>Requirements /Limits</b>        |
|---------------------------------------------------------------------------------------------------------|------------------|------------------------------------|
| <i>hydroxyzine hcl intramuscular solution 50 mg/ml</i>                                                  | 3                | PAR; MO                            |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i>                                                         | 3                | PAR; MO                            |
| <i>hydroxyzine hcl oral tablet</i>                                                                      | 3                | PAR; MO                            |
| <i>hydroxyzine pamoate</i>                                                                              | 3                | PAR; MO                            |
| <i>ipratropium bromide inhalation</i>                                                                   | 2                | B/D PAR; MO                        |
| <i>ipratropium-albuterol inhalation</i>                                                                 | 2                | B/D PAR; MO; QLL (540 per 30 days) |
| KALYDECO ORAL TABLET                                                                                    | 5                | PAR; MO; QLL (60 per 30 days)      |
| LETAIRIS                                                                                                | 5                | PAR; MO; LA; QLL (30 per 30 days)  |
| <i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml</i> | 4                | B/D PAR; MO; QLL (270 per 30 days) |
| <i>levalbuterol hcl inhalation solution for nebulization 0.63 mg/3 ml</i>                               | 4                | B/D PAR; MO; QLL (540 per 30 days) |
| LEVALBUTEROL TARTRATE                                                                                   | 4                | MO; QLL (45 per 30 days)           |
| <i>levocetirizine oral solution</i>                                                                     | 4                | MO                                 |
| <i>levocetirizine oral tablet</i>                                                                       | 2                | MO                                 |
| <i>metaproterenol</i>                                                                                   | 2                | MO                                 |
| <i>mometasone nasal</i>                                                                                 | 3                | MO                                 |
| <i>montelukast oral granules in packet</i>                                                              | 4                | MO                                 |
| <i>montelukast oral tablet</i>                                                                          | 2                | MO                                 |
| <i>montelukast oral tablet, chewable</i>                                                                | 3                | MO                                 |
| NASONEX                                                                                                 | 3                | MO                                 |
| OFEV                                                                                                    | 5                | PAR; MO; QLL (60 per 30 days)      |
| ORKAMBI ORAL TABLET                                                                                     | 5                | PAR; MO; QLL (120 per 30 days)     |
| PERFOROMIST                                                                                             | 5                | B/D PAR; MO; QLL (120 per 30 days) |
| PROAIR HFA                                                                                              | 3                | MO; QLL (18 per 30 days)           |
| PROAIR RESPICLICK                                                                                       | 3                | MO; QLL (2 per 30 days)            |

| <b>Drug Name</b>                                                        | <b>Drug Tier</b> | <b>Requirements /Limits</b>        |
|-------------------------------------------------------------------------|------------------|------------------------------------|
| <i>promethazine injection solution 25 mg/ml</i>                         | 3                | PAR; MO                            |
| <i>promethazine injection solution 50 mg/ml</i>                         | 4                | PAR; MO                            |
| <i>promethazine oral</i>                                                | 2                | PAR; MO                            |
| PULMOZYME                                                               | 5                | B/D PAR; MO                        |
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION | 3                | MO; QLL (11 per 30 days)           |
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 80 MCG/ACTUATION | 3                | MO; QLL (22 per 30 days)           |
| SEREVENT DISKUS                                                         | 3                | MO; QLL (60 per 30 days)           |
| <i>sildenafil (antihypertensive) oral</i>                               | 5                | PAR; MO; QLL (90 per 30 days)      |
| SPIRIVA RESPIMAT                                                        | 3                | MO; QLL (4 per 30 days)            |
| SPIRIVA WITH HANDIHALER                                                 | 3                | MO; QLL (30 per 30 days)           |
| STIOLTO RESPIMAT                                                        | 3                | MO; QLL (4 per 30 days)            |
| SYMBICORT                                                               | 3                | MO; QLL (11 per 30 days)           |
| <i>terbutaline oral</i>                                                 | 3                | MO                                 |
| <i>terbutaline subcutaneous</i>                                         | 4                | MO                                 |
| <i>theophylline oral elixir</i>                                         | 2                |                                    |
| <i>theophylline oral solution</i>                                       | 2                | MO                                 |
| <i>theophylline oral tablet extended release 12 hr</i>                  | 2                | MO                                 |
| <i>theophylline oral tablet extended release 24 hr</i>                  | 2                | MO                                 |
| TRACLEER ORAL TABLET                                                    | 5                | PAR; MO; LA; QLL (60 per 30 days)  |
| TRACLEER ORAL TABLET FOR SUSPENSION                                     | 5                | PAR; MO; LA; QLL (120 per 30 days) |
| <i>triamcinolone acetonide nasal</i>                                    | 4                | MO; QLL (34 per 30 days)           |
| VENTAVIS                                                                | 5                | PAR; MO; QLL (270 per 30 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.



| <b>Drug Name</b>                                                                 | <b>Drug Tier</b> | <b>Requirements /Limits</b>      |
|----------------------------------------------------------------------------------|------------------|----------------------------------|
| VENTOLIN HFA                                                                     | 3                | MO; QLL (36 per 30 days)         |
| XOLAIR                                                                           | 5                | PAR; MO; LA; QLL (6 per 28 days) |
| <i>zafirlukast</i>                                                               | 4                | MO                               |
| <b>Urologicals</b>                                                               |                  |                                  |
| <i>alfuzosin</i>                                                                 | 2                | MO                               |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg</i>                       | 3                | MO                               |
| <i>bethanechol chloride oral tablet 50 mg</i>                                    | 4                | MO                               |
| CYSTAGON                                                                         | 3                | MO; LA                           |
| <i>dutasteride</i>                                                               | 4                | MO; QLL (30 per 30 days)         |
| <i>dutasteride-tamsulosin</i>                                                    | 3                | MO; QLL (30 per 30 days)         |
| ELMIRON                                                                          | 4                | MO                               |
| <i>finasteride oral tablet 5 mg</i>                                              | 2                | MO                               |
| <i>flavoxate</i>                                                                 | 3                | MO                               |
| MYRBETRIQ                                                                        | 4                | MO; QLL (30 per 30 days)         |
| <i>oxybutynin chloride oral syrup</i>                                            | 2                | MO; QLL (600 per 30 days)        |
| <i>oxybutynin chloride oral tablet</i>                                           | 2                | MO; QLL (120 per 30 days)        |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg</i>        | 3                | MO; QLL (60 per 30 days)         |
| <i>oxybutynin chloride oral tablet extended release 24hr 5 mg</i>                | 3                | MO; QLL (30 per 30 days)         |
| <i>potassium citrate oral tablet extended release 10 meq (1, 080 mg), 15 meq</i> | 4                | MO                               |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>             | 3                | MO                               |
| <i>tamsulosin</i>                                                                | 2                | MO                               |
| <i>tolterodine oral capsule, extended release 24hr</i>                           | 4                | MO; QLL (30 per 30 days)         |
| <i>tolterodine oral tablet</i>                                                   | 4                | MO; QLL (60 per 30 days)         |
| TOVIAZ                                                                           | 4                | MO; QLL (30 per 30 days)         |

| <b>Drug Name</b>                                    | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|-----------------------------------------------------|------------------|-----------------------------|
| <i>trospium oral capsule, extended release 24hr</i> | 4                | MO; QLL (30 per 30 days)    |
| <i>trospium oral tablet</i>                         | 4                | MO; QLL (60 per 30 days)    |
| VESICARE                                            | 4                | MO; QLL (30 per 30 days)    |
| <b>Vitamins, Hematinics / Electrolytes</b>          |                  |                             |
| AMINOSYN 10 %                                       | 4                | B/D PAR                     |
| AMINOSYN 7 % WITH ELECTROLYTES                      | 4                | B/D PAR                     |
| AMINOSYN 8.5 %                                      | 4                | B/D PAR                     |
| AMINOSYN 8.5 %-ELECTROLYTES                         | 4                | B/D PAR                     |
| AMINOSYN II 10 %                                    | 4                | B/D PAR                     |
| AMINOSYN II 15 %                                    | 4                | B/D PAR                     |
| AMINOSYN II 7 %                                     | 4                | B/D PAR                     |
| AMINOSYN II 8.5 %                                   | 4                | B/D PAR                     |
| AMINOSYN II 8.5 %-ELECTROLYTES                      | 4                | B/D PAR                     |
| AMINOSYN M 3.5 %                                    | 4                | B/D PAR                     |
| AMINOSYN-HBC 7%                                     | 4                | B/D PAR                     |
| AMINOSYN-PF 10 %                                    | 4                | B/D PAR                     |
| AMINOSYN-PF 7 % (SULFITE-FREE)                      | 4                | B/D PAR                     |
| AMINOSYN-RF 5.2 %                                   | 4                | B/D PAR                     |
| <i>calcium acetate oral capsule</i>                 | 2                | MO                          |
| CLINIMIX 5%/D15W SULFITE FREE                       | 4                | B/D PAR                     |
| CLINIMIX 5%/D25W SULFITE-FREE                       | 4                | B/D PAR                     |
| CLINIMIX 2.75%/D5W SULFIT FREE                      | 4                | B/D PAR                     |
| CLINIMIX 4.25%-D20W SULF-FREE                       | 4                | B/D PAR                     |
| CLINIMIX 4.25%-D25W SULF-FREE                       | 4                | B/D PAR                     |
| CLINIMIX 4.25%/D10W SULF FREE                       | 4                | B/D PAR                     |
| CLINIMIX 5%-D20W(SULFITE-FREE)                      | 4                | B/D PAR                     |
| CLINIMIX E 4.25%/D10W SUL FREE                      | 4                | B/D PAR                     |
| CLINIMIX E 4.25%/D25W SUL FREE                      | 4                | B/D PAR                     |
| CLINIMIX E 4.25%/D5W SULF FREE                      | 4                | B/D PAR                     |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| Drug Name                                                          | Drug Tier | Requirements /Limits |
|--------------------------------------------------------------------|-----------|----------------------|
| CLINIMIX E 5%/D15W SULFIT FREE                                     | 4         | B/D PAR              |
| CLINIMIX E 5%/D20W SULFIT FREE                                     | 4         | B/D PAR              |
| CLINIMIX E 5%/D25W SULFIT FREE                                     | 4         | B/D PAR              |
| CLINIMIX N14G30E 4.25%-D15W SF                                     | 4         | B/D PAR              |
| CLINIMIX N9G15E 2.75%-D7.5W SF                                     | 4         | B/D PAR              |
| <i>fluoride (sodium) oral tablet</i>                               | 2         | MO                   |
| <i>fluoride (sodium) oral tablet, chewable</i>                     | 2         | MO                   |
| <i>fluoritab oral tablet, chewable 1 mg (2.2 mg sod. fluoride)</i> | 2         | MO                   |
| FREAMINE HBC 6.9 %                                                 | 4         | B/D PAR              |
| <i>freamine iii 10 %</i>                                           | 4         | B/D PAR              |
| HEPATAMINE 8%                                                      | 4         | B/D PAR              |
| <i>intralipid intravenous emulsion 20 %</i>                        | 4         | B/D PAR              |
| INTRALIPID                                                         | 4         | B/D PAR              |
| INTRAVENOUS EMULSION 30 %                                          |           |                      |
| IONOSOL-B IN D5W                                                   | 4         |                      |
| IONOSOL-MB IN D5W                                                  | 4         |                      |
| ISOLYTE S PH 7.4                                                   | 4         |                      |
| ISOLYTE-P IN 5 %                                                   | 4         |                      |
| DEXTROSE                                                           |           |                      |
| ISOLYTE-S                                                          | 4         |                      |
| <i>k-effervescent</i>                                              | 1         | MO                   |
| <i>k-tab oral tablet extended release 8 meq</i>                    | 3         | MO                   |
| <i>klor-con</i>                                                    | 4         | MO                   |
| <i>klor-con 10</i>                                                 | 3         | MO                   |
| <i>klor-con 8</i>                                                  | 3         | MO                   |
| <i>klor-con m10</i>                                                | 2         | MO                   |
| <i>klor-con m15</i>                                                | 2         | MO                   |
| <i>klor-con m20</i>                                                | 2         | MO                   |
| <i>klor-con sprinkle</i>                                           | 4         | MO                   |
| <i>klor-con/ef</i>                                                 | 1         | MO                   |
| <i>lactated ringers intravenous</i>                                | 3         | MO                   |
| <i>ludent fluoride</i>                                             | 2         | MO                   |
| <i>magnesium sulfate in water intravenous parenteral solution</i>  | 4         |                      |

| Drug Name                                                                                          | Drug Tier | Requirements /Limits |
|----------------------------------------------------------------------------------------------------|-----------|----------------------|
| <i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/50 ml (8 %)</i>     | 4         |                      |
| <i>magnesium sulfate in water intravenous piggyback 4 gram/100 ml (4 %)</i>                        | 4         | MO                   |
| <i>magnesium sulfate injection solution</i>                                                        | 3         | MO                   |
| <i>magnesium sulfate injection syringe</i>                                                         | 4         |                      |
| NEPHRAMINE 5.4 %                                                                                   | 4         | B/D PAR              |
| NORMOSOL-M IN 5 %                                                                                  | 4         |                      |
| DEXTROSE                                                                                           |           |                      |
| NORMOSOL-R                                                                                         | 4         | MO                   |
| NORMOSOL-R IN 5 %                                                                                  | 4         |                      |
| DEXTROSE                                                                                           |           |                      |
| NORMOSOL-R PH 7.4                                                                                  | 4         |                      |
| PLASMA-LYTE 148                                                                                    | 4         |                      |
| PLASMA-LYTE A                                                                                      | 4         |                      |
| <i>potassium bicarb and chloride</i>                                                               | 2         | MO                   |
| <i>potassium bicarb-citric acid</i>                                                                | 1         | MO                   |
| <i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i> | 4         |                      |
| <i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>                     | 3         | MO                   |
| <i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>           | 4         |                      |
| <i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>  | 4         |                      |
| <i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i>                        | 4         | MO                   |
| <i>potassium chloride in lr-d5 intravenous parenteral solution 40 meq/l</i>                        | 4         |                      |
| <i>potassium chloride in water intravenous piggyback 10 meq/100 ml</i>                             | 3         | MO                   |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|------------------------------------------------------------------------------------------|------------------|-----------------------------|
| <i>potassium chloride in water intravenous piggyback 10 meq/50 ml</i>                    | 4                | MO                          |
| <i>potassium chloride in water intravenous piggyback 20 meq/100 ml</i>                   | 3                |                             |
| <i>potassium chloride in water intravenous piggyback 30 meq/100 ml</i>                   | 4                |                             |
| <i>potassium chloride oral capsule, extended release</i>                                 | 2                | MO                          |
| <i>potassium chloride oral liquid</i>                                                    | 1                | MO                          |
| <i>potassium chloride oral tablet extended release</i>                                   | 2                | MO                          |
| <i>potassium chloride oral tablet, er particles/crystals</i>                             | 2                | MO                          |
| <i>potassium chloride-0.45 % nacl</i>                                                    | 4                |                             |
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>           | 4                | MO                          |
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 30 meq/l, 40 meq/l</i> | 4                |                             |
| <i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>           | 4                |                             |
| <i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l</i>           | 4                | MO                          |
| <i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 40 meq/l</i>           | 4                |                             |
| <i>premasol 10 %</i>                                                                     | 4                | B/D PAR; MO                 |
| <i>PREMASOL 6 %</i>                                                                      | 4                | B/D PAR                     |
| <i>prenatal vitamin oral tablet</i>                                                      | 2                | MO                          |
| <i>PROCALAMINE 3%</i>                                                                    | 4                | B/D PAR                     |
| <i>PROSOL 20 %</i>                                                                       | 4                | B/D PAR; MO                 |
| <i>ringer's intravenous</i>                                                              | 4                |                             |
| <i>sodium bicarbonate intravenous solution 1 meq/ml (8.4 %), 4.2 %</i>                   | 4                | MO                          |

| <b>Drug Name</b>                                                                       | <b>Drug Tier</b> | <b>Requirements /Limits</b> |
|----------------------------------------------------------------------------------------|------------------|-----------------------------|
| <i>sodium bicarbonate intravenous syringe 10 meq/10 ml (8.4 %), 7.5 % (0.9 meq/ml)</i> | 4                | MO                          |
| <i>sodium bicarbonate intravenous syringe 4.2 % (0.5 meq/ml), 8.4 % (1 meq/ml)</i>     | 4                |                             |
| <i>sodium chloride 0.45 % intravenous parenteral solution</i>                          | 2                | MO                          |
| <i>sodium chloride 0.45 % intravenous piggyback</i>                                    | 4                |                             |
| <i>sodium chloride 3 %</i>                                                             | 4                | MO                          |
| <i>sodium chloride 5 %</i>                                                             | 4                |                             |
| <i>sodium chloride intravenous</i>                                                     | 4                | MO                          |
| <i>sodium lactate</i>                                                                  | 4                |                             |
| <i>travasol 10 %</i>                                                                   | 4                | B/D PAR; MO                 |
| <i>TROPHAMINE 10 %</i>                                                                 | 4                | B/D PAR; MO                 |
| <i>TROPHAMINE 6%</i>                                                                   | 4                | B/D PAR                     |

You can find information on what the symbols and abbreviations on this table mean by going to the Legend on page number 8.

# Index of Drugs

## Legend

Generic drugs are shown in lowercase italic (e.g., *atenolol*).

Brand-name drugs are shown in capital letters (e.g., SPIRIVA).

The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed. Find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

| <b>Drug Name</b>                                                                                                                     | <b>Page</b> |
|--------------------------------------------------------------------------------------------------------------------------------------|-------------|
| <i>a-hydrocort</i> .....                                                                                                             | 48          |
| <i>abacavir oral solution</i> .....                                                                                                  | 8           |
| <i>abacavir oral tablet</i> .....                                                                                                    | 8           |
| <i>abacavir-lamivudine</i> .....                                                                                                     | 8           |
| <i>abacavir-lamivudine-zidovudine</i> .....                                                                                          | 8           |
| ABELCET.....                                                                                                                         | 8           |
| ABILIFY MAINTENA.....                                                                                                                | 24          |
| ABRAXANE.....                                                                                                                        | 17          |
| <i>acamprosate</i> .....                                                                                                             | 46          |
| <i>acarbose oral tablet 100 mg</i> .....                                                                                             | 48          |
| <i>acarbose oral tablet 25 mg</i> .....                                                                                              | 48          |
| <i>acarbose oral tablet 50 mg</i> .....                                                                                              | 48          |
| ACCUPRIL.....                                                                                                                        | 38          |
| ACCURETIC ORAL TABLET 20-12.5 MG,<br>20-25 MG.....                                                                                   | 38          |
| <i>acebutolol</i> .....                                                                                                              | 38          |
| <i>acetaminophen-codeine oral solution 120 mg-12 mg<br/>15 ml (5 ml), 240 mg-24 mg/10 ml (10 ml), 300<br/>mg-30 mg/12.5 ml</i> ..... | 24          |
| <i>acetaminophen-codeine oral solution 120-12 mg/5<br/>ml</i> .....                                                                  | 24          |
| <i>acetaminophen-codeine oral tablet 300-15 mg</i> .....                                                                             | 24          |
| <i>acetaminophen-codeine oral tablet 300-30 mg</i> .....                                                                             | 24          |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i> .....                                                                             | 24          |
| <i>acetazolamide oral capsule, extended release</i> .....                                                                            | 61          |
| <i>acetazolamide oral tablet 125 mg</i> .....                                                                                        | 61          |
| <i>acetazolamide oral tablet 250 mg</i> .....                                                                                        | 61          |
| <i>acetazolamide sodium solution for injection</i> .....                                                                             | 61          |
| <i>acetic acid irrigation</i> .....                                                                                                  | 46          |
| <i>acetic acid otic (ear)</i> .....                                                                                                  | 48          |
| <i>acetylcysteine intravenous</i> .....                                                                                              | 46          |
| <i>acetylcysteine solution 100 mg/ml (10 %)</i> .....                                                                                | 62          |
| <i>acetylcysteine solution 200 mg/ml (20 %)</i> .....                                                                                | 62          |
| <i>acitretin oral capsule 10 mg</i> .....                                                                                            | 44          |
| <i>acitretin oral capsule 17.5 mg, 25 mg</i> .....                                                                                   | 44          |
| ACTHAR H.P.....                                                                                                                      | 48          |
| ACTHIB (PF).....                                                                                                                     | 55          |
| ACTIMMUNE.....                                                                                                                       | 55          |
| ACTOPLUS MET XR ORAL TABLET, ER<br>MULTIPHASE 24 HR 15-1,000 MG.....                                                                 | 48          |
| ACTOPLUS MET XR ORAL TABLET, ER<br>MULTIPHASE 24 HR 30-1,000 MG.....                                                                 | 48          |
| <i>acyclovir oral capsule</i> .....                                                                                                  | 8           |
| <i>acyclovir oral suspension 200 mg/5 ml</i> .....                                                                                   | 8           |
| <i>acyclovir oral tablet</i> .....                                                                                                   | 8           |
| <i>acyclovir sodium 50 mg/ml intravenous solution</i> .....                                                                          | 8           |
| <i>acyclovir topical</i> .....                                                                                                       | 44          |
| ADACEL(TDAP ADOLESN/ADULT)(PF).....                                                                                                  | 55          |
| ADAGEN.....                                                                                                                          | 46          |
| ADALAT CC.....                                                                                                                       | 38          |
| <i>adapalene topical cream</i> .....                                                                                                 | 44          |
| <i>adapalene topical gel 0.1 %</i> .....                                                                                             | 44          |
| ADASUVE.....                                                                                                                         | 24          |
| <i>adefovir</i> .....                                                                                                                | 8           |
| ADEMPAS.....                                                                                                                         | 62          |
| <i>adriamycin intravenous recon soln 10 mg</i> .....                                                                                 | 17          |
| <i>adriamycin intravenous solution</i> .....                                                                                         | 17          |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i> .....                                                                             | 17          |
| <i>adrucil intravenous solution 5 gram/100 ml, 500<br/>mg/10 ml</i> .....                                                            | 17          |
| ADVAIR DISKUS.....                                                                                                                   | 62          |
| ADVAIR HFA.....                                                                                                                      | 62          |
| AEROSPAN.....                                                                                                                        | 62          |
| <i>afeditab cr</i> .....                                                                                                             | 38          |
| AFINITOR.....                                                                                                                        | 17          |
| AFINITOR DISPERZ.....                                                                                                                | 17          |
| AGGRENOLX.....                                                                                                                       | 38          |
| <i>ala-cort topical cream 2.5 %</i> .....                                                                                            | 44          |
| ALBENZA.....                                                                                                                         | 8           |
| <i>albuterol sulfate inhalation solution for nebulization<br/>0.63 mg/3 ml, 1.25 mg/3 ml</i> .....                                   | 62          |

|                                                               |    |
|---------------------------------------------------------------|----|
| <i>albuterol sulfate inhalation solution for nebulization</i> |    |
| 2.5 mg /3 ml (0.083 %)                                        | 62 |
| <i>albuterol sulfate inhalation solution for nebulization</i> |    |
| 2.5 mg/0.5 ml, 5 mg/ml                                        | 62 |
| <i>albuterol sulfate oral syrup</i>                           | 62 |
| <i>albuterol sulfate oral tablet</i>                          | 62 |
| <i>albuterol sulfate oral tablet extended release 12 hr 4</i> |    |
| mg                                                            | 62 |
| <i>albuterol sulfate oral tablet extended release 12 hr 8</i> |    |
| mg                                                            | 62 |
| <i>alclometasone topical cream</i>                            | 44 |
| <i>alclometasone topical ointment</i>                         | 44 |
| <i>alcohol pads</i>                                           | 48 |
| ALDACTAZIDE ORAL TABLET 25-25                                 |    |
| MG                                                            | 38 |
| ALDURAZYME                                                    | 48 |
| ALECENSA                                                      | 17 |
| <i>alendronate oral solution</i>                              | 57 |
| <i>alendronate oral tablet 10 mg, 5 mg</i>                    | 57 |
| <i>alendronate oral tablet 35 mg, 70 mg</i>                   | 57 |
| <i>alendronate oral tablet 40 mg</i>                          | 46 |
| <i>alfuzosin</i>                                              | 65 |
| ALIMTA                                                        | 17 |
| ALINIA ORAL SUSPENSION FOR                                    |    |
| RECONSTITUTION                                                | 8  |
| ALINIA ORAL TABLET                                            | 8  |
| ALIQOPA                                                       | 17 |
| ALKERAN ORAL                                                  | 17 |
| <i>allopurinol</i>                                            | 57 |
| <i>allopurinol sodium intravenous</i>                         | 57 |
| <i>aloprim</i>                                                | 57 |
| <i>alosetron</i>                                              | 53 |
| ALPHAGAN P OPHTHALMIC (EYE) DROPS                             |    |
| 0.1 %                                                         | 61 |
| ALPHAGAN P OPHTHALMIC (EYE) DROPS                             |    |
| 0.15 %                                                        | 61 |
| <i>alprazolam oral tablet</i>                                 | 24 |
| <i>alprazolam oral tablet extended release 24 hr</i>          | 24 |
| <i>alprazolam oral tablet, disintegrating 0.25 mg, 0.5</i>    |    |
| mg, 1 mg                                                      | 24 |
| ALTACE ORAL CAPSULE 10 MG, 2.5 MG, 5                          |    |
| MG                                                            | 38 |
| <i>altavera (28)</i>                                          | 59 |
| ALTOPREV                                                      | 38 |
| ALUNBRIG ORAL TABLET 180 MG                                   | 17 |
| ALUNBRIG ORAL TABLET 30 MG                                    | 17 |
| ALUNBRIG ORAL TABLET 90 MG                                    | 17 |

|                                                         |    |
|---------------------------------------------------------|----|
| ALUNBRIG ORAL TABLETS,DOSE                              |    |
| PACK                                                    | 17 |
| <i>alyacen 1/35 (28)</i>                                | 59 |
| <i>alyacen 7/7/7 (28)</i>                               | 59 |
| <i>amantadine hcl</i>                                   | 8  |
| AMARYL ORAL TABLET 1 MG                                 | 48 |
| AMARYL ORAL TABLET 2 MG                                 | 48 |
| AMARYL ORAL TABLET 4 MG                                 | 48 |
| AMBISOME                                                | 8  |
| <i>amcinonide topical cream</i>                         | 44 |
| <i>amcinonide topical lotion</i>                        | 44 |
| <i>amcinonide topical ointment</i>                      | 44 |
| <i>amethia</i>                                          | 59 |
| AMIKACIN INJECTION SOLUTION 1,000                       |    |
| MG/4 ML                                                 | 8  |
| <i>amikacin injection solution 500 mg/2 ml</i>          | 8  |
| <i>amiloride</i>                                        | 38 |
| <i>amiloride-hydrochlorothiazide</i>                    | 38 |
| <i>aminophylline intravenous</i>                        | 63 |
| AMINOSYN 10 %                                           | 65 |
| AMINOSYN 7 % WITH                                       |    |
| ELECTROLYTES                                            | 65 |
| AMINOSYN 8.5 %                                          | 65 |
| AMINOSYN 8.5 %-ELECTROLYTES                             | 65 |
| AMINOSYN II 10 %                                        | 65 |
| AMINOSYN II 15 %                                        | 65 |
| AMINOSYN II 7 %                                         | 65 |
| AMINOSYN II 8.5 %                                       | 65 |
| AMINOSYN II 8.5 %-ELECTROLYTES                          | 65 |
| AMINOSYN M 3.5 %                                        | 65 |
| AMINOSYN-HBC 7%                                         | 65 |
| AMINOSYN-PF 10 %                                        | 65 |
| AMINOSYN-PF 7 % (SULFITE-FREE)                          | 65 |
| AMINOSYN-RF 5.2 %                                       | 65 |
| <i>amiodarone intravenous solution</i>                  | 38 |
| <i>amiodarone intravenous syringe</i>                   | 38 |
| <i>amiodarone oral tablet 100 mg, 200 mg</i>            | 38 |
| <i>amiodarone oral tablet 400 mg</i>                    | 38 |
| AMITIZA                                                 | 53 |
| <i>amitriptyline</i>                                    | 24 |
| <i>amlodipine besylate oral tablet</i>                  | 38 |
| <i>amlodipine-atorvastatin</i>                          | 38 |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-</i> |    |
| 40 mg, 5-10 mg, 5-20 mg, 5-40 mg                        | 38 |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg</i>     | 38 |
| <i>amlodipine-olmesartan</i>                            | 38 |
| <i>amlodipine-valsartan</i>                             | 38 |
| <i>amlodipine-valsartan-hydrochlorothiazide</i>         | 38 |

|                                                                                                                                        |    |                                                                                                                                     |    |
|----------------------------------------------------------------------------------------------------------------------------------------|----|-------------------------------------------------------------------------------------------------------------------------------------|----|
| <i>ammonium lactate</i> .....                                                                                                          | 44 | <i>aprepitant oral capsule 40 mg</i> .....                                                                                          | 53 |
| <i>amoxapine oral tablet 100 mg, 50 mg</i> .....                                                                                       | 24 | <i>aprepitant oral capsule 80 mg</i> .....                                                                                          | 53 |
| <i>amoxapine oral tablet 150 mg, 25 mg</i> .....                                                                                       | 24 | <i>aprepitant oral capsule, dose pack</i> .....                                                                                     | 53 |
| <i>amoxicillin oral capsule</i> .....                                                                                                  | 8  | <i>apri</i> .....                                                                                                                   | 59 |
| <i>amoxicillin oral suspension for reconstitution</i> .....                                                                            | 9  | APRISO.....                                                                                                                         | 53 |
| <i>amoxicillin oral tablet</i> .....                                                                                                   | 9  | APTIOM ORAL TABLET 200 MG, 400 MG,<br>600 MG.....                                                                                   | 24 |
| <i>amoxicillin oral tablet, chewable 125 mg</i> .....                                                                                  | 9  | APTIOM ORAL TABLET 800 MG.....                                                                                                      | 24 |
| <i>amoxicillin oral tablet, chewable 250 mg</i> .....                                                                                  | 9  | APTIVUS ORAL CAPSULE.....                                                                                                           | 9  |
| <i>amoxicillin-pot clavulanate oral suspension for<br/>reconstitution 200-28.5 mg/5 ml, 400-57 mg/5<br/>ml, 600-42.9 mg/5 ml</i> ..... | 9  | APTIVUS ORAL SOLUTION.....                                                                                                          | 9  |
| <i>amoxicillin-pot clavulanate oral suspension for<br/>reconstitution 250-62.5 mg/5 ml</i> .....                                       | 9  | ARALAST NP.....                                                                                                                     | 46 |
| <i>amoxicillin-pot clavulanate oral tablet 250-125<br/>mg</i> .....                                                                    | 9  | <i>aranelle (28)</i> .....                                                                                                          | 59 |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg,<br/>875-125 mg</i> .....                                                        | 9  | ARANESP (IN POLYSORBATE) INJECTION<br>SOLUTION 100 MCG/ML, 200 MCG/ML,<br>300 MCG/ML.....                                           | 56 |
| <i>amoxicillin-pot clavulanate oral tablet extended<br/>release 12 hr</i> .....                                                        | 9  | ARANESP (IN POLYSORBATE) INJECTION<br>SOLUTION 25 MCG/ML, 40 MCG/ML, 60<br>MCG/ML.....                                              | 56 |
| <i>amoxicillin-pot clavulanate oral tablet, chewable</i> .....                                                                         | 9  | ARANESP (IN POLYSORBATE) INJECTION<br>SYRINGE 10 MCG/0.4 ML, 25 MCG/0.42<br>ML, 40 MCG/0.4 ML, 60 MCG/0.3 ML.....                   | 56 |
| <i>amphotericin b</i> .....                                                                                                            | 9  | ARANESP (IN POLYSORBATE) INJECTION<br>SYRINGE 100 MCG/0.5 ML, 150 MCG/0.3<br>ML, 200 MCG/0.4 ML, 300 MCG/0.6 ML,<br>500 MCG/ML..... | 56 |
| <i>ampicillin oral capsule 500 mg</i> .....                                                                                            | 9  | ARCALYST.....                                                                                                                       | 56 |
| <i>ampicillin sodium injection</i> .....                                                                                               | 9  | <i>aripiprazole oral solution</i> .....                                                                                             | 24 |
| <i>ampicillin sodium intravenous</i> .....                                                                                             | 9  | <i>aripiprazole oral tablet 10 mg</i> .....                                                                                         | 24 |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram,<br/>3 gram</i> .....                                                            | 9  | <i>aripiprazole oral tablet 15 mg</i> .....                                                                                         | 24 |
| <i>ampicillin-sulbactam injection recon soln 15<br/>gram</i> .....                                                                     | 9  | <i>aripiprazole oral tablet 2 mg</i> .....                                                                                          | 24 |
| <i>ampicillin-sulbactam intravenous recon soln 1.5<br/>gram</i> .....                                                                  | 9  | <i>aripiprazole oral tablet 20 mg, 30 mg</i> .....                                                                                  | 24 |
| <i>ampicillin-sulbactam intravenous recon soln 3<br/>gram</i> .....                                                                    | 9  | <i>aripiprazole oral tablet 5 mg</i> .....                                                                                          | 24 |
| AMPYRA.....                                                                                                                            | 24 | <i>aripiprazole oral tablet, disintegrating 10 mg</i> .....                                                                         | 24 |
| ANADROL-50.....                                                                                                                        | 48 | <i>aripiprazole oral tablet, disintegrating 15 mg</i> .....                                                                         | 24 |
| <i>anagrelide</i> .....                                                                                                                | 46 | ARISTADA INITIO.....                                                                                                                | 24 |
| <i>anastrozole</i> .....                                                                                                               | 17 | ARISTADA INTRAMUSCULAR<br>SUSPENSION, EXTENDED REL SYRING<br>1,064 MG/3.9 ML.....                                                   | 24 |
| ANDROGEL TRANSDERMAL GEL IN<br>METERED-DOSE PUMP 20.25 MG/1.25<br>GRAM (1.62 %)                                                        | 48 | ARISTADA INTRAMUSCULAR<br>SUSPENSION, EXTENDED REL SYRING<br>441 MG/1.6 ML.....                                                     | 24 |
| ANDROGEL TRANSDERMAL GEL IN<br>PACKET 1.62 % (20.25 MG/1.25<br>GRAM)                                                                   | 48 | ARISTADA INTRAMUSCULAR<br>SUSPENSION, EXTENDED REL SYRING<br>662 MG/2.4 ML.....                                                     | 24 |
| ANDROGEL TRANSDERMAL GEL IN<br>PACKET 1.62 % (40.5 MG/2.5 GRAM)                                                                        | 48 | ARISTADA INTRAMUSCULAR<br>SUSPENSION, EXTENDED REL SYRING<br>882 MG/3.2 ML.....                                                     | 24 |
| ANORO ELLIPTA.....                                                                                                                     | 63 |                                                                                                                                     |    |
| APOKYN.....                                                                                                                            | 24 |                                                                                                                                     |    |
| <i>apraclonidine</i> .....                                                                                                             | 61 |                                                                                                                                     |    |
| <i>aprepitant oral capsule 125 mg</i> .....                                                                                            | 53 |                                                                                                                                     |    |

|                                                                                                                                                               |    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg</i> .....                                                                                                   | 24 |
| <i>armodafinil oral tablet 50 mg</i> .....                                                                                                                    | 24 |
| <i>armour thyroid</i> .....                                                                                                                                   | 48 |
| ARNUIITY ELLIPTA.....                                                                                                                                         | 63 |
| ARRANON.....                                                                                                                                                  | 17 |
| ARZERRA.....                                                                                                                                                  | 17 |
| ASACOL HD.....                                                                                                                                                | 53 |
| ASMANEX HFA.....                                                                                                                                              | 63 |
| ASMANEX TWISTHALER INHALATION<br>AEROSOL POWDR BREATH ACTIVATED<br>110 MCG (30 DOSES), 220 MCG (120<br>DOSES), 220 MCG (30 DOSES), 220 MCG<br>(60 DOSES)..... | 63 |
| ASMANEX TWISTHALER INHALATION<br>AEROSOL POWDR BREATH ACTIVATED<br>220 MCG (14 DOSES).....                                                                    | 63 |
| <i>aspirin-dipyridamole</i> .....                                                                                                                             | 38 |
| ATACAND.....                                                                                                                                                  | 38 |
| ATACAND HCT.....                                                                                                                                              | 38 |
| <i>atazanavir oral capsule 150 mg, 200 mg</i> .....                                                                                                           | 9  |
| <i>atazanavir oral capsule 300 mg</i> .....                                                                                                                   | 9  |
| <i>atenolol</i> .....                                                                                                                                         | 38 |
| <i>atenolol-chlorthalidone</i> .....                                                                                                                          | 38 |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40<br/>mg</i> .....                                                                                          | 24 |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80<br/>mg</i> .....                                                                                                | 24 |
| <i>atorvastatin</i> .....                                                                                                                                     | 38 |
| <i>atovaquone</i> .....                                                                                                                                       | 9  |
| <i>atovaquone-proguanil</i> .....                                                                                                                             | 9  |
| ATRIPLA.....                                                                                                                                                  | 9  |
| <i>atropine injection solution 0.4 mg/ml</i> .....                                                                                                            | 53 |
| <i>atropine injection syringe 0.05 mg/ml, 0.1 mg/<br/>ml</i> .....                                                                                            | 53 |
| <i>atropine ophthalmic (eye) drops</i> .....                                                                                                                  | 61 |
| ATROVENT HFA.....                                                                                                                                             | 63 |
| AUBAGIO.....                                                                                                                                                  | 25 |
| <i>aubra</i> .....                                                                                                                                            | 59 |
| AVALIDE.....                                                                                                                                                  | 38 |
| AVANDIA ORAL TABLET 2 MG.....                                                                                                                                 | 48 |
| AVANDIA ORAL TABLET 4 MG.....                                                                                                                                 | 48 |
| AVAPRO.....                                                                                                                                                   | 38 |
| AVASTIN.....                                                                                                                                                  | 17 |
| <i>aviane</i> .....                                                                                                                                           | 59 |
| <i>avita topical cream</i> .....                                                                                                                              | 44 |
| AVONEX (WITH ALBUMIN).....                                                                                                                                    | 56 |

|                                                                              |    |
|------------------------------------------------------------------------------|----|
| AVONEX INTRAMUSCULAR PEN<br>INJECTOR KIT.....                                | 56 |
| AVONEX INTRAMUSCULAR SYRINGE<br>KIT.....                                     | 56 |
| <i>azacitidine</i> .....                                                     | 17 |
| <i>azathioprine</i> .....                                                    | 17 |
| <i>azathioprine sodium</i> .....                                             | 17 |
| <i>azelastine nasal aerosol, spray</i> .....                                 | 48 |
| <i>azelastine nasal spray, non-aerosol</i> .....                             | 48 |
| <i>azelastine ophthalmic (eye)</i> .....                                     | 61 |
| AZILECT.....                                                                 | 25 |
| <i>azithromycin intravenous</i> .....                                        | 9  |
| <i>azithromycin oral packet</i> .....                                        | 9  |
| <i>azithromycin oral suspension for reconstitution 100<br/>mg/5 ml</i> ..... | 9  |
| <i>azithromycin oral suspension for reconstitution 200<br/>mg/5 ml</i> ..... | 9  |
| <i>azithromycin oral tablet 250 mg, 250 mg (6<br/>pack)</i> .....            | 9  |
| <i>azithromycin oral tablet 500 mg, 600 mg</i> .....                         | 9  |
| AZOPT.....                                                                   | 61 |
| AZOR.....                                                                    | 38 |
| <i>aztreonam</i> .....                                                       | 9  |
| <i>azurette (28)</i> .....                                                   | 59 |
| <i>bacitracin ophthalmic (eye)</i> .....                                     | 61 |
| <i>bacitracin-polymyxin b ophthalmic (eye)</i> .....                         | 61 |
| <i>baclofen</i> .....                                                        | 25 |
| <i>balsalazide</i> .....                                                     | 53 |
| <i>balziva (28)</i> .....                                                    | 59 |
| BANZEL ORAL SUSPENSION.....                                                  | 25 |
| BANZEL ORAL TABLET 200 MG.....                                               | 25 |
| BANZEL ORAL TABLET 400 MG.....                                               | 25 |
| BARACLUDGE ORAL SOLUTION.....                                                | 9  |
| BAVENCIO.....                                                                | 17 |
| BCG VACCINE, LIVE (PF).....                                                  | 56 |
| BELEODAQ.....                                                                | 17 |
| <i>benazepril</i> .....                                                      | 38 |
| <i>benazepril-hydrochlorothiazide</i> .....                                  | 39 |
| BENDEKA.....                                                                 | 17 |
| BENICAR.....                                                                 | 39 |
| BENICAR HCT.....                                                             | 39 |
| BENLYSTA.....                                                                | 57 |
| <i>benztropine injection</i> .....                                           | 25 |
| <i>benztropine oral</i> .....                                                | 25 |
| BESIVANCE.....                                                               | 61 |
| BESPONSA.....                                                                | 17 |
| BETAGAN OPHTHALMIC (EYE) DROPS 0.5<br>%.....                                 | 61 |

|                                                          |    |                                                              |    |
|----------------------------------------------------------|----|--------------------------------------------------------------|----|
| <i>betamethasone dipropionate topical cream</i> .....    | 44 | BRIVIACT ORAL SOLUTION.....                                  | 25 |
| <i>betamethasone dipropionate topical lotion</i> .....   | 44 | BRIVIACT ORAL TABLET 10 MG.....                              | 25 |
| <i>betamethasone dipropionate topical ointment</i> ..... | 44 | BRIVIACT ORAL TABLET 100 MG, 75                              |    |
| <i>betamethasone valerate topical cream</i> .....        | 44 | MG.....                                                      | 25 |
| <i>betamethasone valerate topical lotion</i> .....       | 44 | BRIVIACT ORAL TABLET 25 MG.....                              | 25 |
| <i>betamethasone valerate topical ointment</i> .....     | 44 | BRIVIACT ORAL TABLET 50 MG.....                              | 25 |
| <i>betamethasone, augmented topical cream</i> .....      | 44 | <i>bromfenac</i> .....                                       | 61 |
| <i>betamethasone, augmented topical gel</i> .....        | 44 | <i>bromocriptine</i> .....                                   | 25 |
| <i>betamethasone, augmented topical lotion</i> .....     | 44 | <i>budesonide inhalation suspension for nebulization</i>     |    |
| <i>betamethasone, augmented topical ointment</i> .....   | 44 | 0.25 mg/2 ml, 0.5 mg/2 ml.....                               | 63 |
| BETASERON SUBCUTANEOUS KIT.....                          | 56 | <i>budesonide oral</i> .....                                 | 53 |
| <i>betaxolol ophthalmic (eye)</i> .....                  | 61 | <i>bumetanide injection</i> .....                            | 39 |
| <i>betaxolol oral</i> .....                              | 39 | <i>bumetanide oral tablet 0.5 mg, 1 mg</i> .....             | 39 |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5</i>  |    | <i>bumetanide oral tablet 2 mg</i> .....                     | 39 |
| <i>mg</i> .....                                          | 65 | BUPHENYL ORAL TABLET.....                                    | 46 |
| <i>bethanechol chloride oral tablet 50 mg</i> .....      | 65 | <i>buprenorphine hcl injection solution</i> .....            | 25 |
| BETIMOL.....                                             | 61 | <i>buprenorphine hcl injection syringe</i> .....             | 25 |
| BETOPTIC S.....                                          | 61 | <i>buprenorphine hcl sublingual tablet 2 mg</i> .....        | 25 |
| <i>bexarotene</i> .....                                  | 17 | <i>buprenorphine hcl sublingual tablet 8 mg</i> .....        | 25 |
| BEXSERO.....                                             | 56 | <i>buprenorphine-naloxone sublingual tablet 2-0.5</i>        |    |
| <i>bicalutamide</i> .....                                | 17 | <i>mg</i> .....                                              | 25 |
| BICILLIN C-R.....                                        | 9  | <i>buprenorphine-naloxone sublingual tablet 8-2</i>          |    |
| BICILLIN L-A.....                                        | 9  | <i>mg</i> .....                                              | 25 |
| BICNU.....                                               | 17 | <i>bupropion hcl (smoking deter)</i> .....                   | 46 |
| BIDIL.....                                               | 39 | <i>bupropion hcl oral tablet 100 mg</i> .....                | 25 |
| BIKTARVY.....                                            | 9  | <i>bupropion hcl oral tablet 75 mg</i> .....                 | 25 |
| <i>bimatoprost ophthalmic (eye)</i> .....                | 61 | <i>bupropion hcl oral tablet extended release 24 hr 150</i>  |    |
| <i>bisoprolol fumarate</i> .....                         | 39 | <i>mg</i> .....                                              | 25 |
| <i>bisoprolol-hydrochlorothiazide</i> .....              | 39 | <i>bupropion hcl oral tablet extended release 24 hr 300</i>  |    |
| <i>bleomycin</i> .....                                   | 17 | <i>mg</i> .....                                              | 25 |
| BLEPHAMIDE S.O.P.....                                    | 61 | <i>bupropion hcl oral tablet sustained-release 12 hr 100</i> |    |
| BLINCYTO INTRAVENOUS KIT.....                            | 17 | <i>mg</i> .....                                              | 25 |
| <i>blisovi fe 1.5/30 (28)</i> .....                      | 59 | <i>bupropion hcl oral tablet sustained-release 12 hr 150</i> |    |
| BONIVA INTRAVENOUS.....                                  | 57 | <i>mg, 200 mg</i> .....                                      | 25 |
| BOOSTRIX TDAP.....                                       | 56 | <i>bupirone oral tablet 10 mg, 15 mg, 5 mg</i> .....         | 25 |
| BORTEZOMIB.....                                          | 17 | <i>bupirone oral tablet 30 mg</i> .....                      | 25 |
| BOSULIF ORAL TABLET 100 MG.....                          | 17 | <i>bupirone oral tablet 7.5 mg</i> .....                     | 25 |
| BOSULIF ORAL TABLET 400 MG, 500                          |    | <i>busulfan</i> .....                                        | 17 |
| MG.....                                                  | 17 | BUSULFEX.....                                                | 17 |
| BOTOX.....                                               | 56 | <i>butalbital compound w/codeine</i> .....                   | 25 |
| BRAFTOVI ORAL CAPSULE 50 MG.....                         | 17 | <i>butalbital-acetaminop-caf-cod</i> .....                   | 25 |
| BRAFTOVI ORAL CAPSULE 75 MG.....                         | 17 | <i>butalbital-acetaminophen oral tablet 50-325</i>           |    |
| BREO ELLIPTA.....                                        | 63 | <i>mg</i> .....                                              | 25 |
| <i>briellyn</i> .....                                    | 59 | <i>butalbital-acetaminophen-caff oral capsule</i> .....      | 25 |
| BRILINTA.....                                            | 39 | <i>butalbital-acetaminophen-caff oral tablet 50-325-</i>     |    |
| <i>brimonidine ophthalmic (eye) drops 0.15 %</i> .....   | 61 | <i>40 mg</i> .....                                           | 25 |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i> .....    | 61 | <i>butalbital-aspirin-caffeine oral capsule</i> .....        | 25 |
| BRIVIACT INTRAVENOUS.....                                | 25 | <i>butorphanol tartrate injection</i> .....                  | 25 |



|                                                              |    |                                                              |    |
|--------------------------------------------------------------|----|--------------------------------------------------------------|----|
| <i>butorphanol tartrate nasal</i> .....                      | 25 | <i>carbidopa-levodopa oral tablet, disintegrating</i> .....  | 25 |
| BYDUREON.....                                                | 48 | <i>carbidopa-levodopa-entacapone</i> .....                   | 26 |
| BYDUREON BCISE.....                                          | 48 | <i>carboplatin intravenous solution</i> .....                | 18 |
| BYETTA SUBCUTANEOUS PEN INJECTOR                             |    | CARDIZEM LA.....                                             | 39 |
| 10 MCG/DOSE(250 MCG/ML) 2.4 ML.....                          | 49 | <i>carisoprodol oral tablet 350 mg</i> .....                 | 26 |
| BYETTA SUBCUTANEOUS PEN INJECTOR                             |    | <i>carteolol</i> .....                                       | 61 |
| 5 MCG/DOSE (250 MCG/ML) 1.2 ML.....                          | 49 | <i>cartia xt</i> .....                                       | 39 |
| BYSTOLIC ORAL TABLET 10 MG, 20 MG,                           |    | <i>carvedilol</i> .....                                      | 39 |
| 5 MG.....                                                    | 39 | CAYSTON.....                                                 | 9  |
| BYSTOLIC ORAL TABLET 2.5 MG.....                             | 39 | CAZIAN (28).....                                             | 59 |
| <i>cabergoline</i> .....                                     | 49 | <i>cefacor oral capsule</i> .....                            | 9  |
| CABOMETYX ORAL TABLET 20 MG.....                             | 17 | <i>cefacor oral suspension for reconstitution 125 mg/5</i>   |    |
| CABOMETYX ORAL TABLET 40 MG, 60                              |    | <i>ml, 250 mg/5 ml</i> .....                                 | 9  |
| MG.....                                                      | 17 | <i>cefacor oral suspension for reconstitution 375 mg/5</i>   |    |
| CALAN ORAL TABLET 120 MG.....                                | 39 | <i>ml</i> .....                                              | 9  |
| CALAN SR ORAL TABLET EXTENDED                                |    | <i>cefacor oral tablet extended release 12 hr</i> .....      | 9  |
| RELEASE 120 MG.....                                          | 39 | <i>cefadroxil oral capsule</i> .....                         | 9  |
| <i>calcipotriene scalp</i> .....                             | 44 | <i>cefadroxil oral suspension for reconstitution 250 mg/</i> |    |
| <i>calcipotriene topical</i> .....                           | 44 | <i>5 ml, 500 mg/5 ml</i> .....                               | 9  |
| <i>calcitonin (salmon)</i> .....                             | 49 | <i>cefadroxil oral tablet</i> .....                          | 9  |
| <i>calcitriol intravenous solution 1 mcg/ml</i> .....        | 49 | <i>cefazolin in dextrose (iso-os) intravenous piggyback</i>  |    |
| <i>calcitriol oral capsule</i> .....                         | 49 | <i>1 gram/50 ml</i> .....                                    | 9  |
| <i>calcitriol oral solution</i> .....                        | 49 | <i>cefazolin in dextrose (iso-os) intravenous piggyback</i>  |    |
| <i>calcitriol topical</i> .....                              | 44 | <i>2 gram/50 ml</i> .....                                    | 10 |
| <i>calcium acetate oral capsule</i> .....                    | 65 | <i>cefazolin injection recon soln 1 gram</i> .....           | 10 |
| CALQUENCE.....                                               | 17 | <i>cefazolin injection recon soln 10 gram, 100 gram,</i>     |    |
| <i>camila</i> .....                                          | 59 | <i>20 gram, 300 g</i> .....                                  | 10 |
| CANASA.....                                                  | 53 | <i>cefazolin injection recon soln 500 mg</i> .....           | 10 |
| CANCIDAS.....                                                | 9  | <i>cefazolin intravenous</i> .....                           | 10 |
| <i>candesartan</i> .....                                     | 39 | <i>cefdinir oral capsule</i> .....                           | 10 |
| <i>candesartan-hydrochlorothiazid</i> .....                  | 39 | <i>cefdinir oral suspension for reconstitution</i> .....     | 10 |
| CAPASTAT.....                                                | 9  | <i>cefepime</i> .....                                        | 10 |
| CAPRELSA ORAL TABLET 100 MG.....                             | 18 | <i>cefepime in dextrose, iso-osm intravenous piggyback</i>   |    |
| CAPRELSA ORAL TABLET 300 MG.....                             | 18 | <i>1 gram/50 ml</i> .....                                    | 10 |
| <i>captopril</i> .....                                       | 39 | <i>cefepime in dextrose, iso-osm intravenous piggyback</i>   |    |
| <i>captopril-hydrochlorothiazide</i> .....                   | 39 | <i>2 gram/100 ml</i> .....                                   | 10 |
| <i>carafate oral suspension</i> .....                        | 53 | <i>cefotaxime injection recon soln 1 gram, 2 gram, 500</i>   |    |
| CARBAGLU.....                                                | 46 | <i>mg</i> .....                                              | 10 |
| <i>carbamazepine oral capsule, er multiphase 12</i>          |    | <i>cefotetan</i> .....                                       | 10 |
| <i>hr</i> .....                                              | 25 | <i>cefoxitin in dextrose, iso-osm</i> .....                  | 10 |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> .....       | 25 | <i>cefoxitin intravenous recon soln 1 gram, 2 gram</i> ..... | 10 |
| <i>carbamazepine oral suspension 200 mg/10 ml</i> .....      | 25 | <i>cefoxitin intravenous recon soln 10 gram</i> .....        | 10 |
| <i>carbamazepine oral tablet</i> .....                       | 25 | <i>cefpodoxime oral suspension for reconstitution 100</i>    |    |
| <i>carbamazepine oral tablet extended release 12</i>         |    | <i>mg/5 ml</i> .....                                         | 10 |
| <i>hr</i> .....                                              | 25 | <i>cefpodoxime oral suspension for reconstitution 50</i>     |    |
| <i>carbamazepine oral tablet, chewable</i> .....             | 25 | <i>mg/5 ml</i> .....                                         | 10 |
| <i>carbidopa-levodopa oral tablet</i> .....                  | 25 | <i>cefpodoxime oral tablet 100 mg</i> .....                  | 10 |
| <i>carbidopa-levodopa oral tablet extended release</i> ..... | 25 | <i>cefpodoxime oral tablet 200 mg</i> .....                  | 10 |

|                                                              |    |                                                              |    |
|--------------------------------------------------------------|----|--------------------------------------------------------------|----|
| <i>cefprozil oral suspension for reconstitution</i> .....    | 10 | <i>cholestyramine (with sugar)</i> .....                     | 39 |
| <i>cefprozil oral tablet 250 mg</i> .....                    | 10 | <i>cholestyramine light</i> .....                            | 39 |
| <i>cefprozil oral tablet 500 mg</i> .....                    | 10 | <i>ciclodan</i> .....                                        | 44 |
| CEFTAZIDIME IN D5W.....                                      | 10 | <i>ciclopirox topical cream</i> .....                        | 44 |
| <i>ceftazidime injection recon soln 1 gram, 2 gram</i> ..... | 10 | <i>ciclopirox topical gel</i> .....                          | 44 |
| <i>ceftazidime injection recon soln 6 gram</i> .....         | 10 | <i>ciclopirox topical shampoo</i> .....                      | 44 |
| <i>ceftriaxone in dextrose, iso-os</i> .....                 | 10 | <i>ciclopirox topical solution</i> .....                     | 44 |
| <i>ceftriaxone injection recon soln 1 gram, 250 mg</i> ..... | 10 | <i>ciclopirox topical suspension</i> .....                   | 44 |
| <i>ceftriaxone injection recon soln 10 gram</i> .....        | 10 | <i>cidofovir</i> .....                                       | 10 |
| CEFTRIAZONE INJECTION RECON SOLN                             |    | <i>cilostazol</i> .....                                      | 39 |
| 100 GRAM.....                                                | 10 | CIMDUO.....                                                  | 10 |
| <i>ceftriaxone injection recon soln 2 gram, 500 mg</i> ..... | 10 | <i>cimetidine</i> .....                                      | 53 |
| <i>ceftriaxone intravenous recon soln 1 gram</i> .....       | 10 | <i>cimetidine hcl oral</i> .....                             | 53 |
| <i>ceftriaxone intravenous recon soln 2 gram</i> .....       | 10 | CINRYZE.....                                                 | 63 |
| <i>cefuroxime axetil oral tablet 250 mg</i> .....            | 10 | CIPRODEX.....                                                | 48 |
| <i>cefuroxime axetil oral tablet 500 mg</i> .....            | 10 | <i>ciprofloxacin er oral tablet, er multiphase 24 hr 1,</i>  |    |
| <i>cefuroxime sodium injection recon soln 750 mg</i> .....   | 10 | 000 mg.....                                                  | 10 |
| <i>cefuroxime sodium intravenous recon soln 1.5</i>          |    | <i>ciprofloxacin er oral tablet, er multiphase 24 hr 500</i> |    |
| <i>gram</i> .....                                            | 10 | <i>mg</i> .....                                              | 10 |
| <i>cefuroxime sodium intravenous recon soln 7.5</i>          |    | <i>ciprofloxacin hcl ophthalmic (eye)</i> .....              | 61 |
| <i>gram</i> .....                                            | 10 | <i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i> .....    | 10 |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg</i> .....   | 26 | <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> .....    | 11 |
| <i>celecoxib oral capsule 50 mg</i> .....                    | 26 | <i>ciprofloxacin in 5 % dextrose</i> .....                   | 11 |
| CELLCEPT INTRAVENOUS.....                                    | 18 | <i>ciprofloxacin oral suspension</i> .....                   | 11 |
| CELONTIN ORAL CAPSULE 300 MG.....                            | 26 | <i>cisplatin</i> .....                                       | 18 |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> .....          | 10 | <i>citalopram oral solution</i> .....                        | 26 |
| <i>cephalexin oral suspension for reconstitution 125 mg/</i> |    | <i>citalopram oral tablet 10 mg</i> .....                    | 26 |
| <i>5 ml</i> .....                                            | 10 | <i>citalopram oral tablet 20 mg</i> .....                    | 26 |
| <i>cephalexin oral suspension for reconstitution 250 mg/</i> |    | <i>citalopram oral tablet 40 mg</i> .....                    | 26 |
| <i>5 ml</i> .....                                            | 10 | <i>cladribine</i> .....                                      | 18 |
| <i>cephalexin oral tablet</i> .....                          | 10 | <i>claravis</i> .....                                        | 44 |
| CEREZYME INTRAVENOUS RECON SOLN                              |    | <i>clarithromycin oral suspension for reconstitution 125</i> |    |
| 400 UNIT.....                                                | 49 | <i>mg/5 ml</i> .....                                         | 11 |
| <i>cetirizine oral solution 1 mg/ml</i> .....                | 63 | <i>clarithromycin oral suspension for reconstitution 250</i> |    |
| <i>cevimeline</i> .....                                      | 46 | <i>mg/5 ml</i> .....                                         | 11 |
| CHANTIX.....                                                 | 46 | <i>clarithromycin oral tablet</i> .....                      | 11 |
| CHANTIX CONTINUING MONTH                                     |    | <i>clarithromycin oral tablet extended release 24</i>        |    |
| BOX.....                                                     | 46 | <i>hr</i> .....                                              | 11 |
| CHANTIX STARTING MONTH BOX.....                              | 46 | <i>clemastine oral tablet 2.68 mg</i> .....                  | 63 |
| <i>chloramphenicol sod succinate</i> .....                   | 10 | <i>clindamycin hcl</i> .....                                 | 11 |
| <i>chlordiazepoxide hcl</i> .....                            | 26 | <i>clindamycin in 5 % dextrose intravenous piggyback</i>     |    |
| <i>chlorhexidine gluconate mucous membrane</i> .....         | 48 | 300 mg/50 ml, 600 mg/50 ml.....                              | 11 |
| <i>chloroquine phosphate</i> .....                           | 10 | <i>clindamycin in 5 % dextrose intravenous piggyback</i>     |    |
| <i>chlorothiazide oral tablet 250 mg</i> .....               | 39 | 900 mg/50 ml.....                                            | 11 |
| <i>chlorothiazide oral tablet 500 mg</i> .....               | 39 | <i>clindamycin phosphate injection</i> .....                 | 11 |
| <i>chlorothiazide sodium</i> .....                           | 39 | <i>clindamycin phosphate intravenous</i> .....               | 11 |
| <i>chlorpromazine</i> .....                                  | 26 | <i>clindamycin phosphate topical gel</i> .....               | 44 |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> .....         | 39 | <i>clindamycin phosphate topical lotion</i> .....            | 44 |

|                                                             |    |                                                              |    |
|-------------------------------------------------------------|----|--------------------------------------------------------------|----|
| <i>clindamycin phosphate topical solution</i> .....         | 44 | <i>clorazepate dipotassium</i> .....                         | 26 |
| <i>clindamycin phosphate topical swab</i> .....             | 44 | <i>clotrimazole mucous membrane</i> .....                    | 11 |
| <i>clindamycin phosphate vaginal</i> .....                  | 59 | <i>clotrimazole topical cream</i> .....                      | 44 |
| <i>clindamycin-benzoyl peroxide topical gel</i> .....       | 44 | <i>clotrimazole topical solution</i> .....                   | 44 |
| CLINIMIX 2.75%/D5W SULFIT FREE.....                         | 65 | <i>clotrimazole-betamethasone topical cream</i> .....        | 45 |
| CLINIMIX 4.25%-D20W SULF-FREE.....                          | 65 | <i>clotrimazole-betamethasone topical lotion</i> .....       | 45 |
| CLINIMIX 4.25%-D25W SULF-FREE.....                          | 65 | <i>clozapine oral tablet 100 mg</i> .....                    | 26 |
| CLINIMIX 4.25%/D10W SULF FREE.....                          | 65 | <i>clozapine oral tablet 200 mg</i> .....                    | 26 |
| CLINIMIX 4.25%/D5W SULFIT FREE.....                         | 47 | <i>clozapine oral tablet 25 mg</i> .....                     | 26 |
| CLINIMIX 5%-D20W(SULFITE-FREE).....                         | 65 | <i>clozapine oral tablet 50 mg</i> .....                     | 26 |
| CLINIMIX 5%/D15W SULFITE FREE.....                          | 65 | <i>clozapine oral tablet,disintegrating 100 mg</i> .....     | 26 |
| CLINIMIX 5%/D25W SULFITE-FREE.....                          | 65 | <i>clozapine oral tablet,disintegrating 12.5 mg</i> .....    | 26 |
| CLINIMIX E 2.75%/D10W SUL FREE.....                         | 47 | CLOZAPINE ORAL TABLET,<br>DISINTEGRATING 150 MG.....         | 26 |
| CLINIMIX E 2.75%/D5W SULF FREE.....                         | 47 | CLOZAPINE ORAL TABLET,<br>DISINTEGRATING 200 MG.....         | 26 |
| CLINIMIX E 4.25%/D10W SUL FREE.....                         | 65 | <i>clozapine oral tablet,disintegrating 25 mg</i> .....      | 26 |
| CLINIMIX E 4.25%/D25W SUL FREE.....                         | 65 | COARTEM.....                                                 | 11 |
| CLINIMIX E 4.25%/D5W SULF FREE.....                         | 65 | COLCRYS.....                                                 | 57 |
| CLINIMIX E 5%/D15W SULFIT FREE.....                         | 66 | <i>colesevelam</i> .....                                     | 39 |
| CLINIMIX E 5%/D20W SULFIT FREE.....                         | 66 | <i>colestipol</i> .....                                      | 39 |
| CLINIMIX E 5%/D25W SULFIT FREE.....                         | 66 | <i>colistin (colistimethate na)</i> .....                    | 11 |
| CLINIMIX N14G30E 4.25%-D15W SF.....                         | 66 | COLY-MYCIN S.....                                            | 48 |
| CLINIMIX N9G15E 2.75%-D7.5W SF.....                         | 66 | COMBIGAN.....                                                | 61 |
| CLINIMIX N9G20E 2.75%-D10W(SF).....                         | 47 | COMBIVENT RESPIMAT.....                                      | 63 |
| <i>clobetasol scalp</i> .....                               | 44 | COMETRIQ ORAL CAPSULE 100 MG/<br>DAY(80 MG X1-20 MG X1)..... | 18 |
| <i>clobetasol topical cream</i> .....                       | 44 | COMETRIQ ORAL CAPSULE 140 MG/<br>DAY(80 MG X1-20 MG X3)..... | 18 |
| <i>clobetasol topical foam</i> .....                        | 44 | COMETRIQ ORAL CAPSULE 60 MG/DAY<br>(20 MG X 3/DAY).....      | 18 |
| <i>clobetasol topical gel</i> .....                         | 44 | COMPLERA.....                                                | 11 |
| <i>clobetasol topical lotion</i> .....                      | 44 | <i>compro</i> .....                                          | 53 |
| <i>clobetasol topical ointment</i> .....                    | 44 | <i>constulose</i> .....                                      | 53 |
| <i>clobetasol topical shampoo</i> .....                     | 44 | COPAXONE SUBCUTANEOUS SYRINGE<br>20 MG/ML.....               | 26 |
| <i>clobetasol-emollient topical cream</i> .....             | 44 | COPAXONE SUBCUTANEOUS SYRINGE<br>40 MG/ML.....               | 26 |
| <i>clobetasol-emollient topical foam</i> .....              | 44 | CORLANOR.....                                                | 39 |
| CLOBEX TOPICAL LOTION.....                                  | 44 | <i>cortisone</i> .....                                       | 49 |
| <i>clofarabine</i> .....                                    | 18 | CORZIDE ORAL TABLET 40-5 MG.....                             | 39 |
| CLOLAR.....                                                 | 18 | COSMEGEN.....                                                | 18 |
| <i>clomipramine</i> .....                                   | 26 | COSOPT.....                                                  | 61 |
| <i>clonazepam oral tablet 0.5 mg</i> .....                  | 26 | COTELLIC.....                                                | 18 |
| <i>clonazepam oral tablet 1 mg</i> .....                    | 26 | COUMADIN ORAL.....                                           | 39 |
| <i>clonazepam oral tablet 2 mg</i> .....                    | 26 | COZAAR.....                                                  | 39 |
| <i>clonazepam oral tablet,disintegrating 0.125 mg</i> ..... | 26 | CREON.....                                                   | 53 |
| <i>clonazepam oral tablet,disintegrating 0.25 mg</i> .....  | 26 | CRESTOR.....                                                 | 39 |
| <i>clonazepam oral tablet,disintegrating 0.5 mg</i> .....   | 26 |                                                              |    |
| <i>clonazepam oral tablet,disintegrating 1 mg</i> .....     | 26 |                                                              |    |
| <i>clonazepam oral tablet,disintegrating 2 mg</i> .....     | 26 |                                                              |    |
| <i>clonidine hcl oral tablet</i> .....                      | 39 |                                                              |    |
| <i>clonidine transdermal patch</i> .....                    | 39 |                                                              |    |
| <i>clopidogrel oral tablet 300 mg</i> .....                 | 39 |                                                              |    |
| <i>clopidogrel oral tablet 75 mg</i> .....                  | 39 |                                                              |    |

|                                                           |    |                                                              |    |
|-----------------------------------------------------------|----|--------------------------------------------------------------|----|
| CRIXIVAN ORAL CAPSULE 200 MG.....                         | 11 | DELZICOL ORAL CAPSULE (WITH DEL                              |    |
| CRIXIVAN ORAL CAPSULE 400 MG.....                         | 11 | REL TABLETS).....                                            | 54 |
| <i>cromolyn inhalation</i> .....                          | 63 | <i>demeclocycline</i> .....                                  | 11 |
| <i>cromolyn ophthalmic (eye)</i> .....                    | 61 | DEM SER.....                                                 | 39 |
| <i>cromolyn oral</i> .....                                | 53 | DENAVIR.....                                                 | 45 |
| <i>cryselle (28)</i> .....                                | 59 | <i>denta 5000 plus</i> .....                                 | 48 |
| CUBICIN.....                                              | 11 | <i>dentagel</i> .....                                        | 48 |
| <i>cyclafem 1/35 (28)</i> .....                           | 59 | DEPEN TITRATABS.....                                         | 57 |
| <i>cyclafem 7/7/7 (28)</i> .....                          | 59 | DEPO-ESTRADIOL.....                                          | 59 |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> .....      | 26 | DEPO-PROVERA INTRAMUSCULAR                                   |    |
| <i>cyclobenzaprine oral tablet 7.5 mg</i> .....           | 26 | SUSPENSION 400 MG/ML.....                                    | 59 |
| CYCLOPHOSPHAMIDE ORAL                                     |    | DERMATOP TOPICAL OINTMENT.....                               | 45 |
| CAPSULE.....                                              | 18 | DESCOVY.....                                                 | 11 |
| CYCLOSET.....                                             | 49 | <i>desipramine</i> .....                                     | 26 |
| <i>cyclosporine intravenous</i> .....                     | 18 | <i>desloratadine</i> .....                                   | 63 |
| <i>cyclosporine modified oral capsule</i> .....           | 18 | <i>desmopressin injection</i> .....                          | 49 |
| <i>cyclosporine modified oral solution</i> .....          | 18 | <i>desmopressin nasal spray with pump</i> .....              | 49 |
| <i>cyclosporine oral capsule</i> .....                    | 18 | <i>desmopressin nasal spray, non-aerosol</i> .....           | 49 |
| <i>cyproheptadine</i> .....                               | 63 | <i>desmopressin oral</i> .....                               | 49 |
| CYRAMZA.....                                              | 18 | <i>desonide</i> .....                                        | 45 |
| CYSTADANE.....                                            | 54 | <i>desoximetasone topical cream</i> .....                    | 45 |
| CYSTAGON.....                                             | 65 | <i>desoximetasone topical gel</i> .....                      | 45 |
| CYSTARAN.....                                             | 61 | <i>desoximetasone topical ointment 0.25 %</i> .....          | 45 |
| <i>cytarabine</i> .....                                   | 18 | DESVENLAFAXINE ORAL TABLET                                   |    |
| <i>cytarabine (pf) injection solution 100 mg/5 ml (20</i> |    | EXTENDED RELEASE 24 HR 100 MG.....                           | 26 |
| <i>mg/ml), 2 gram/20 ml (100 mg/ml)</i> .....             | 18 | DESVENLAFAXINE ORAL TABLET                                   |    |
| <i>cytarabine (pf) injection solution 20 mg/ml</i> .....  | 18 | EXTENDED RELEASE 24 HR 50 MG.....                            | 26 |
| CYTOMEL.....                                              | 49 | DESVENLAFAXINE ORAL TABLET                                   |    |
| <i>d10 %-0.45 % sodium chloride</i> .....                 | 47 | EXTENDED RELEASE 24HR 100 MG.....                            | 26 |
| <i>d2.5 %-0.45 % sodium chloride</i> .....                | 47 | DESVENLAFAXINE ORAL TABLET                                   |    |
| <i>d5 % and 0.9 % sodium chloride</i> .....               | 47 | EXTENDED RELEASE 24HR 50 MG.....                             | 26 |
| <i>d5 %-0.45 % sodium chloride</i> .....                  | 47 | <i>desvenlafaxine succinate oral tablet extended release</i> |    |
| <i>dacarbazine</i> .....                                  | 18 | <i>24 hr 100 mg</i> .....                                    | 27 |
| <i>dactinomycin</i> .....                                 | 18 | <i>desvenlafaxine succinate oral tablet extended release</i> |    |
| <i>dalfampridine</i> .....                                | 26 | <i>24 hr 25 mg</i> .....                                     | 27 |
| DALIRESP.....                                             | 63 | <i>desvenlafaxine succinate oral tablet extended release</i> |    |
| <i>danazol</i> .....                                      | 49 | <i>24 hr 50 mg</i> .....                                     | 27 |
| <i>dantrolene</i> .....                                   | 26 | <i>dexamethasone intensol</i> .....                          | 49 |
| <i>dapsone oral</i> .....                                 | 11 | <i>dexamethasone oral elixir</i> .....                       | 49 |
| DAPTACEL (DTAP PEDIATRIC) (PF).....                       | 56 | <i>dexamethasone oral solution</i> .....                     | 49 |
| <i>daptomycin intravenous recon soln 500 mg</i> .....     | 11 | <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg,</i>      |    |
| DARAPRIM.....                                             | 11 | <i>1.5 mg</i> .....                                          | 49 |
| DARZALEX.....                                             | 18 | <i>dexamethasone oral tablet 2 mg, 4 mg, 6 mg</i> .....      | 49 |
| <i>dasetta 1/35 (28)</i> .....                            | 59 | <i>dexamethasone sodium phos (pf)</i> .....                  | 49 |
| <i>dasetta 7/7/7 (28)</i> .....                           | 59 | <i>dexamethasone sodium phosphate injection</i>              |    |
| <i>daunorubicin intravenous solution</i> .....            | 18 | <i>solution</i> .....                                        | 49 |
| <i>decitabine</i> .....                                   | 18 | <i>dexamethasone sodium phosphate injection</i>              |    |
| DELESTROGEN.....                                          | 59 | <i>syringe</i> .....                                         | 49 |

|                                                                                                   |    |                                                                                               |    |
|---------------------------------------------------------------------------------------------------|----|-----------------------------------------------------------------------------------------------|----|
| <i>dexamethasone sodium phosphate ophthalmic (eye)</i> .....                                      | 61 | <i>diclofenac sodium topical gel 1 %</i> .....                                                | 27 |
| DEXILANT.....                                                                                     | 54 | <i>diclofenac sodium topical gel 3 %</i> .....                                                | 45 |
| <i>dexrazoxane hcl intravenous recon soln 250 mg</i> .....                                        | 18 | <i>dicloxacillin</i> .....                                                                    | 11 |
| <i>dexrazoxane hcl intravenous recon soln 500 mg</i> .....                                        | 18 | <i>dicyclomine oral capsule</i> .....                                                         | 54 |
| <i>dextroamphetamine oral tablet 10 mg</i> .....                                                  | 27 | <i>dicyclomine oral solution</i> .....                                                        | 54 |
| <i>dextroamphetamine oral tablet 5 mg</i> .....                                                   | 27 | <i>dicyclomine oral tablet</i> .....                                                          | 54 |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr</i> .....                    | 27 | <i>didanosine oral capsule, delayed release(dr/ec) 200 mg</i> .....                           | 11 |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg</i> ..... | 27 | <i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i> .....                   | 11 |
| <i>dextroamphetamine-amphetamine oral tablet 30 mg</i> .....                                      | 27 | DIFICID.....                                                                                  | 11 |
| <i>dextrose 10 % and 0.2 % nacl</i> .....                                                         | 47 | <i>diflorasone</i> .....                                                                      | 45 |
| <i>dextrose 10 % in water (d10w)</i> .....                                                        | 47 | <i>diflunisal</i> .....                                                                       | 27 |
| <i>dextrose 25 % in water (d25w)</i> .....                                                        | 47 | <i>digitek oral tablet 125 mcg</i> .....                                                      | 39 |
| <i>dextrose 30 % in water (d30w)</i> .....                                                        | 47 | <i>digitek oral tablet 250 mcg</i> .....                                                      | 39 |
| <i>dextrose 40 % in water (d40w)</i> .....                                                        | 47 | <i>digox oral tablet 125 mcg</i> .....                                                        | 39 |
| <i>dextrose 5 % in water (d5w)</i> .....                                                          | 47 | <i>digoxin injection solution</i> .....                                                       | 39 |
| <i>dextrose 5 %-lactated ringers</i> .....                                                        | 47 | <i>digoxin oral solution 50 mcg/ml</i> .....                                                  | 39 |
| <i>dextrose 5%-0.2 % sod chloride</i> .....                                                       | 47 | <i>digoxin oral tablet 125 mcg</i> .....                                                      | 39 |
| <i>dextrose 5%-0.3 % sod.chloride</i> .....                                                       | 47 | <i>digoxin oral tablet 250 mcg</i> .....                                                      | 39 |
| <i>dextrose 50 % in water (d50w) intravenous parenteral solution</i> .....                        | 47 | <i>dihydroergotamine injection</i> .....                                                      | 27 |
| <i>dextrose 50 % in water (d50w) intravenous syringe</i> .....                                    | 47 | <i>dihydroergotamine nasal</i> .....                                                          | 27 |
| <i>dextrose 70 % in water (d70w)</i> .....                                                        | 47 | DILANTIN EXTENDED ORAL CAPSULE 100 MG.....                                                    | 27 |
| <i>dextrose with sodium chloride</i> .....                                                        | 47 | DILANTIN INFATABS.....                                                                        | 27 |
| DIASTAT.....                                                                                      | 27 | DILANTIN ORAL CAPSULE 30 MG.....                                                              | 27 |
| DIASTAT ACUDIAL.....                                                                              | 27 | <i>dilt-xr</i> .....                                                                          | 39 |
| <i>diazepam intensol</i> .....                                                                    | 27 | <i>diltiazem hcl intravenous</i> .....                                                        | 39 |
| <i>diazepam oral concentrate</i> .....                                                            | 27 | <i>diltiazem hcl oral capsule, ext. rel 24h degradable</i> .....                              | 39 |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> .....                                           | 27 | <i>diltiazem hcl oral capsule, extended release 12 hr</i> .....                               | 39 |
| <i>diazepam oral tablet 10 mg</i> .....                                                           | 27 | <i>diltiazem hcl oral capsule, extended release 24 hr</i> .....                               | 39 |
| <i>diazepam oral tablet 2 mg</i> .....                                                            | 27 | <i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> ..... | 39 |
| <i>diazepam oral tablet 5 mg</i> .....                                                            | 27 | <i>diltiazem hcl oral capsule, extended release 24hr 360 mg</i> .....                         | 39 |
| <i>diazepam rectal</i> .....                                                                      | 27 | <i>diltiazem hcl oral tablet</i> .....                                                        | 39 |
| <i>diclofenac potassium</i> .....                                                                 | 27 | DIOVAN HCT.....                                                                               | 39 |
| <i>diclofenac sodium ophthalmic (eye)</i> .....                                                   | 61 | DIPENTUM.....                                                                                 | 54 |
| <i>diclofenac sodium oral tablet extended release 24 hr</i> .....                                 | 27 | <i>diphenhydramine hcl injection solution 50 mg/ml</i> .....                                  | 63 |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i> .....                         | 27 | <i>diphenhydramine hcl injection syringe</i> .....                                            | 63 |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i> .....                         | 27 | <i>diphenoxylate-atropine oral liquid</i> .....                                               | 54 |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i> .....                         | 27 | <i>diphenoxylate-atropine oral tablet</i> .....                                               | 54 |
| <i>diclofenac sodium topical drops</i> .....                                                      | 27 | <i>disopyramide phosphate oral capsule</i> .....                                              | 39 |
|                                                                                                   |    | <i>disulfiram</i> .....                                                                       | 47 |
|                                                                                                   |    | <i>divalproex oral capsule, delayed rel sprinkle</i> .....                                    | 27 |
|                                                                                                   |    | <i>divalproex oral tablet extended release 24 hr</i> .....                                    | 27 |

|                                                                                                                                   |    |                                                                    |    |
|-----------------------------------------------------------------------------------------------------------------------------------|----|--------------------------------------------------------------------|----|
| <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg</i> .....                                                       | 27 | <i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i> ..... | 27 |
| <i>divalproex oral tablet, delayed release (dr/ec) 500 mg</i> .....                                                               | 27 | <i>duloxetine oral capsule, delayed release(dr/ec) 60 mg</i> ..... | 27 |
| <i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 20 mg/2 ml (10 mg/ml)</i> .....                                        | 18 | <i>duramorph (pf) injection solution 0.5 mg/ml</i> .....           | 27 |
| <i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i> ..... | 18 | <i>duramorph (pf) injection solution 1 mg/ml</i> .....             | 27 |
| DOCETAXEL INTRAVENOUS SOLUTION                                                                                                    |    | DUREZOL.....                                                       | 61 |
| 20 MG/ML.....                                                                                                                     | 18 | <i>dutasteride</i> .....                                           | 65 |
| <i>dofetilide</i> .....                                                                                                           | 39 | <i>dutasteride-tamsulosin</i> .....                                | 65 |
| <i>donepezil oral tablet 10 mg, 5 mg</i> .....                                                                                    | 27 | DYAZIDE.....                                                       | 39 |
| <i>donepezil oral tablet, disintegrating</i> .....                                                                                | 27 | DYSPORT.....                                                       | 56 |
| DORIPENEM.....                                                                                                                    | 11 | <i>e.e.s. 400 oral tablet</i> .....                                | 11 |
| <i>dorzolamide</i> .....                                                                                                          | 61 | <i>econazole</i> .....                                             | 45 |
| <i>dorzolamide-timolol</i> .....                                                                                                  | 61 | EDURANT.....                                                       | 11 |
| <i>doxazosin</i> .....                                                                                                            | 39 | <i>efavirenz oral capsule 200 mg</i> .....                         | 11 |
| <i>doxepin oral</i> .....                                                                                                         | 27 | <i>efavirenz oral capsule 50 mg</i> .....                          | 11 |
| <i>doxercalciferol intravenous</i> .....                                                                                          | 49 | <i>efavirenz oral tablet</i> .....                                 | 11 |
| <i>doxercalciferol oral capsule 0.5 mcg</i> .....                                                                                 | 49 | EFFIENT.....                                                       | 39 |
| <i>doxercalciferol oral capsule 1 mcg, 2.5 mcg</i> .....                                                                          | 49 | EGRIFTA SUBCUTANEOUS RECON SOLN                                    |    |
| <i>doxorubicin intravenous recon soln 10 mg</i> .....                                                                             | 18 | 1 MG.....                                                          | 56 |
| <i>doxorubicin intravenous recon soln 50 mg</i> .....                                                                             | 18 | ELAPRASE.....                                                      | 49 |
| <i>doxorubicin intravenous solution</i> .....                                                                                     | 18 | ELESTRIN.....                                                      | 59 |
| <i>doxorubicin, peg-liposomal</i> .....                                                                                           | 18 | ELIDEL.....                                                        | 45 |
| <i>doxy-100</i> .....                                                                                                             | 11 | <i>elinest</i> .....                                               | 59 |
| <i>doxycycline hyclate intravenous</i> .....                                                                                      | 11 | ELIQUIS ORAL TABLET 2.5 MG.....                                    | 40 |
| <i>doxycycline hyclate oral capsule</i> .....                                                                                     | 11 | ELIQUIS ORAL TABLET 5 MG.....                                      | 40 |
| <i>doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg</i> .....                                                         | 11 | ELITEK.....                                                        | 18 |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> .....                                                                   | 11 | ELIXOPHYLLIN ORAL ELIXIR 80 MG/15 ML.....                          | 63 |
| <i>doxycycline monohydrate oral suspension for reconstitution</i> .....                                                           | 11 | ELLA.....                                                          | 59 |
| <i>doxycycline monohydrate oral tablet 100 mg</i> .....                                                                           | 11 | ELMIRON.....                                                       | 65 |
| <i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i> .....                                                             | 11 | EMCYT.....                                                         | 18 |
| <i>dronabinol oral capsule 10 mg</i> .....                                                                                        | 54 | EMEND ORAL CAPSULE 125 MG.....                                     | 54 |
| <i>dronabinol oral capsule 2.5 mg, 5 mg</i> .....                                                                                 | 54 | EMEND ORAL CAPSULE 40 MG.....                                      | 54 |
| <i>drospirenone-ethinyl estradiol</i> .....                                                                                       | 59 | EMEND ORAL CAPSULE 80 MG.....                                      | 54 |
| DROXIA.....                                                                                                                       | 18 | EMEND ORAL CAPSULE, DOSE PACK.....                                 | 54 |
| DUETACT ORAL TABLET 30-4 MG.....                                                                                                  | 49 | EMEND ORAL SUSPENSION FOR RECONSTITUTION.....                      | 54 |
| DULERA.....                                                                                                                       | 63 | <i>emoquette</i> .....                                             | 59 |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg</i> .....                                                                | 27 | EMPLICITI.....                                                     | 18 |
| <i>duloxetine oral capsule, delayed release(dr/ec) 30 mg</i> .....                                                                | 27 | EMSAM.....                                                         | 27 |
|                                                                                                                                   |    | EMTRIVA ORAL CAPSULE.....                                          | 11 |
|                                                                                                                                   |    | EMTRIVA ORAL SOLUTION.....                                         | 11 |
|                                                                                                                                   |    | <i>enalapril maleate</i> .....                                     | 40 |
|                                                                                                                                   |    | <i>enalapril-hydrochlorothiazide</i> .....                         | 40 |
|                                                                                                                                   |    | ENBREL MINI.....                                                   | 58 |
|                                                                                                                                   |    | ENBREL SUBCUTANEOUS RECON SOLN.....                                | 58 |

|                                                                                  |    |                                                                          |    |
|----------------------------------------------------------------------------------|----|--------------------------------------------------------------------------|----|
| ENBREL SUBCUTANEOUS SYRINGE 25<br>MG/0.5ML (0.51).....                           | 58 | <i>ertapenem</i> .....                                                   | 11 |
| ENBREL SUBCUTANEOUS SYRINGE 50<br>MG/ML (0.98 ML).....                           | 58 | ERWINAZE.....                                                            | 18 |
| ENBREL SURECLICK.....                                                            | 58 | <i>ery pads</i> .....                                                    | 45 |
| <i>endocet oral tablet 10-325 mg, 7.5-325 mg</i> .....                           | 27 | <i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i> ..... | 12 |
| <i>endocet oral tablet 5-325 mg</i> .....                                        | 28 | ERY-TAB ORAL TABLET, DELAYED<br>RELEASE (DR/EC) 500 MG.....              | 12 |
| ENGERIX-B (PF).....                                                              | 56 | <i>erythrocin (as stearate) oral tablet 250 mg</i> .....                 | 12 |
| ENGERIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR SYRINGE.....                           | 56 | ERYTHROCIN INTRAVENOUS RECON<br>SOLN 500 MG.....                         | 12 |
| <i>enoxaparin subcutaneous solution</i> .....                                    | 40 | <i>erythromycin ethylsuccinate oral tablet</i> .....                     | 12 |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> .....                | 40 | <i>erythromycin ophthalmic (eye)</i> .....                               | 61 |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> .....         | 40 | <i>erythromycin oral capsule, delayed release (dr/ec)</i> .....          | 12 |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> .....                        | 40 | <i>erythromycin oral tablet</i> .....                                    | 12 |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> .....                        | 40 | <i>erythromycin with ethanol</i> .....                                   | 45 |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> .....                        | 40 | <i>erythromycin-benzoyl peroxide</i> .....                               | 45 |
| <i>enpresse</i> .....                                                            | 59 | ESBRIET ORAL CAPSULE.....                                                | 63 |
| <i>entacapone</i> .....                                                          | 28 | ESBRIET ORAL TABLET 267 MG.....                                          | 63 |
| <i>entecavir</i> .....                                                           | 11 | ESBRIET ORAL TABLET 801 MG.....                                          | 63 |
| ENTRESTO.....                                                                    | 40 | <i>escitalopram oxalate oral solution</i> .....                          | 28 |
| <i>enulose</i> .....                                                             | 54 | <i>escitalopram oxalate oral tablet 10 mg</i> .....                      | 28 |
| ENVARUS XR.....                                                                  | 18 | <i>escitalopram oxalate oral tablet 20 mg</i> .....                      | 28 |
| EPCLUSA.....                                                                     | 11 | <i>escitalopram oxalate oral tablet 5 mg</i> .....                       | 28 |
| <i>epinastine</i> .....                                                          | 61 | <i>esomeprazole magnesium</i> .....                                      | 54 |
| <i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.15 mg/0.3 ml</i> ..... | 63 | <i>esomeprazole sodium intravenous recon soln 20 mg</i> .....            | 54 |
| EPINEPHRINE INJECTION AUTO-<br>INJECTOR 0.3 MG/0.3 ML.....                       | 63 | <i>esomeprazole sodium intravenous recon soln 40 mg</i> .....            | 54 |
| <i>epirubicin intravenous solution</i> .....                                     | 18 | <i>estarylla</i> .....                                                   | 59 |
| <i>epitol</i> .....                                                              | 28 | ESTRACE VAGINAL.....                                                     | 59 |
| EPIVIR HBV ORAL SOLUTION.....                                                    | 11 | <i>estradiol oral</i> .....                                              | 59 |
| EPIVIR ORAL SOLUTION.....                                                        | 11 | <i>estradiol transdermal patch semiweekly</i> .....                      | 59 |
| <i>eplerenone</i> .....                                                          | 40 | <i>estradiol transdermal patch weekly</i> .....                          | 59 |
| <i>eprosartan</i> .....                                                          | 40 | <i>estradiol vaginal</i> .....                                           | 59 |
| EPZICOM.....                                                                     | 11 | <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> .....     | 59 |
| EQUETRO ORAL CAPSULE, ER<br>MULTIPHASE 12 HR 100 MG.....                         | 28 | <i>estradiol-norethindrone acet</i> .....                                | 59 |
| EQUETRO ORAL CAPSULE, ER<br>MULTIPHASE 12 HR 200 MG.....                         | 28 | ESTRING.....                                                             | 59 |
| EQUETRO ORAL CAPSULE, ER<br>MULTIPHASE 12 HR 300 MG.....                         | 28 | <i>estropipate oral tablet 0.75 mg</i> .....                             | 59 |
| ERBITUX.....                                                                     | 18 | <i>eszopiclone</i> .....                                                 | 28 |
| <i>ergoloid</i> .....                                                            | 28 | <i>ethambutol</i> .....                                                  | 12 |
| ERIVEDGE.....                                                                    | 18 | <i>ethosuximide oral capsule</i> .....                                   | 28 |
| ERLEADA.....                                                                     | 18 | <i>ethosuximide oral solution</i> .....                                  | 28 |
| <i>errin</i> .....                                                               | 59 | <i>etidronate disodium</i> .....                                         | 47 |
|                                                                                  |    | <i>etodolac oral capsule</i> .....                                       | 28 |
|                                                                                  |    | <i>etodolac oral tablet</i> .....                                        | 28 |
|                                                                                  |    | <i>etodolac oral tablet extended release 24 hr</i> .....                 | 28 |
|                                                                                  |    | ETOPOPHOS.....                                                           | 18 |

|                                                              |    |                                                              |    |
|--------------------------------------------------------------|----|--------------------------------------------------------------|----|
| <i>etoposide intravenous</i> .....                           | 18 | <i>fenoprofen oral tablet</i> .....                          | 28 |
| EVAMIST.....                                                 | 59 | <i>fentanyl citrate</i> .....                                | 28 |
| EVOMELA.....                                                 | 18 | <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12</i>     |    |
| EVOTAZ.....                                                  | 12 | <i>mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> .....         | 28 |
| EXELDERM.....                                                | 45 | FETZIMA ORAL CAPSULE,EXT REL 24HR                            |    |
| <i>exemestane</i> .....                                      | 18 | DOSE PACK.....                                               | 28 |
| EXFORGE.....                                                 | 40 | FETZIMA ORAL CAPSULE,EXTENDED                                |    |
| EXFORGE HCT.....                                             | 40 | RELEASE 24 HR 120 MG, 80 MG.....                             | 28 |
| EXJADE.....                                                  | 47 | FETZIMA ORAL CAPSULE,EXTENDED                                |    |
| <i>ezetimibe</i> .....                                       | 40 | RELEASE 24 HR 20 MG.....                                     | 28 |
| FABRAZYME.....                                               | 49 | FETZIMA ORAL CAPSULE,EXTENDED                                |    |
| <i>falmina (28)</i> .....                                    | 59 | RELEASE 24 HR 40 MG.....                                     | 28 |
| <i>famciclovir oral tablet 125 mg, 250 mg</i> .....          | 12 | <i>finasteride oral tablet 5 mg</i> .....                    | 65 |
| <i>famciclovir oral tablet 500 mg</i> .....                  | 12 | FIRAZYR.....                                                 | 63 |
| <i>famotidine (pf)</i> .....                                 | 54 | FIRMAGON KIT W DILUENT SYRINGE                               |    |
| <i>famotidine (pf)-nacl (iso-os)</i> .....                   | 54 | SUBCUTANEOUS RECON SOLN 120                                  |    |
| <i>famotidine intravenous solution</i> .....                 | 54 | MG.....                                                      | 19 |
| <i>famotidine oral suspension</i> .....                      | 54 | FIRMAGON KIT W DILUENT SYRINGE                               |    |
| <i>famotidine oral tablet 20 mg, 40 mg</i> .....             | 54 | SUBCUTANEOUS RECON SOLN 80                                   |    |
| FANAPT ORAL TABLET 1 MG.....                                 | 28 | MG.....                                                      | 19 |
| FANAPT ORAL TABLET 10 MG, 12 MG.....                         | 28 | <i>flavoxate</i> .....                                       | 65 |
| FANAPT ORAL TABLET 2 MG.....                                 | 28 | <i>flecainide</i> .....                                      | 40 |
| FANAPT ORAL TABLET 4 MG.....                                 | 28 | FLOVENT DISKUS INHALATION BLISTER                            |    |
| FANAPT ORAL TABLET 6 MG.....                                 | 28 | WITH DEVICE 100 MCG/ACTUATION,                               |    |
| FANAPT ORAL TABLET 8 MG.....                                 | 28 | 50 MCG/ACTUATION.....                                        | 63 |
| FANAPT ORAL TABLETS,DOSE PACK.....                           | 28 | FLOVENT DISKUS INHALATION BLISTER                            |    |
| FARESTON.....                                                | 18 | WITH DEVICE 250 MCG/                                         |    |
| FARYDAK ORAL CAPSULE 10 MG.....                              | 19 | ACTUATION.....                                               | 63 |
| FARYDAK ORAL CAPSULE 15 MG, 20                               |    | FLOVENT HFA INHALATION HFA                                   |    |
| MG.....                                                      | 19 | AEROSOL INHALER 110 MCG/                                     |    |
| FASLODEX.....                                                | 19 | ACTUATION.....                                               | 63 |
| <i>felbamate</i> .....                                       | 28 | FLOVENT HFA INHALATION HFA                                   |    |
| FELBATOL ORAL TABLET 400 MG.....                             | 28 | AEROSOL INHALER 220 MCG/                                     |    |
| <i>felodipine</i> .....                                      | 40 | ACTUATION.....                                               | 63 |
| FEMRING.....                                                 | 59 | FLOVENT HFA INHALATION HFA                                   |    |
| <i>fenofibrate micronized oral capsule 130 mg</i> .....      | 40 | AEROSOL INHALER 44 MCG/                                      |    |
| <i>fenofibrate micronized oral capsule 134 mg, 67</i>        |    | ACTUATION.....                                               | 63 |
| <i>mg</i> .....                                              | 40 | <i>fluconazole in dextrose(iso-o)</i> .....                  | 12 |
| <i>fenofibrate micronized oral capsule 200 mg, 43</i>        |    | FLUCONAZOLE IN NAACL (ISO-OSM)                               |    |
| <i>mg</i> .....                                              | 40 | INTRAVENOUS PIGGYBACK 100 MG/50                              |    |
| <i>fenofibrate nanocrystallized oral tablet 145 mg</i> ..... | 40 | ML.....                                                      | 12 |
| <i>fenofibrate nanocrystallized oral tablet 48 mg</i> .....  | 40 | <i>fluconazole in nacl (iso-osm) intravenous piggyback</i>   |    |
| <i>fenofibrate oral tablet 160 mg</i> .....                  | 40 | <i>200 mg/100 ml</i> .....                                   | 12 |
| <i>fenofibrate oral tablet 54 mg</i> .....                   | 40 | <i>fluconazole in nacl (iso-osm) intravenous piggyback</i>   |    |
| <i>fenofibric acid (choline) oral capsule,delayed</i>        |    | <i>400 mg/200 ml</i> .....                                   | 12 |
| <i>release(dr/lec) 135 mg</i> .....                          | 40 | <i>fluconazole oral suspension for reconstitution 10 mg/</i> |    |
| <i>fenofibric acid (choline) oral capsule,delayed</i>        |    | <i>ml</i> .....                                              | 12 |
| <i>release(dr/lec) 45 mg</i> .....                           | 40 |                                                              |    |



|                                                              |    |                                                           |    |
|--------------------------------------------------------------|----|-----------------------------------------------------------|----|
| <i>fluconazole oral suspension for reconstitution 40 mg/</i> |    | <i>fluticasone topical lotion.....</i>                    | 45 |
| <i>ml.....</i>                                               | 12 | <i>fluticasone topical ointment.....</i>                  | 45 |
| <i>fluconazole oral tablet 100 mg, 150 mg, 50 mg.....</i>    | 12 | <i>fluvastatin oral capsule 20 mg.....</i>                | 40 |
| <i>fluconazole oral tablet 200 mg.....</i>                   | 12 | <i>fluvastatin oral capsule 40 mg.....</i>                | 40 |
| <i>flucytosine oral capsule 250 mg.....</i>                  | 12 | <i>fluvoxamine oral tablet 100 mg.....</i>                | 28 |
| <i>flucytosine oral capsule 500 mg.....</i>                  | 12 | <i>fluvoxamine oral tablet 25 mg.....</i>                 | 29 |
| <i>fludarabine intravenous recon soln.....</i>               | 19 | <i>fluvoxamine oral tablet 50 mg.....</i>                 | 29 |
| <i>fludarabine intravenous solution.....</i>                 | 19 | FOLOTYN.....                                              | 19 |
| <i>fludrocortisone.....</i>                                  | 49 | <i>fomepizole.....</i>                                    | 56 |
| <i>flunisolide nasal spray, non-aerosol 25 mcg (0.025</i>    |    | <i>fondaparinux subcutaneous syringe 10 mg/0.8</i>        |    |
| <i>%).....</i>                                               | 63 | <i>ml.....</i>                                            | 40 |
| <i>fluocinolone.....</i>                                     | 45 | <i>fondaparinux subcutaneous syringe 2.5 mg/0.5</i>       |    |
| <i>fluocinolone acetonide oil otic.....</i>                  | 48 | <i>ml.....</i>                                            | 40 |
| <i>fluocinolone and shower cap.....</i>                      | 45 | <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml.....</i> | 40 |
| <i>fluocinonide topical cream 0.05 %.....</i>                | 45 | <i>fondaparinux subcutaneous syringe 7.5 mg/0.6</i>       |    |
| <i>fluocinonide topical cream 0.1 %.....</i>                 | 45 | <i>ml.....</i>                                            | 40 |
| <i>fluocinonide topical gel.....</i>                         | 45 | FORTEO.....                                               | 58 |
| <i>fluocinonide topical ointment.....</i>                    | 45 | FOSAMAX ORAL TABLET 70 MG.....                            | 58 |
| <i>fluocinonide topical solution.....</i>                    | 45 | FOSAMAX PLUS D.....                                       | 58 |
| <i>fluocinonide-e.....</i>                                   | 45 | <i>fosamprenavir.....</i>                                 | 12 |
| FLUOCINONIDE-EMOLLIENT.....                                  | 45 | <i>fosinopril.....</i>                                    | 40 |
| <i>fluoride (sodium) oral tablet.....</i>                    | 66 | <i>fosinopril-hydrochlorothiazide.....</i>                | 40 |
| <i>fluoride (sodium) oral tablet, chewable.....</i>          | 66 | <i>fosphenytoin.....</i>                                  | 29 |
| <i>fluoritab oral tablet, chewable 1 mg (2.2 mg sod.</i>     |    | FREAMINE HBC 6.9 %.....                                   | 66 |
| <i>fluoride).....</i>                                        | 66 | <i>freamine iii 10 %.....</i>                             | 66 |
| <i>fluorometholone.....</i>                                  | 61 | <i>furosemide injection.....</i>                          | 40 |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 500</i>   |    | <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8</i>   |    |
| <i>mg/10 ml.....</i>                                         | 19 | <i>mg/ml).....</i>                                        | 40 |
| <i>fluorouracil intravenous solution 2.5 gram/50 ml,</i>     |    | <i>furosemide oral tablet.....</i>                        | 40 |
| <i>5 gram/100 ml.....</i>                                    | 19 | FUSILEV.....                                              | 19 |
| <i>fluorouracil topical cream 5 %.....</i>                   | 45 | FUZEON SUBCUTANEOUS RECON                                 |    |
| <i>fluorouracil topical solution 2 %.....</i>                | 45 | <i>SOLN.....</i>                                          | 12 |
| <i>fluorouracil topical solution 5 %.....</i>                | 45 | FYCOMPA ORAL SUSPENSION.....                              | 29 |
| <i>fluoxetine oral capsule 10 mg.....</i>                    | 28 | <i>FYCOMPA ORAL TABLET 10 MG, 12</i>                      |    |
| <i>fluoxetine oral capsule 20 mg.....</i>                    | 28 | <i>MG.....</i>                                            | 29 |
| <i>fluoxetine oral capsule 40 mg.....</i>                    | 28 | <i>FYCOMPA ORAL TABLET 2 MG.....</i>                      | 29 |
| <i>fluoxetine oral capsule, delayed release(dr/ec).....</i>  | 28 | <i>FYCOMPA ORAL TABLET 4 MG.....</i>                      | 29 |
| <i>fluoxetine oral solution.....</i>                         | 28 | <i>FYCOMPA ORAL TABLET 6 MG.....</i>                      | 29 |
| <i>fluoxetine oral tablet 10 mg.....</i>                     | 28 | <i>FYCOMPA ORAL TABLET 8 MG.....</i>                      | 29 |
| <i>fluoxetine oral tablet 20 mg.....</i>                     | 28 | <i>gabapentin oral capsule 100 mg.....</i>                | 29 |
| <i>fluphenazine decanoate.....</i>                           | 28 | <i>gabapentin oral capsule 300 mg.....</i>                | 29 |
| <i>fluphenazine hcl injection.....</i>                       | 28 | <i>gabapentin oral capsule 400 mg.....</i>                | 29 |
| <i>fluphenazine hcl oral.....</i>                            | 28 | <i>gabapentin oral solution 250 mg/5 ml.....</i>          | 29 |
| <i>flurbiprofen.....</i>                                     | 28 | GABAPENTIN ORAL SOLUTION 250 MG/                          |    |
| <i>flurbiprofen ophthalmic drops.....</i>                    | 61 | <i>5 ML (5 ML), 300 MG/6 ML (6 ML).....</i>               | 29 |
| <i>flutamide.....</i>                                        | 19 | <i>gabapentin oral tablet 600 mg.....</i>                 | 29 |
| <i>fluticasone nasal.....</i>                                | 63 | <i>gabapentin oral tablet 800 mg.....</i>                 | 29 |
| <i>fluticasone topical cream.....</i>                        | 45 | GABITRIL ORAL TABLET 12 MG.....                           | 29 |

|                                                               |    |                                                               |    |
|---------------------------------------------------------------|----|---------------------------------------------------------------|----|
| GABITRIL ORAL TABLET 16 MG.....                               | 29 | <i>gentamicin topical</i> .....                               | 45 |
| <i>galantamine oral capsule, ext rel. pellets 24 hr</i> ..... | 29 | GENVOYA.....                                                  | 12 |
| <i>galantamine oral solution</i> .....                        | 29 | GEODON INTRAMUSCULAR.....                                     | 29 |
| <i>galantamine oral tablet</i> .....                          | 29 | <i>gianvi (28)</i> .....                                      | 59 |
| GAMUNEX-C.....                                                | 56 | GILENYA ORAL CAPSULE 0.5 MG.....                              | 29 |
| <i>ganciclovir sodium intravenous recon soln</i> .....        | 12 | GILOTRIF.....                                                 | 19 |
| GARDASIL 9 (PF).....                                          | 56 | <i>glatiramer subcutaneous syringe 20 mg/ml</i> .....         | 29 |
| <i>gatifloxacin</i> .....                                     | 61 | <i>glatiramer subcutaneous syringe 40 mg/ml</i> .....         | 29 |
| GATTEX 30-VIAL.....                                           | 54 | <i>glatopa subcutaneous syringe 20 mg/ml</i> .....            | 29 |
| GATTEX ONE-VIAL.....                                          | 54 | <i>glatopa subcutaneous syringe 40 mg/ml</i> .....            | 29 |
| <i>gauze pads 2 x 2</i> .....                                 | 49 | GLEEVEC ORAL TABLET 100 MG.....                               | 19 |
| <i>gavilyte-c</i> .....                                       | 54 | GLEEVEC ORAL TABLET 400 MG.....                               | 19 |
| <i>gavilyte-g</i> .....                                       | 54 | GLEOSTINE.....                                                | 19 |
| <i>gavilyte-n</i> .....                                       | 54 | <i>glimepiride oral tablet 1 mg</i> .....                     | 49 |
| GAZYVA.....                                                   | 19 | <i>glimepiride oral tablet 2 mg</i> .....                     | 49 |
| <i>gemcitabine intravenous recon soln 1 gram, 200</i>         |    | <i>glimepiride oral tablet 4 mg</i> .....                     | 49 |
| <i>mg</i> .....                                               | 19 | <i>glipizide oral tablet 10 mg</i> .....                      | 49 |
| <i>gemcitabine intravenous recon soln 2 gram</i> .....        | 19 | <i>glipizide oral tablet 5 mg</i> .....                       | 49 |
| <i>gemcitabine intravenous solution 1 gram/26.3 ml</i>        |    | <i>glipizide oral tablet extended release 24hr 10</i>         |    |
| <i>(38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i> .....            | 19 | <i>mg</i> .....                                               | 49 |
| GEMCITABINE INTRAVENOUS SOLUTION                              |    | <i>glipizide oral tablet extended release 24hr 2.5</i>        |    |
| 100 MG/ML.....                                                | 19 | <i>mg</i> .....                                               | 49 |
| <i>gemcitabine intravenous solution 2 gram/52.6 ml</i>        |    | <i>glipizide oral tablet extended release 24hr 5 mg</i> ..... | 49 |
| <i>(38 mg/ml)</i> .....                                       | 19 | <i>glipizide-metformin oral tablet 2.5-250 mg</i> .....       | 49 |
| <i>gemfibrozil</i> .....                                      | 40 | <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500</i>      |    |
| <i>generlac</i> .....                                         | 54 | <i>mg</i> .....                                               | 49 |
| <i>engraf oral capsule 100 mg, 25 mg</i> .....                | 19 | GLUCAGEN HYPOKIT.....                                         | 49 |
| <i>engraf oral solution</i> .....                             | 19 | GLUCAGON EMERGENCY KIT                                        |    |
| <i>gentak ophthalmic (eye) ointment</i> .....                 | 61 | (HUMAN).....                                                  | 49 |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback</i>     |    | GLUCOPHAGE ORAL TABLET 1,000                                  |    |
| <i>100 mg/100 ml, 60 mg/50 ml</i> .....                       | 12 | MG.....                                                       | 49 |
| GENTAMICIN IN NAACL (ISO-OSM)                                 |    | GLUCOPHAGE ORAL TABLET 500 MG.....                            | 49 |
| INTRAVENOUS PIGGYBACK 100 MG/50                               |    | GLUCOPHAGE ORAL TABLET 850 MG.....                            | 49 |
| ML, 120 MG/100 ML.....                                        | 12 | GLUCOPHAGE XR ORAL TABLET                                     |    |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback</i>     |    | EXTENDED RELEASE 24 HR 500 MG.....                            | 49 |
| <i>70 mg/50 ml, 80 mg/100 ml, 90 mg/100 ml</i> .....          | 12 | GLUCOPHAGE XR ORAL TABLET                                     |    |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback</i>     |    | EXTENDED RELEASE 24 HR 750 MG.....                            | 50 |
| <i>80 mg/50 ml</i> .....                                      | 12 | GLUCOTROL ORAL TABLET 10 MG.....                              | 50 |
| <i>gentamicin injection solution 20 mg/2 ml</i> .....         | 12 | GLUCOTROL ORAL TABLET 5 MG.....                               | 50 |
| <i>gentamicin injection solution 40 mg/ml</i> .....           | 12 | GLUCOTROL XL ORAL TABLET                                      |    |
| <i>gentamicin ophthalmic (eye) drops</i> .....                | 61 | EXTENDED RELEASE 24HR 10 MG.....                              | 50 |
| <i>gentamicin ophthalmic (eye) ointment</i> .....             | 61 | GLUCOTROL XL ORAL TABLET                                      |    |
| <i>gentamicin sulfate (ped) (pf)</i> .....                    | 12 | EXTENDED RELEASE 24HR 2.5 MG.....                             | 50 |
| <i>gentamicin sulfate (pf) intravenous solution 100 mg/</i>   |    | GLUCOTROL XL ORAL TABLET                                      |    |
| <i>10 ml</i> .....                                            | 12 | EXTENDED RELEASE 24HR 5 MG.....                               | 50 |
| GENTAMICIN SULFATE (PF)                                       |    | GLUCOVANCE.....                                               | 50 |
| INTRAVENOUS SOLUTION 60 MG/6                                  |    | GLUMETZA ORAL TABLET, ER                                      |    |
| ML.....                                                       | 12 | GAST.RETENTION 24 HR 1,000 MG.....                            | 50 |

|                                                                                                      |    |
|------------------------------------------------------------------------------------------------------|----|
| GLUMETZA ORAL TABLET,ER                                                                              |    |
| GAST.RETENTION 24 HR 500 MG.....                                                                     | 50 |
| glyburide micronized oral tablet 1.5 mg.....                                                         | 50 |
| glyburide micronized oral tablet 3 mg.....                                                           | 50 |
| glyburide micronized oral tablet 6 mg.....                                                           | 50 |
| glyburide oral tablet 1.25 mg.....                                                                   | 50 |
| glyburide oral tablet 2.5 mg.....                                                                    | 50 |
| glyburide oral tablet 5 mg.....                                                                      | 50 |
| glyburide-metformin oral tablet 1.25-250 mg.....                                                     | 50 |
| glyburide-metformin oral tablet 2.5-500 mg, 5-500<br>mg.....                                         | 50 |
| glycopyrrolate injection.....                                                                        | 54 |
| glycopyrrolate oral tablet 1 mg, 2 mg.....                                                           | 54 |
| GLYSET ORAL TABLET 100 MG.....                                                                       | 50 |
| GLYSET ORAL TABLET 25 MG.....                                                                        | 50 |
| GLYSET ORAL TABLET 50 MG.....                                                                        | 50 |
| granisetron (pf) intravenous solution 100 mcg/<br>ml.....                                            | 54 |
| granisetron hcl intravenous.....                                                                     | 54 |
| granisetron hcl oral.....                                                                            | 54 |
| griseofulvin microsize.....                                                                          | 12 |
| griseofulvin ultramicrosize.....                                                                     | 12 |
| guanfacine oral tablet.....                                                                          | 40 |
| guanfacine oral tablet extended release 24 hr.....                                                   | 29 |
| guanidine.....                                                                                       | 29 |
| HALAVEN.....                                                                                         | 19 |
| halobetasol propionate.....                                                                          | 45 |
| HALOG.....                                                                                           | 45 |
| haloperidol.....                                                                                     | 29 |
| haloperidol decanoate intramuscular solution 100<br>mg/ml, 100 mg/ml (1 ml).....                     | 29 |
| haloperidol decanoate intramuscular solution 50 mg/<br>ml.....                                       | 29 |
| haloperidol lactate injection.....                                                                   | 29 |
| haloperidol lactate intramuscular.....                                                               | 29 |
| haloperidol lactate oral.....                                                                        | 29 |
| HARVONI.....                                                                                         | 12 |
| HAVRIX (PF) INTRAMUSCULAR<br>SUSPENSION.....                                                         | 56 |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE<br>1,440 ELISA UNIT/ML.....                                        | 56 |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE<br>720 ELISA UNIT/0.5 ML.....                                      | 56 |
| heather.....                                                                                         | 59 |
| heparin (porcine) in 5 % dex intravenous parenteral<br>solution 20,000 unit/500 ml (40 unit/ml)..... | 40 |

|                                                                                                                                           |    |
|-------------------------------------------------------------------------------------------------------------------------------------------|----|
| heparin (porcine) in 5 % dex intravenous parenteral<br>solution 25,000 unit/250 ml(100 unit/ml), 25,<br>000 unit/500 ml (50 unit/ml)..... | 40 |
| heparin (porcine) in nacl (pf).....                                                                                                       | 40 |
| heparin (porcine) injection cartridge.....                                                                                                | 40 |
| heparin (porcine) injection solution.....                                                                                                 | 40 |
| heparin (porcine) injection syringe 5,000 unit/<br>ml.....                                                                                | 40 |
| HEPARIN(PORCINE) IN 0.45% NAACL<br>INTRAVENOUS PARENTERAL<br>SOLUTION 12,500 UNIT/250 ML.....                                             | 40 |
| heparin(porcine) in 0.45% nacl intravenous<br>parenteral solution 25,000 unit/250 ml.....                                                 | 40 |
| heparin(porcine) in 0.45% nacl intravenous<br>parenteral solution 25,000 unit/500 ml.....                                                 | 41 |
| heparin, porcine (pf) injection.....                                                                                                      | 41 |
| HEPATAMINE 8%.....                                                                                                                        | 66 |
| HERCEPTIN.....                                                                                                                            | 19 |
| HETLIOZ.....                                                                                                                              | 29 |
| HEXALEN.....                                                                                                                              | 19 |
| HIBERIX (PF).....                                                                                                                         | 56 |
| HUMALOG JUNIOR KWIKPEN U-100.....                                                                                                         | 50 |
| HUMALOG KWIKPEN INSULIN.....                                                                                                              | 50 |
| HUMALOG MIX 50-50 INSULN U-100.....                                                                                                       | 50 |
| HUMALOG MIX 50-50 KWIKPEN.....                                                                                                            | 50 |
| HUMALOG MIX 75-25 KWIKPEN.....                                                                                                            | 50 |
| HUMALOG MIX 75-25(U-100)INSULN.....                                                                                                       | 50 |
| HUMALOG U-100 INSULIN.....                                                                                                                | 50 |
| HUMIRA PEDIATRIC CROHN'S START<br>SUBCUTANEOUS SYRINGE KIT 40 MG/<br>0.8 ML (6 PACK).....                                                 | 58 |
| HUMIRA PEDIATRIC CROHN'S START<br>SUBCUTANEOUS SYRINGE KIT 40 MG/<br>0.8 ML, 80 MG/0.8 ML.....                                            | 58 |
| HUMIRA PEDIATRIC CROHN'S START<br>SUBCUTANEOUS SYRINGE KIT 80 MG/<br>0.8 ML-40 MG/0.4 ML.....                                             | 58 |
| HUMIRA PEN.....                                                                                                                           | 58 |
| HUMIRA PEN CROHN'S-UC-HS START<br>SUBCUTANEOUS PEN INJECTOR KIT 40<br>MG/0.8 ML.....                                                      | 58 |
| HUMIRA PEN CROHN'S-UC-HS START<br>SUBCUTANEOUS PEN INJECTOR KIT 80<br>MG/0.8 ML.....                                                      | 58 |
| HUMIRA PEN PSORIASIS-UVEITIS<br>SUBCUTANEOUS PEN INJECTOR KIT 40<br>MG/0.8 ML.....                                                        | 58 |

|                                                              |    |
|--------------------------------------------------------------|----|
| HUMIRA PEN PSORIASIS-UVEITIS                                 |    |
| SUBCUTANEOUS PEN INJECTOR KIT 80                             |    |
| MG/0.8 ML-40 MG/0.4 ML.....                                  | 58 |
| HUMIRA SUBCUTANEOUS SYRINGE KIT                              |    |
| 10 MG/0.1 ML, 10 MG/0.2 ML, 20 MG/0.2                        |    |
| ML, 20 MG/0.4 ML.....                                        | 58 |
| HUMIRA SUBCUTANEOUS SYRINGE KIT                              |    |
| 40 MG/0.4 ML, 40 MG/0.8 ML.....                              | 58 |
| HUMULIN 70/30 U-100 INSULIN.....                             | 50 |
| HUMULIN 70/30 U-100 KWIKPEN.....                             | 50 |
| HUMULIN N NPH INSULIN KWIKPEN.....                           | 50 |
| HUMULIN N NPH U-100 INSULIN.....                             | 50 |
| HUMULIN R REGULAR U-100 INSULN.....                          | 50 |
| HUMULIN R U-500 (CONC) INSULIN.....                          | 50 |
| HUMULIN R U-500 (CONC) KWIKPEN.....                          | 50 |
| <i>hydralazine injection.....</i>                            | 41 |
| <i>hydralazine oral.....</i>                                 | 41 |
| <i>hydrochlorothiazide.....</i>                              | 41 |
| <i>hydrocodone-acetaminophen oral solution 7.5-325</i>       |    |
| <i>mg/15 ml.....</i>                                         | 29 |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg,</i>      |    |
| <i>5-325 mg, 7.5-325 mg.....</i>                             | 29 |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-</i>       |    |
| <i>200 mg, 7.5-200 mg.....</i>                               | 29 |
| <i>hydrocortisone butyrate topical cream.....</i>            | 45 |
| <i>hydrocortisone butyrate topical ointment.....</i>         | 45 |
| <i>hydrocortisone butyrate topical solution.....</i>         | 45 |
| <i>hydrocortisone oral tablet 10 mg, 5 mg.....</i>           | 50 |
| <i>hydrocortisone oral tablet 20 mg.....</i>                 | 50 |
| <i>hydrocortisone rectal.....</i>                            | 54 |
| <i>hydrocortisone topical cream 1 %, 2.5 %.....</i>          | 45 |
| <i>hydrocortisone topical cream with perineal applicator</i> |    |
| <i>2.5 %.....</i>                                            | 54 |
| <i>hydrocortisone topical lotion 2.5 %.....</i>              | 45 |
| <i>hydrocortisone topical ointment 1 %, 2.5 %.....</i>       | 45 |
| <i>hydrocortisone valerate.....</i>                          | 45 |
| <i>hydrocortisone-acetic acid.....</i>                       | 48 |
| <i>hydrocortisone-min oil-wht pet.....</i>                   | 45 |
| HYDROMORPHONE (PF) INJECTION                                 |    |
| SOLUTION 1 MG/ML.....                                        | 29 |
| <i>hydromorphone (pf) injection solution 10 mg/</i>          |    |
| <i>ml.....</i>                                               | 29 |
| <i>hydromorphone (pf) injection solution 2 mg/ml.....</i>    | 29 |
| <i>hydromorphone (pf) injection solution 4 mg/ml.....</i>    | 29 |
| HYDROMORPHONE INJECTION                                      |    |
| SOLUTION 1 MG/ML.....                                        | 30 |
| <i>hydromorphone injection solution 2 mg/ml.....</i>         | 30 |

|                                                          |    |
|----------------------------------------------------------|----|
| HYDROMORPHONE INJECTION                                  |    |
| SOLUTION 4 MG/ML.....                                    | 30 |
| <i>hydromorphone injection syringe 1 mg/ml.....</i>      | 30 |
| <i>hydromorphone injection syringe 2 mg/ml.....</i>      | 30 |
| <i>hydromorphone injection syringe 4 mg/ml.....</i>      | 30 |
| <i>hydromorphone oral tablet 2 mg, 4 mg.....</i>         | 30 |
| <i>hydromorphone oral tablet 8 mg.....</i>               | 30 |
| <i>hydroxychloroquine.....</i>                           | 12 |
| <i>hydroxyprogesterone caproate.....</i>                 | 59 |
| <i>hydroxyurea.....</i>                                  | 19 |
| <i>hydroxyzine hcl intramuscular solution 25 mg/</i>     |    |
| <i>ml.....</i>                                           | 63 |
| <i>hydroxyzine hcl intramuscular solution 50 mg/</i>     |    |
| <i>ml.....</i>                                           | 64 |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml.....</i>     | 64 |
| <i>hydroxyzine hcl oral tablet.....</i>                  | 64 |
| <i>hydroxyzine pamoate.....</i>                          | 64 |
| HYPERRAB (PF).....                                       | 56 |
| HYZAAR.....                                              | 41 |
| <i>ibandronate intravenous solution.....</i>             | 58 |
| <i>ibandronate intravenous syringe.....</i>              | 58 |
| <i>ibandronate oral.....</i>                             | 58 |
| IBRANCE.....                                             | 19 |
| <i>ibu oral tablet 600 mg, 800 mg.....</i>               | 30 |
| <i>ibuprofen oral suspension.....</i>                    | 30 |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg.....</i> | 30 |
| <i>ibuprofen-oxycodone.....</i>                          | 30 |
| ICLUSIG ORAL TABLET 15 MG.....                           | 19 |
| ICLUSIG ORAL TABLET 45 MG.....                           | 19 |
| <i>idarubicin.....</i>                                   | 19 |
| IDHIFA ORAL TABLET 100 MG.....                           | 19 |
| IDHIFA ORAL TABLET 50 MG.....                            | 19 |
| IFEX.....                                                | 19 |
| <i>ifosfamide intravenous recon soln.....</i>            | 19 |
| <i>ifosfamide intravenous solution.....</i>              | 19 |
| ILARIS (PF) SUBCUTANEOUS                                 |    |
| SOLUTION.....                                            | 56 |
| ILEVRO.....                                              | 61 |
| <i>imatinib oral tablet 100 mg.....</i>                  | 19 |
| <i>imatinib oral tablet 400 mg.....</i>                  | 19 |
| IMBRUVICA ORAL CAPSULE 140 MG.....                       | 19 |
| IMBRUVICA ORAL CAPSULE 70 MG.....                        | 19 |
| IMBRUVICA ORAL TABLET.....                               | 19 |
| IMFINZI.....                                             | 19 |
| <i>imipenem-cilastatin intravenous recon soln 250</i>    |    |
| <i>mg.....</i>                                           | 12 |
| <i>imipenem-cilastatin intravenous recon soln 500</i>    |    |
| <i>mg.....</i>                                           | 13 |

|                                                          |    |                                                                |    |
|----------------------------------------------------------|----|----------------------------------------------------------------|----|
| <i>imipramine hcl</i> .....                              | 30 | INVIRASE ORAL CAPSULE.....                                     | 13 |
| <i>imiquimod topical cream in packet</i> .....           | 45 | INVIRASE ORAL TABLET.....                                      | 13 |
| IMOVAX RABIES VACCINE (PF).....                          | 56 | IONOSOL-B IN D5W.....                                          | 66 |
| INCRELEX.....                                            | 47 | IONOSOL-MB IN D5W.....                                         | 66 |
| <i>indapamide</i> .....                                  | 41 | IOPIDINE OPHTHALMIC (EYE) DROPS.....                           | 61 |
| <i>indomethacin oral capsule</i> .....                   | 30 | IPOL.....                                                      | 56 |
| <i>indomethacin oral capsule, extended release</i> ..... | 30 | <i>ipratropium bromide inhalation</i> .....                    | 64 |
| INFANRIX (DTAP) (PF).....                                | 56 | <i>ipratropium bromide nasal</i> .....                         | 48 |
| INLYTA ORAL TABLET 1 MG.....                             | 19 | <i>ipratropium-albuterol inhalation</i> .....                  | 64 |
| INLYTA ORAL TABLET 5 MG.....                             | 19 | <i>irbesartan</i> .....                                        | 41 |
| <i>insulin pen needle</i> .....                          | 50 | <i>irbesartan-hydrochlorothiazide</i> .....                    | 41 |
| <i>insulin syringe (disp) u-100 0.3 ml, 1 ml, 1/2</i>    |    | IRESSA.....                                                    | 19 |
| <i>ml</i> .....                                          | 50 | <i>irinotecan intravenous solution 100 mg/5 ml</i> .....       | 19 |
| INTELENCE ORAL TABLET 100 MG.....                        | 13 | <i>irinotecan intravenous solution 40 mg/2 ml</i> .....        | 20 |
| INTELENCE ORAL TABLET 200 MG.....                        | 13 | <i>irinotecan intravenous solution 500 mg/25 ml</i> .....      | 20 |
| INTELENCE ORAL TABLET 25 MG.....                         | 13 | ISENTRESS HD.....                                              | 13 |
| <i>intralipid intravenous emulsion 20 %</i> .....        | 66 | ISENTRESS ORAL POWDER IN                                       |    |
| INTRALIPID INTRAVENOUS EMULSION                          |    | PACKET.....                                                    | 13 |
| 30 %.....                                                | 66 | ISENTRESS ORAL TABLET.....                                     | 13 |
| INTRON A INJECTION.....                                  | 56 | ISENTRESS ORAL TABLET,CHEWABLE 100                             |    |
| <i>introvale</i> .....                                   | 59 | MG.....                                                        | 13 |
| INVANZ INJECTION.....                                    | 13 | ISENTRESS ORAL TABLET,CHEWABLE 25                              |    |
| INVANZ INTRAVENOUS.....                                  | 13 | MG.....                                                        | 13 |
| INVEGA ORAL TABLET EXTENDED                              |    | ISOLYTE S PH 7.4.....                                          | 66 |
| RELEASE 24HR 1.5 MG.....                                 | 30 | ISOLYTE-P IN 5 % DEXTROSE.....                                 | 66 |
| INVEGA ORAL TABLET EXTENDED                              |    | ISOLYTE-S.....                                                 | 66 |
| RELEASE 24HR 3 MG.....                                   | 30 | <i>isoniazid injection</i> .....                               | 13 |
| INVEGA ORAL TABLET EXTENDED                              |    | <i>isoniazid oral solution</i> .....                           | 13 |
| RELEASE 24HR 6 MG.....                                   | 30 | <i>isoniazid oral tablet 100 mg</i> .....                      | 13 |
| INVEGA ORAL TABLET EXTENDED                              |    | <i>isoniazid oral tablet 300 mg</i> .....                      | 13 |
| RELEASE 24HR 9 MG.....                                   | 30 | ISOPTO CARPINE.....                                            | 61 |
| INVEGA SUSTENNA INTRAMUSCULAR                            |    | <i>isosorbide dinitrate oral tablet</i> .....                  | 41 |
| SYRINGE 117 MG/0.75 ML.....                              | 30 | <i>isosorbide dinitrate oral tablet extended release</i> ..... | 41 |
| INVEGA SUSTENNA INTRAMUSCULAR                            |    | <i>isosorbide mononitrate</i> .....                            | 41 |
| SYRINGE 156 MG/ML.....                                   | 30 | <i>isradipine</i> .....                                        | 41 |
| INVEGA SUSTENNA INTRAMUSCULAR                            |    | ISTODAX.....                                                   | 20 |
| SYRINGE 234 MG/1.5 ML.....                               | 30 | <i>itraconazole oral capsule</i> .....                         | 13 |
| INVEGA SUSTENNA INTRAMUSCULAR                            |    | <i>ivermectin</i> .....                                        | 13 |
| SYRINGE 39 MG/0.25 ML.....                               | 30 | IXEMPRA.....                                                   | 20 |
| INVEGA SUSTENNA INTRAMUSCULAR                            |    | IXIARO (PF).....                                               | 56 |
| SYRINGE 78 MG/0.5 ML.....                                | 30 | JAKAFI ORAL TABLET 10 MG.....                                  | 20 |
| INVEGA TRINZA INTRAMUSCULAR                              |    | JAKAFI ORAL TABLET 15 MG.....                                  | 20 |
| SYRINGE 273 MG/0.875 ML.....                             | 30 | JAKAFI ORAL TABLET 20 MG.....                                  | 20 |
| INVEGA TRINZA INTRAMUSCULAR                              |    | JAKAFI ORAL TABLET 25 MG.....                                  | 20 |
| SYRINGE 410 MG/1.315 ML.....                             | 30 | JAKAFI ORAL TABLET 5 MG.....                                   | 20 |
| INVEGA TRINZA INTRAMUSCULAR                              |    | <i>jantoven</i> .....                                          | 41 |
| SYRINGE 546 MG/1.75 ML.....                              | 30 | JANUMET.....                                                   | 50 |
| INVEGA TRINZA INTRAMUSCULAR                              |    |                                                                |    |
| SYRINGE 819 MG/2.625 ML.....                             | 30 |                                                                |    |

|                                                                               |    |                                                                                                                  |    |
|-------------------------------------------------------------------------------|----|------------------------------------------------------------------------------------------------------------------|----|
| JANUMET XR ORAL TABLET, ER<br>MULTIPHASE 24 HR 100-1,000 MG.....              | 50 | KINRIX (PF) INTRAMUSCULAR<br>SUSPENSION.....                                                                     | 56 |
| JANUMET XR ORAL TABLET, ER<br>MULTIPHASE 24 HR 50-1,000 MG, 50-500<br>MG..... | 51 | KINRIX (PF) INTRAMUSCULAR<br>SYRINGE.....                                                                        | 56 |
| JANUVIA ORAL TABLET 100 MG.....                                               | 51 | <i>kionex (with sorbitol)</i> .....                                                                              | 47 |
| JANUVIA ORAL TABLET 25 MG.....                                                | 51 | KISQALI FEMARA CO-PACK ORAL TABLET<br>200 MG/DAY(200 MG X 1)-2.5 MG.....                                         | 20 |
| JANUVIA ORAL TABLET 50 MG.....                                                | 51 | KISQALI FEMARA CO-PACK ORAL TABLET<br>400 MG/DAY(200 MG X 2)-2.5 MG.....                                         | 20 |
| JARDIANCE.....                                                                | 51 | KISQALI FEMARA CO-PACK ORAL TABLET<br>600 MG/DAY(200 MG X 3)-2.5 MG.....                                         | 20 |
| JENTADUETO.....                                                               | 51 | KISQALI ORAL TABLET 200 MG/DAY (200<br>MG X 1).....                                                              | 20 |
| JENTADUETO XR ORAL TABLET, IR - ER,<br>BIPHASIC 24HR 2.5-1,000 MG.....        | 51 | KISQALI ORAL TABLET 400 MG/DAY (200<br>MG X 2).....                                                              | 20 |
| JENTADUETO XR ORAL TABLET, IR - ER,<br>BIPHASIC 24HR 5-1,000 MG.....          | 51 | KISQALI ORAL TABLET 600 MG/DAY (200<br>MG X 3).....                                                              | 20 |
| JEVTANA.....                                                                  | 20 | <i>klor-con</i> .....                                                                                            | 66 |
| <i>jinteli</i> .....                                                          | 59 | <i>klor-con 10</i> .....                                                                                         | 66 |
| <i>jolessa</i> .....                                                          | 59 | <i>klor-con 8</i> .....                                                                                          | 66 |
| <i>jolivette</i> .....                                                        | 59 | <i>klor-con m10</i> .....                                                                                        | 66 |
| JULUCA.....                                                                   | 13 | <i>klor-con m15</i> .....                                                                                        | 66 |
| <i>junel 1.5/30 (21)</i> .....                                                | 59 | <i>klor-con m20</i> .....                                                                                        | 66 |
| <i>junel 1/20 (21)</i> .....                                                  | 59 | <i>klor-con sprinkle</i> .....                                                                                   | 66 |
| <i>junel fe 1.5/30 (28)</i> .....                                             | 59 | <i>klor-con/ef</i> .....                                                                                         | 66 |
| <i>junel fe 1/20 (28)</i> .....                                               | 59 | KORLYM.....                                                                                                      | 51 |
| <i>junel fe 24</i> .....                                                      | 59 | KUVAN ORAL TABLET,SOLUBLE.....                                                                                   | 51 |
| JUXTAPID.....                                                                 | 41 | KYNAMRO.....                                                                                                     | 41 |
| <i>k-effervescent</i> .....                                                   | 66 | KYPROLIS.....                                                                                                    | 20 |
| <i>k-tab oral tablet extended release 8 meq</i> .....                         | 66 | <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3<br/>month 0.15 mg-30 mcg (84)/10 mcg (7)</i> ..... | 59 |
| KADCYLA.....                                                                  | 20 | <i>labetalol intravenous solution</i> .....                                                                      | 41 |
| KALETRA ORAL SOLUTION.....                                                    | 13 | <i>labetalol oral tablet 100 mg, 200 mg</i> .....                                                                | 41 |
| KALETRA ORAL TABLET 100-25 MG.....                                            | 13 | <i>labetalol oral tablet 300 mg</i> .....                                                                        | 41 |
| KALETRA ORAL TABLET 200-50 MG.....                                            | 13 | LACRISERT.....                                                                                                   | 61 |
| KALYDECO ORAL TABLET.....                                                     | 64 | <i>lactated ringers intravenous</i> .....                                                                        | 66 |
| <i>kariva (28)</i> .....                                                      | 59 | <i>lactated ringers irrigation</i> .....                                                                         | 47 |
| KEDRAB (PF).....                                                              | 56 | <i>lactulose oral solution</i> .....                                                                             | 54 |
| <i>kelnor 1/35 (28)</i> .....                                                 | 59 | <i>lamivudine oral solution</i> .....                                                                            | 13 |
| <i>ketoconazole oral</i> .....                                                | 13 | <i>lamivudine oral tablet 100 mg</i> .....                                                                       | 13 |
| <i>ketoconazole topical cream</i> .....                                       | 45 | <i>lamivudine oral tablet 150 mg</i> .....                                                                       | 13 |
| <i>ketoconazole topical shampoo</i> .....                                     | 45 | <i>lamivudine oral tablet 300 mg</i> .....                                                                       | 13 |
| <i>ketoprofen oral capsule 25 mg</i> .....                                    | 30 | <i>lamivudine-zidovudine</i> .....                                                                               | 13 |
| <i>ketoprofen oral capsule 75 mg</i> .....                                    | 30 | <i>lamotrigine oral tablet</i> .....                                                                             | 30 |
| <i>ketorolac ophthalmic (eye)</i> .....                                       | 61 | <i>lamotrigine oral tablet, chewable dispersible 25<br/>mg</i> .....                                             | 30 |
| <i>ketorolac oral</i> .....                                                   | 30 | <i>lamotrigine oral tablet, chewable dispersible 5<br/>mg</i> .....                                              | 30 |
| KEYTRUDA INTRAVENOUS<br>SOLUTION.....                                         | 20 |                                                                                                                  |    |
| KHEDEZLA ORAL TABLET EXTENDED<br>RELEASE 24HR 100 MG.....                     | 30 |                                                                                                                  |    |
| KHEDEZLA ORAL TABLET EXTENDED<br>RELEASE 24HR 50 MG.....                      | 30 |                                                                                                                  |    |

|                                                                                                               |    |
|---------------------------------------------------------------------------------------------------------------|----|
| LANOXIN ORAL TABLET 125 MCG, 62.5 MCG.....                                                                    | 41 |
| <i>lansoprazole oral capsule, delayed release(dr/ec)</i> .....                                                | 54 |
| LANTUS SOLOSTAR U-100 INSULIN.....                                                                            | 51 |
| LANTUS U-100 INSULIN.....                                                                                     | 51 |
| <i>larin 1/20 (21)</i> .....                                                                                  | 60 |
| <i>larin fe 1.5/30 (28)</i> .....                                                                             | 60 |
| <i>larin fe 1/20 (28)</i> .....                                                                               | 60 |
| LARTRUVO.....                                                                                                 | 20 |
| <i>latanoprost</i> .....                                                                                      | 61 |
| LATUDA ORAL TABLET 120 MG, 60 MG.....                                                                         | 30 |
| LATUDA ORAL TABLET 20 MG.....                                                                                 | 30 |
| LATUDA ORAL TABLET 40 MG.....                                                                                 | 31 |
| LATUDA ORAL TABLET 80 MG.....                                                                                 | 31 |
| <i>leena 28</i> .....                                                                                         | 60 |
| <i>leflunomide oral tablet 10 mg</i> .....                                                                    | 58 |
| <i>leflunomide oral tablet 20 mg</i> .....                                                                    | 58 |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 4 MG.....                                   | 20 |
| LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2).....           | 20 |
| LENVIMA ORAL CAPSULE 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1).....                        | 20 |
| <i>lessina</i> .....                                                                                          | 60 |
| LETAIRIS.....                                                                                                 | 64 |
| <i>letrozole</i> .....                                                                                        | 20 |
| <i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg</i> .....                            | 20 |
| <i>leucovorin calcium injection recon soln 500 mg</i> .....                                                   | 20 |
| <i>leucovorin calcium oral tablet 10 mg, 25 mg</i> .....                                                      | 20 |
| <i>leucovorin calcium oral tablet 15 mg, 5 mg</i> .....                                                       | 20 |
| LEUKERAN.....                                                                                                 | 20 |
| <i>leuprolide subcutaneous kit</i> .....                                                                      | 20 |
| <i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml</i> ..... | 64 |
| <i>levalbuterol hcl inhalation solution for nebulization 0.63 mg/3 ml</i> .....                               | 64 |
| LEVALBUTEROL TARTRATE.....                                                                                    | 64 |
| LEVEMIR FLEXTOUCH U-100 INSULN.....                                                                           | 51 |
| LEVEMIR U-100 INSULIN.....                                                                                    | 51 |
| LEVETIRACETAM IN NAACL (ISO-OS) INTRAVENOUS PIGGYBACK 1,000 MG/100 ML, 1,500 MG/100 ML.....                   | 31 |

|                                                                                                                                |    |
|--------------------------------------------------------------------------------------------------------------------------------|----|
| LEVETIRACETAM IN NAACL (ISO-OS) INTRAVENOUS PIGGYBACK 500 MG/100 ML.....                                                       | 31 |
| <i>levetiracetam intravenous</i> .....                                                                                         | 31 |
| <i>levetiracetam oral solution 100 mg/ml</i> .....                                                                             | 31 |
| <i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i> .....                                                                    | 31 |
| <i>levetiracetam oral tablet 1,000 mg</i> .....                                                                                | 31 |
| <i>levetiracetam oral tablet 250 mg, 500 mg, 750 mg</i> .....                                                                  | 31 |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg</i> .....                                                           | 31 |
| <i>levetiracetam oral tablet extended release 24 hr 750 mg</i> .....                                                           | 31 |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i> .....                                                                          | 61 |
| <i>levocarnitine (with sugar)</i> .....                                                                                        | 47 |
| <i>levocarnitine oral tablet</i> .....                                                                                         | 47 |
| <i>levocetirizine oral solution</i> .....                                                                                      | 64 |
| <i>levocetirizine oral tablet</i> .....                                                                                        | 64 |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i> .....                                                            | 13 |
| <i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i> .....                                            | 13 |
| <i>levofloxacin intravenous</i> .....                                                                                          | 13 |
| <i>levofloxacin ophthalmic (eye)</i> .....                                                                                     | 61 |
| <i>levofloxacin oral solution</i> .....                                                                                        | 13 |
| <i>levofloxacin oral tablet 250 mg, 500 mg</i> .....                                                                           | 13 |
| <i>levofloxacin oral tablet 750 mg</i> .....                                                                                   | 13 |
| <i>levoleucovorin intravenous recon soln 50 mg</i> .....                                                                       | 20 |
| <i>levonest (28)</i> .....                                                                                                     | 60 |
| <i>levonorg-eth estrad triphasic</i> .....                                                                                     | 60 |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mcg, 90-20 mcg</i> .....                                                   | 60 |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> .....                                                            | 60 |
| <i>levonorgestrel-ethinyl estrad oral tablets, dose pack, 3 month</i> .....                                                    | 60 |
| <i>levora-28</i> .....                                                                                                         | 60 |
| <i>levothyroxine oral</i> .....                                                                                                | 51 |
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> ..... | 51 |
| LEXIVA ORAL SUSPENSION.....                                                                                                    | 13 |
| LEXIVA ORAL TABLET.....                                                                                                        | 13 |
| LIALDA.....                                                                                                                    | 54 |
| <i>lidocaine (pf) injection solution 5 mg/ml (0.5 %)</i> .....                                                                 | 45 |
| <i>lidocaine hcl injection solution 20 mg/ml (2 %)</i> .....                                                                   | 45 |
| <i>lidocaine hcl laryngotracheal</i> .....                                                                                     | 45 |

|                                                                    |    |                                                                                                      |    |
|--------------------------------------------------------------------|----|------------------------------------------------------------------------------------------------------|----|
| <i>lidocaine hcl mucous membrane jelly</i> .....                   | 45 | LUPRON DEPOT.....                                                                                    | 20 |
| <i>lidocaine hcl mucous membrane jelly in applicator</i> .....     | 45 | LUPRON DEPOT (3 MONTH).....                                                                          | 20 |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> ..... | 45 | LUPRON DEPOT (4 MONTH).....                                                                          | 20 |
| <i>lidocaine topical adhesive patch,medicated</i> .....            | 45 | LUPRON DEPOT (6 MONTH).....                                                                          | 20 |
| <i>lidocaine topical ointment</i> .....                            | 45 | LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG.....                                              | 20 |
| <i>lidocaine viscous</i> .....                                     | 45 | LUPRON DEPOT-PED INTRAMUSCULAR KIT 7.5 MG (PED).....                                                 | 20 |
| <i>lidocaine-prilocaine topical cream</i> .....                    | 46 | <i>lutea (28)</i> .....                                                                              | 60 |
| LINCOCIN.....                                                      | 13 | LYNPARZA ORAL CAPSULE.....                                                                           | 20 |
| <i>lincomycin</i> .....                                            | 13 | LYNPARZA ORAL TABLET.....                                                                            | 21 |
| <i>lindane topical shampoo</i> .....                               | 46 | LYRICA ORAL CAPSULE 100 MG.....                                                                      | 31 |
| <i>linezolid in dextrose 5%</i> .....                              | 13 | LYRICA ORAL CAPSULE 150 MG.....                                                                      | 31 |
| <i>linezolid oral suspension for reconstitution</i> .....          | 13 | LYRICA ORAL CAPSULE 200 MG.....                                                                      | 31 |
| <i>linezolid oral tablet</i> .....                                 | 13 | LYRICA ORAL CAPSULE 225 MG, 300 MG.....                                                              | 31 |
| <i>linezolid-0.9% sodium chloride</i> .....                        | 13 | LYRICA ORAL CAPSULE 25 MG.....                                                                       | 31 |
| LINZESS.....                                                       | 54 | LYRICA ORAL CAPSULE 50 MG.....                                                                       | 31 |
| <i>liothyronine intravenous</i> .....                              | 51 | LYRICA ORAL CAPSULE 75 MG.....                                                                       | 31 |
| <i>liothyronine oral</i> .....                                     | 51 | LYRICA ORAL SOLUTION.....                                                                            | 31 |
| LIPITOR ORAL TABLET 10 MG.....                                     | 41 | LYSODREN.....                                                                                        | 21 |
| <i>lisinopril</i> .....                                            | 41 | <i>lyza</i> .....                                                                                    | 60 |
| <i>lisinopril-hydrochlorothiazide</i> .....                        | 41 | M-M-R II (PF).....                                                                                   | 56 |
| <i>lithium carbonate oral capsule 150 mg, 300 mg</i> .....         | 31 | <i>magnesium sulfate in water intravenous parenteral solution</i> .....                              | 66 |
| <i>lithium carbonate oral capsule 600 mg</i> .....                 | 31 | <i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/50 ml (8 %)</i> ..... | 66 |
| <i>lithium carbonate oral tablet</i> .....                         | 31 | <i>magnesium sulfate in water intravenous piggyback 4 gram/100 ml (4 %)</i> .....                    | 66 |
| <i>lithium carbonate oral tablet extended release</i> .....        | 31 | <i>magnesium sulfate injection solution</i> .....                                                    | 66 |
| <i>lithium citrate oral solution 8 meq/5 ml</i> .....              | 31 | <i>magnesium sulfate injection syringe</i> .....                                                     | 66 |
| LIVALO.....                                                        | 41 | MALARONE.....                                                                                        | 13 |
| LO LOESTRIN FE.....                                                | 60 | <i>malathion</i> .....                                                                               | 46 |
| LONSURF.....                                                       | 20 | <i>maprotiline oral tablet 25 mg</i> .....                                                           | 31 |
| <i>loperamide oral capsule</i> .....                               | 54 | <i>maprotiline oral tablet 50 mg</i> .....                                                           | 31 |
| LOPID.....                                                         | 41 | <i>maprotiline oral tablet 75 mg</i> .....                                                           | 31 |
| <i>lopinavir-ritonavir</i> .....                                   | 13 | <i>marlissa</i> .....                                                                                | 60 |
| <i>lorazepam intensol</i> .....                                    | 31 | MARPLAN.....                                                                                         | 31 |
| <i>lorazepam oral concentrate</i> .....                            | 31 | MARQIBO.....                                                                                         | 21 |
| <i>lorazepam oral tablet</i> .....                                 | 31 | MATULANE.....                                                                                        | 21 |
| <i>loryna (28)</i> .....                                           | 60 | <i>matzim la</i> .....                                                                               | 41 |
| <i>losartan</i> .....                                              | 41 | MAXZIDE.....                                                                                         | 41 |
| <i>losartan-hydrochlorothiazide</i> .....                          | 41 | MAXZIDE-25MG.....                                                                                    | 41 |
| LOTENSIN ORAL TABLET 10 MG, 20 MG, 40 MG.....                      | 41 | <i>meclizine oral tablet 12.5 mg, 25 mg</i> .....                                                    | 54 |
| <i>lovastatin</i> .....                                            | 41 | <i>meclofenamate</i> .....                                                                           | 31 |
| <i>low-ogestrel (28)</i> .....                                     | 60 | <i>medroxyprogesterone intramuscular suspension</i> .....                                            | 60 |
| <i>loxapine succinate oral capsule 10 mg, 5 mg</i> .....           | 31 | <i>medroxyprogesterone intramuscular syringe</i> .....                                               | 60 |
| <i>loxapine succinate oral capsule 25 mg, 50 mg</i> .....          | 31 | <i>medroxyprogesterone oral</i> .....                                                                | 60 |
| <i>ludent fluoride</i> .....                                       | 66 |                                                                                                      |    |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %.....                         | 61 |                                                                                                      |    |



|                                                           |    |                                                            |    |
|-----------------------------------------------------------|----|------------------------------------------------------------|----|
| <i>mefloquine</i> .....                                   | 13 | <i>metformin oral tablet,er gast.retention 24 hr 1,000</i> |    |
| <i>megestrol oral suspension 400 mg/10 ml (10</i>         |    | <i>mg</i> .....                                            | 51 |
| <i>ml)</i> .....                                          | 21 | <i>metformin oral tablet,er gast.retention 24 hr 500</i>   |    |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/</i>     |    | <i>mg</i> .....                                            | 51 |
| <i>ml)</i> .....                                          | 21 | <i>methadone intensol</i> .....                            | 31 |
| <i>megestrol oral suspension 800 mg/20 ml (20</i>         |    | <i>methadone oral concentrate</i> .....                    | 31 |
| <i>ml)</i> .....                                          | 21 | <i>methadone oral solution 10 mg/5 ml</i> .....            | 31 |
| <i>megestrol oral tablet</i> .....                        | 21 | <i>methadone oral solution 5 mg/5 ml</i> .....             | 31 |
| MEKINIST ORAL TABLET 0.5 MG.....                          | 21 | <i>methadone oral tablet 10 mg</i> .....                   | 32 |
| MEKINIST ORAL TABLET 2 MG.....                            | 21 | <i>methadone oral tablet 5 mg</i> .....                    | 32 |
| MEKTOVI.....                                              | 21 | <i>methadose oral concentrate</i> .....                    | 32 |
| <i>meloxicam oral tablet</i> .....                        | 31 | <i>methazolamide</i> .....                                 | 61 |
| <i>melphalan</i> .....                                    | 21 | <i>methenamine hippurate</i> .....                         | 13 |
| <i>melphalan hcl</i> .....                                | 21 | <i>methenamine mandelate</i> .....                         | 13 |
| <i>memantine oral capsule,sprinkle,er 24hr</i> .....      | 31 | <i>methimazole oral tablet 10 mg, 5 mg</i> .....           | 51 |
| <i>memantine oral solution</i> .....                      | 31 | <i>methocarbamol oral</i> .....                            | 32 |
| <i>memantine oral tablet 10 mg</i> .....                  | 31 | <i>methotrexate sodium (pf) injection recon soln</i> ..... | 21 |
| <i>memantine oral tablet 5 mg</i> .....                   | 31 | <i>methotrexate sodium (pf) injection solution</i> .....   | 21 |
| MENACTRA (PF) INTRAMUSCULAR                               |    | <i>methotrexate sodium injection</i> .....                 | 21 |
| SOLUTION.....                                             | 56 | <i>methotrexate sodium oral</i> .....                      | 21 |
| MENEST.....                                               | 60 | <i>methoxsalen</i> .....                                   | 46 |
| MENVEO A-C-Y-W-135-DIP (PF).....                          | 56 | <i>methscopolamine</i> .....                               | 54 |
| <i>mercaptopurine</i> .....                               | 21 | <i>methyclothiazide</i> .....                              | 41 |
| <i>meropenem</i> .....                                    | 13 | <i>methylidopa</i> .....                                   | 41 |
| <i>mesalamine oral tablet,delayed release (dr/ec) 1.2</i> |    | <i>methylergonovine oral</i> .....                         | 60 |
| <i>gram</i> .....                                         | 54 | <i>methylphenidate hcl oral solution 10 mg/5 ml</i> .....  | 32 |
| MESALAMINE ORAL TABLET,DELAYED                            |    | <i>methylphenidate hcl oral solution 5 mg/5 ml</i> .....   | 32 |
| RELEASE (DR/EC) 800 MG.....                               | 54 | <i>methylphenidate hcl oral tablet</i> .....               | 32 |
| <i>mesalamine rectal</i> .....                            | 54 | <i>methylphenidate hcl oral tablet extended release 10</i> |    |
| <i>mesalamine with cleansing wipe</i> .....               | 54 | <i>mg, 20 mg</i> .....                                     | 32 |
| <i>mesna</i> .....                                        | 21 | <i>methylprednisolone acetate</i> .....                    | 51 |
| MESNEX ORAL.....                                          | 21 | <i>methylprednisolone oral tablet 16 mg, 32 mg, 4</i>      |    |
| MESTINON ORAL SYRUP.....                                  | 31 | <i>mg</i> .....                                            | 51 |
| MESTINON TIMESPAN.....                                    | 31 | <i>methylprednisolone oral tablet 8 mg</i> .....           | 51 |
| <i>metadate er</i> .....                                  | 31 | <i>methylprednisolone oral tablets,dose pack</i> .....     | 51 |
| <i>metaproterenol</i> .....                               | 64 | <i>methylprednisolone sodium succ injection recon soln</i> |    |
| <i>metformin oral tablet 1,000 mg</i> .....               | 51 | <i>125 mg, 40 mg</i> .....                                 | 51 |
| <i>metformin oral tablet 500 mg</i> .....                 | 51 | <i>methylprednisolone sodium succ intravenous</i> .....    | 51 |
| <i>metformin oral tablet 850 mg</i> .....                 | 51 | <i>metipranolol</i> .....                                  | 61 |
| <i>metformin oral tablet extended release 24 hr 500</i>   |    | <i>metoclopramide hcl injection solution</i> .....         | 54 |
| <i>mg</i> .....                                           | 51 | <i>metoclopramide hcl injection syringe</i> .....          | 54 |
| <i>metformin oral tablet extended release 24 hr 750</i>   |    | <i>metoclopramide hcl oral solution</i> .....              | 55 |
| <i>mg</i> .....                                           | 51 | <i>metoclopramide hcl oral tablet</i> .....                | 55 |
| <i>metformin oral tablet extended release 24 hrs osm-</i> |    | <i>metolazone oral tablet 10 mg, 5 mg</i> .....            | 41 |
| <i>tab 500mg</i> .....                                    | 51 | <i>metolazone oral tablet 2.5 mg</i> .....                 | 41 |
| <i>metformin oral tablet extended release 24hr 1,000</i>  |    | <i>metoprolol succinate</i> .....                          | 41 |
| <i>mg</i> .....                                           | 51 | <i>metoprolol tartrate intravenous solution</i> .....      | 41 |
|                                                           |    | <i>metoprolol tartrate intravenous syringe</i> .....       | 41 |

|                                                            |    |                                                             |    |
|------------------------------------------------------------|----|-------------------------------------------------------------|----|
| <i>metoprolol tartrate oral</i> .....                      | 41 | <i>mitomycin intravenous recon soln 40 mg</i> .....         | 21 |
| <i>metoprolol tartrate-hydrochlorothiazide oral tablet</i> |    | <i>mitoxantrone</i> .....                                   | 21 |
| 100-25 mg, 100-50 mg.....                                  | 41 | <i>modafinil oral tablet 100 mg</i> .....                   | 32 |
| <i>metoprolol tartrate-hydrochlorothiazide oral tablet</i> |    | <i>modafinil oral tablet 200 mg</i> .....                   | 32 |
| 50-25 mg.....                                              | 41 | <i>moexipril</i> .....                                      | 41 |
| <i>metro i.v.</i> .....                                    | 13 | <i>moexipril-hydrochlorothiazide</i> .....                  | 41 |
| <i>metronidazole in nacl (iso-os)</i> .....                | 13 | <i>mometasone nasal</i> .....                               | 64 |
| <i>metronidazole oral capsule</i> .....                    | 13 | <i>mometasone topical</i> .....                             | 46 |
| <i>metronidazole oral tablet</i> .....                     | 13 | <i>mono-lynyah</i> .....                                    | 60 |
| <i>metronidazole topical cream</i> .....                   | 46 | <i>mononessa (28)</i> .....                                 | 60 |
| <i>metronidazole topical gel 0.75 %</i> .....              | 46 | <i>montelukast oral granules in packet</i> .....            | 64 |
| <i>metronidazole topical gel 1 %</i> .....                 | 46 | <i>montelukast oral tablet</i> .....                        | 64 |
| <i>metronidazole topical lotion</i> .....                  | 46 | <i>montelukast oral tablet, chewable</i> .....              | 64 |
| <i>metronidazole vaginal</i> .....                         | 60 | <i>morgidox oral capsule 50 mg</i> .....                    | 14 |
| <i>mexiletine oral capsule 150 mg, 250 mg</i> .....        | 41 | <i>morphine (pf) injection solution 0.5 mg/ml</i> .....     | 32 |
| <i>mexiletine oral capsule 200 mg</i> .....                | 41 | <i>morphine (pf) injection solution 1 mg/ml</i> .....       | 32 |
| MIACALCIN INJECTION.....                                   | 51 | <i>morphine (pf) intravenous patient control. analgesia</i> |    |
| MICARDIS.....                                              | 41 | <i>soln 150 mg/30 ml</i> .....                              | 32 |
| MICARDIS HCT.....                                          | 41 | <i>morphine (pf) intravenous patient control. analgesia</i> |    |
| <i>miconazole-3 vaginal suppository</i> .....              | 60 | <i>soln 30 mg/30 ml</i> .....                               | 32 |
| <i>microgestin 1.5/30 (21)</i> .....                       | 60 | <i>morphine concentrate oral solution</i> .....             | 32 |
| <i>microgestin 1/20 (21)</i> .....                         | 60 | <i>morphine injection solution 10 mg/ml</i> .....           | 32 |
| <i>microgestin fe 1.5/30 (28)</i> .....                    | 60 | MORPHINE INJECTION SOLUTION 4 MG/                           |    |
| <i>microgestin fe 1/20 (28)</i> .....                      | 60 | ML.....                                                     | 32 |
| MICROZIDE.....                                             | 41 | <i>morphine injection solution 5 mg/ml</i> .....            | 32 |
| <i>midodrine</i> .....                                     | 47 | <i>morphine injection solution 8 mg/ml</i> .....            | 32 |
| <i>miglitol oral tablet 100 mg</i> .....                   | 51 | <i>morphine injection syringe 10 mg/ml</i> .....            | 32 |
| <i>miglitol oral tablet 25 mg</i> .....                    | 51 | <i>morphine injection syringe 2 mg/ml, 4 mg/ml</i> .....    | 32 |
| <i>miglitol oral tablet 50 mg</i> .....                    | 51 | <i>morphine injection syringe 5 mg/ml</i> .....             | 32 |
| <i>miglustat</i> .....                                     | 51 | <i>morphine intravenous cartridge 10 mg/ml</i> .....        | 32 |
| <i>mimvey</i> .....                                        | 60 | <i>morphine intravenous cartridge 2 mg/ml, 4 mg/</i>        |    |
| <i>mimvey lo</i> .....                                     | 60 | <i>ml</i> .....                                             | 32 |
| MINIPRESS ORAL CAPSULE 2 MG.....                           | 41 | MORPHINE INTRAVENOUS CARTRIDGE                              |    |
| <i>minocycline oral capsule</i> .....                      | 13 | 8 MG/ML.....                                                | 32 |
| <i>minocycline oral tablet</i> .....                       | 13 | <i>morphine intravenous solution 10 mg/ml</i> .....         | 32 |
| <i>minoxidil oral</i> .....                                | 41 | MORPHINE INTRAVENOUS SOLUTION 4                             |    |
| MIRAPEX ORAL TABLET 0.25 MG, 0.75                          |    | MG/ML, 8 MG/ML.....                                         | 32 |
| MG.....                                                    | 32 | <i>morphine intravenous syringe 2 mg/ml, 4 mg/</i>          |    |
| <i>mirtazapine oral tablet 15 mg</i> .....                 | 32 | <i>ml</i> .....                                             | 32 |
| <i>mirtazapine oral tablet 30 mg</i> .....                 | 32 | <i>morphine oral solution 10 mg/5 ml</i> .....              | 32 |
| <i>mirtazapine oral tablet 45 mg</i> .....                 | 32 | <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i> .....    | 32 |
| <i>mirtazapine oral tablet 7.5 mg</i> .....                | 32 | <i>morphine oral tablet 15 mg</i> .....                     | 32 |
| <i>mirtazapine oral tablet, disintegrating 15 mg</i> ..... | 32 | <i>morphine oral tablet 30 mg</i> .....                     | 32 |
| <i>mirtazapine oral tablet, disintegrating 30 mg</i> ..... | 32 | <i>morphine oral tablet extended release 100 mg, 30</i>     |    |
| <i>mirtazapine oral tablet, disintegrating 45 mg</i> ..... | 32 | <i>mg, 60 mg</i> .....                                      | 32 |
| <i>misoprostol oral tablet 100 mcg</i> .....               | 55 | <i>morphine oral tablet extended release 15 mg</i> .....    | 32 |
| <i>misoprostol oral tablet 200 mcg</i> .....               | 55 | <i>morphine oral tablet extended release 200 mg</i> .....   | 32 |
| <i>mitomycin intravenous recon soln 20 mg, 5 mg</i> .....  | 21 | MOVANTIK.....                                               | 55 |

|                                                            |    |                                                           |    |
|------------------------------------------------------------|----|-----------------------------------------------------------|----|
| MOVIPREP.....                                              | 55 | <i>naratriptan</i> .....                                  | 33 |
| MOXEZA.....                                                | 61 | NARCAN NASAL SPRAY, NON-AEROSOL 4                         |    |
| MOXIFLOXACIN OPHTHALMIC (EYE).....                         | 62 | MG/ACTUATION.....                                         | 33 |
| <i>moxifloxacin oral</i> .....                             | 14 | NASONEX.....                                              | 64 |
| MOZOBIL.....                                               | 56 | NATACYN.....                                              | 62 |
| MULTAQ.....                                                | 41 | <i>nateglinide oral tablet 120 mg</i> .....               | 51 |
| <i>mupirocin topical cream</i> .....                       | 46 | <i>nateglinide oral tablet 60 mg</i> .....                | 51 |
| <i>mupirocin topical ointment</i> .....                    | 46 | NATPARA.....                                              | 51 |
| MUSTARGEN.....                                             | 21 | NEBUPENT.....                                             | 14 |
| MYCAMINE INTRAVENOUS RECON SOLN                            |    | <i>necon 0.5/35 (28)</i> .....                            | 60 |
| 100 MG.....                                                | 14 | <i>necon 7/7/7 (28)</i> .....                             | 60 |
| MYCAMINE INTRAVENOUS RECON SOLN                            |    | <i>needles, insulin disp., safety</i> .....               | 52 |
| 50 MG.....                                                 | 14 | <i>nefazodone oral tablet 100 mg</i> .....                | 33 |
| <i>mycophenolate mofetil hcl</i> .....                     | 21 | <i>nefazodone oral tablet 150 mg</i> .....                | 33 |
| <i>mycophenolate mofetil oral capsule</i> .....            | 21 | <i>nefazodone oral tablet 200 mg</i> .....                | 33 |
| <i>mycophenolate mofetil oral suspension for</i>           |    | <i>nefazodone oral tablet 250 mg</i> .....                | 33 |
| <i>reconstitution</i> .....                                | 21 | <i>nefazodone oral tablet 50 mg</i> .....                 | 33 |
| <i>mycophenolate mofetil oral tablet</i> .....             | 21 | <i>neo-polycin</i> .....                                  | 62 |
| <i>mycophenolate sodium</i> .....                          | 21 | <i>neo-polycin hc</i> .....                               | 62 |
| MYLOTARG.....                                              | 21 | <i>neomycin</i> .....                                     | 14 |
| <i>myorisan oral capsule 10 mg, 20 mg, 40 mg</i> .....     | 46 | <i>neomycin-bacitracin-poly-hc</i> .....                  | 62 |
| MYRBETRIQ.....                                             | 65 | <i>neomycin-bacitracin-polymyxin</i> .....                | 62 |
| MYZILRA.....                                               | 60 | <i>neomycin-polymyxin b gu</i> .....                      | 47 |
| <i>nabumetone</i> .....                                    | 33 | <i>neomycin-polymyxin b-dexameth</i> .....                | 62 |
| <i>nadolol oral tablet 20 mg, 40 mg</i> .....              | 41 | <i>neomycin-polymyxin-gramicidin</i> .....                | 62 |
| <i>nadolol oral tablet 80 mg</i> .....                     | 41 | <i>neomycin-polymyxin-hc ophthalmic (eye)</i> .....       | 62 |
| <i>nadolol-bendroflumethiazide</i> .....                   | 41 | <i>neomycin-polymyxin-hc otic (ear)</i> .....             | 48 |
| <i>nafcillin in dextrose iso-osm intravenous piggyback</i> |    | NEPHRAMINE 5.4 %.....                                     | 66 |
| 1 gram/50 ml.....                                          | 14 | NERLYNX.....                                              | 21 |
| <i>nafcillin in dextrose iso-osm intravenous piggyback</i> |    | NEULASTA.....                                             | 56 |
| 2 gram/100 ml.....                                         | 14 | NEUPOGEN.....                                             | 56 |
| <i>nafcillin injection recon soln 1 gram, 2 gram</i> ..... | 14 | NEUPRO.....                                               | 33 |
| <i>nafcillin injection recon soln 10 gram</i> .....        | 14 | NEVANAC.....                                              | 62 |
| <i>nafcillin intravenous</i> .....                         | 14 | <i>nevirapine oral suspension</i> .....                   | 14 |
| NAGLAZYME.....                                             | 51 | <i>nevirapine oral tablet</i> .....                       | 14 |
| <i>nalbuphine injection solution 10 mg/ml</i> .....        | 33 | <i>nevirapine oral tablet extended release 24 hr 100</i>  |    |
| <i>nalbuphine injection solution 20 mg/ml</i> .....        | 33 | mg.....                                                   | 14 |
| <i>naloxone</i> .....                                      | 33 | <i>nevirapine oral tablet extended release 24 hr 400</i>  |    |
| <i>naltrexone</i> .....                                    | 33 | mg.....                                                   | 14 |
| NAMENDA XR ORAL CAP, SPRINKLE, ER                          |    | NEXAVAR.....                                              | 21 |
| 24HR DOSE PACK.....                                        | 33 | <i>niacin oral tablet extended release 24 hr</i> .....    | 41 |
| NAMENDA XR ORAL CAPSULE, SPRINKLE,                         |    | NIACOR.....                                               | 41 |
| ER 24HR.....                                               | 33 | <i>nicardipine intravenous solution</i> .....             | 41 |
| NAMZARIC.....                                              | 33 | <i>nicardipine oral</i> .....                             | 41 |
| <i>naproxen oral suspension</i> .....                      | 33 | NICOTROL NS.....                                          | 47 |
| <i>naproxen oral tablet</i> .....                          | 33 | <i>nifedipine oral tablet extended release</i> .....      | 41 |
| <i>naproxen oral tablet, delayed release (dr/ec)</i> ..... | 33 | <i>nifedipine oral tablet extended release 24hr</i> ..... | 42 |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> .....    | 33 | <i>nikki (28)</i> .....                                   | 60 |

|                                                               |    |                                                              |    |
|---------------------------------------------------------------|----|--------------------------------------------------------------|----|
| NILANDRON.....                                                | 21 | NUVARING.....                                                | 60 |
| <i>nilutamide</i> .....                                       | 21 | <i>nyamyc</i> .....                                          | 46 |
| <i>nimodipine</i> .....                                       | 42 | <i>nystatin oral suspension</i> .....                        | 14 |
| NINLARO.....                                                  | 21 | <i>nystatin oral tablet</i> .....                            | 14 |
| NIPENT.....                                                   | 21 | <i>nystatin topical cream</i> .....                          | 46 |
| <i>nitro-bid</i> .....                                        | 42 | <i>nystatin topical ointment</i> .....                       | 46 |
| <i>nitrofurantoin</i> .....                                   | 14 | <i>nystatin topical powder</i> .....                         | 46 |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50</i>    |    | <i>nystatin-triamcinolone</i> .....                          | 46 |
| <i>mg</i> .....                                               | 14 | <i>nystop</i> .....                                          | 46 |
| <i>nitrofurantoin monohydr/m-cryst</i> .....                  | 14 | <i>ocella</i> .....                                          | 60 |
| <i>nitroglycerin intravenous</i> .....                        | 42 | OCTAGAM.....                                                 | 57 |
| <i>nitroglycerin sublingual</i> .....                         | 42 | <i>octreotide acetate injection solution 1,000 mcg/</i>      |    |
| <i>nitroglycerin transdermal patch 24 hour</i> .....          | 42 | <i>ml</i> .....                                              | 21 |
| <i>nitroglycerin translingual spray, non-aerosol</i> .....    | 42 | <i>octreotide acetate injection solution 100 mcg/ml, 200</i> |    |
| NITROSTAT.....                                                | 42 | <i>mcg/ml, 50 mcg/ml, 500 mcg/ml</i> .....                   | 21 |
| <i>nizatidine oral capsule</i> .....                          | 55 | <i>octreotide acetate injection syringe 100 mcg/ml (1</i>    |    |
| <i>nora-be</i> .....                                          | 60 | <i>ml), 50 mcg/ml (1 ml)</i> .....                           | 21 |
| NORDITROPIN FLEXPRO.....                                      | 57 | <i>octreotide acetate injection syringe 500 mcg/ml (1</i>    |    |
| <i>norethindrone (contraceptive)</i> .....                    | 60 | <i>ml)</i> .....                                             | 21 |
| <i>norethindrone acetate</i> .....                            | 60 | ODEFSEY.....                                                 | 14 |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/</i> |    | ODOMZO.....                                                  | 21 |
| <i>0.25 mg-35 mcg (28), 0.25-35 mg-mcg</i> .....              | 60 | OFEV.....                                                    | 64 |
| NORMOSOL-M IN 5 % DEXTROSE.....                               | 66 | <i>ofloxacin ophthalmic (eye)</i> .....                      | 62 |
| NORMOSOL-R.....                                               | 66 | <i>ofloxacin oral tablet 300 mg</i> .....                    | 14 |
| NORMOSOL-R IN 5 % DEXTROSE.....                               | 66 | <i>ofloxacin oral tablet 400 mg</i> .....                    | 14 |
| NORMOSOL-R PH 7.4.....                                        | 66 | <i>ofloxacin otic (ear)</i> .....                            | 48 |
| NORPACE.....                                                  | 42 | <i>ogestrel (28)</i> .....                                   | 60 |
| NORTHERA ORAL CAPSULE 100 MG.....                             | 47 | <i>olanzapine intramuscular</i> .....                        | 33 |
| NORTHERA ORAL CAPSULE 200 MG.....                             | 47 | <i>olanzapine oral tablet 10 mg</i> .....                    | 33 |
| NORTHERA ORAL CAPSULE 300 MG.....                             | 47 | <i>olanzapine oral tablet 15 mg</i> .....                    | 33 |
| <i>nortrel 0.5/35 (28)</i> .....                              | 60 | <i>olanzapine oral tablet 2.5 mg</i> .....                   | 33 |
| <i>nortrel 1/35 (21)</i> .....                                | 60 | <i>olanzapine oral tablet 20 mg</i> .....                    | 33 |
| <i>nortrel 1/35 (28)</i> .....                                | 60 | <i>olanzapine oral tablet 5 mg</i> .....                     | 33 |
| <i>nortrel 7/7/7 (28)</i> .....                               | 60 | <i>olanzapine oral tablet 7.5 mg</i> .....                   | 33 |
| <i>nortriptyline oral capsule 10 mg, 25 mg</i> .....          | 33 | <i>olanzapine oral tablet, disintegrating 10 mg</i> .....    | 33 |
| <i>nortriptyline oral capsule 50 mg, 75 mg</i> .....          | 33 | <i>olanzapine oral tablet, disintegrating 15 mg</i> .....    | 33 |
| NORTRIPTYLINE ORAL SOLUTION.....                              | 33 | <i>olanzapine oral tablet, disintegrating 20 mg</i> .....    | 33 |
| NORVASC.....                                                  | 42 | <i>olanzapine oral tablet, disintegrating 5 mg</i> .....     | 33 |
| NORVIR ORAL CAPSULE.....                                      | 14 | <i>olanzapine-fluoxetine oral capsule 12-25 mg, 12-50</i>    |    |
| NORVIR ORAL POWDER IN PACKET.....                             | 14 | <i>mg, 6-50 mg</i> .....                                     | 33 |
| NORVIR ORAL SOLUTION.....                                     | 14 | <i>olanzapine-fluoxetine oral capsule 3-25 mg, 6-25</i>      |    |
| NORVIR ORAL TABLET.....                                       | 14 | <i>mg</i> .....                                              | 33 |
| NOXAFIL ORAL.....                                             | 14 | <i>olmesartan</i> .....                                      | 42 |
| NUEDEXTA.....                                                 | 33 | <i>olmesartan-amlodipine-hydrochlorothiazide</i> .....       | 42 |
| NULOJIX.....                                                  | 21 | <i>olmesartan-hydrochlorothiazide</i> .....                  | 42 |
| NUPLAZID ORAL CAPSULE.....                                    | 33 | <i>olopatadine ophthalmic (eye) drops 0.1 %</i> .....        | 62 |
| NUPLAZID ORAL TABLET 10 MG.....                               | 33 | <i>olopatadine ophthalmic (eye) drops 0.2 %</i> .....        | 62 |
| NUPLAZID ORAL TABLET 17 MG.....                               | 33 | <i>omega-3 acid ethyl esters</i> .....                       | 42 |

|                                                                                          |    |                                                                                                      |    |
|------------------------------------------------------------------------------------------|----|------------------------------------------------------------------------------------------------------|----|
| <i>omeprazole oral capsule, delayed release(dr/lec)</i> .....                            | 55 | <i>oxcarbazepine oral tablet 150 mg, 300 mg</i> .....                                                | 33 |
| OMNITROPE.....                                                                           | 57 | <i>oxcarbazepine oral tablet 600 mg</i> .....                                                        | 34 |
| ONCASPAR.....                                                                            | 21 | <i>oxybutynin chloride oral syrup</i> .....                                                          | 65 |
| <i>ondansetron hcl (pf) injection solution</i> .....                                     | 55 | <i>oxybutynin chloride oral tablet</i> .....                                                         | 65 |
| <i>ondansetron hcl (pf) injection syringe</i> .....                                      | 55 | <i>oxybutynin chloride oral tablet extended release 24hr</i><br><i>10 mg, 15 mg</i> .....            | 65 |
| <i>ondansetron hcl intravenous</i> .....                                                 | 55 | <i>oxybutynin chloride oral tablet extended release 24hr</i><br><i>5 mg</i> .....                    | 65 |
| <i>ondansetron hcl oral solution</i> .....                                               | 55 | <i>oxycodone oral capsule</i> .....                                                                  | 34 |
| <i>ondansetron hcl oral tablet 24 mg</i> .....                                           | 55 | <i>oxycodone oral concentrate</i> .....                                                              | 34 |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> .....                                      | 55 | <i>oxycodone oral solution</i> .....                                                                 | 34 |
| <i>ondansetron oral tablet, disintegrating 4 mg</i> .....                                | 55 | <i>oxycodone oral tablet 10 mg, 5 mg</i> .....                                                       | 34 |
| <i>ondansetron oral tablet, disintegrating 8 mg</i> .....                                | 55 | <i>oxycodone oral tablet 15 mg, 20 mg, 30 mg</i> .....                                               | 34 |
| ONFI ORAL SUSPENSION.....                                                                | 33 | <i>oxycodone-acetaminophen oral tablet 10-325 mg,</i><br><i>2.5-325 mg, 7.5-325 mg</i> .....         | 34 |
| ONFI ORAL TABLET 10 MG.....                                                              | 33 | <i>oxycodone-acetaminophen oral tablet 5-325 mg</i> .....                                            | 34 |
| ONFI ORAL TABLET 20 MG.....                                                              | 33 | <i>oxycodone-aspirin</i> .....                                                                       | 34 |
| OPDIVO.....                                                                              | 21 | OZEMPIC.....                                                                                         | 52 |
| <i>opium tincture</i> .....                                                              | 55 | <i>pacerone oral tablet 100 mg, 400 mg</i> .....                                                     | 42 |
| ORAP.....                                                                                | 33 | <i>pacerone oral tablet 200 mg</i> .....                                                             | 42 |
| ORENITRAM ORAL TABLET EXTENDED<br>RELEASE 0.125 MG.....                                  | 42 | <i>paclitaxel</i> .....                                                                              | 21 |
| ORENITRAM ORAL TABLET EXTENDED<br>RELEASE 0.25 MG, 1 MG, 2.5 MG, 5<br>MG.....            | 42 | <i>paliperidone oral tablet extended release 24hr 1.5</i><br><i>mg</i> .....                         | 34 |
| ORFADIN ORAL CAPSULE 10 MG, 2 MG, 5<br>MG.....                                           | 47 | <i>paliperidone oral tablet extended release 24hr 3</i><br><i>mg</i> .....                           | 34 |
| ORFADIN ORAL CAPSULE 20 MG.....                                                          | 47 | <i>paliperidone oral tablet extended release 24hr 6</i><br><i>mg</i> .....                           | 34 |
| ORFADIN ORAL SUSPENSION.....                                                             | 47 | <i>paliperidone oral tablet extended release 24hr 9</i><br><i>mg</i> .....                           | 34 |
| ORKAMBI ORAL TABLET.....                                                                 | 64 | <i>pamidronate intravenous recon soln</i> .....                                                      | 52 |
| <i>orsythia</i> .....                                                                    | 60 | <i>pamidronate intravenous solution 30 mg/10 ml (3</i><br><i>mg/ml), 90 mg/10 ml (9 mg/ml)</i> ..... | 52 |
| ORTHO MICRONOR.....                                                                      | 60 | <i>pamidronate intravenous solution 60 mg/10 ml (6</i><br><i>mg/ml)</i> .....                        | 52 |
| <i>oseltamivir</i> .....                                                                 | 14 | PANRETIN.....                                                                                        | 46 |
| OSMOPREP.....                                                                            | 55 | <i>pantoprazole intravenous</i> .....                                                                | 55 |
| <i>oxacillin in dextrose(iso-osm) intravenous piggyback</i><br><i>1 gram/50 ml</i> ..... | 14 | <i>pantoprazole oral</i> .....                                                                       | 55 |
| <i>oxacillin in dextrose(iso-osm) intravenous piggyback</i><br><i>2 gram/50 ml</i> ..... | 14 | <i>paregoric</i> .....                                                                               | 55 |
| <i>oxacillin injection recon soln 1 gram</i> .....                                       | 14 | <i>paricalcitol oral</i> .....                                                                       | 52 |
| <i>oxacillin injection recon soln 10 gram</i> .....                                      | 14 | <i>paroex oral rinse</i> .....                                                                       | 48 |
| <i>oxacillin injection recon soln 2 gram</i> .....                                       | 14 | <i>paromomycin</i> .....                                                                             | 14 |
| <i>oxaliplatin intravenous recon soln 100 mg</i> .....                                   | 21 | <i>paroxetine hcl oral tablet 10 mg</i> .....                                                        | 34 |
| <i>oxaliplatin intravenous recon soln 50 mg</i> .....                                    | 21 | <i>paroxetine hcl oral tablet 20 mg</i> .....                                                        | 34 |
| <i>oxaliplatin intravenous solution 100 mg/20 ml</i> .....                               | 21 | <i>paroxetine hcl oral tablet 30 mg</i> .....                                                        | 34 |
| <i>oxaliplatin intravenous solution 50 mg/10 ml (5 mg/</i><br><i>ml)</i> .....           | 21 | <i>paroxetine hcl oral tablet 40 mg</i> .....                                                        | 34 |
| <i>oxandrolone oral tablet 10 mg</i> .....                                               | 52 | <i>paroxetine hcl oral tablet extended release 24 hr 12.5</i><br><i>mg</i> .....                     | 34 |
| <i>oxandrolone oral tablet 2.5 mg</i> .....                                              | 52 |                                                                                                      |    |
| <i>oxaprozin</i> .....                                                                   | 33 |                                                                                                      |    |
| <i>oxazepam</i> .....                                                                    | 33 |                                                                                                      |    |
| <i>oxcarbazepine oral suspension</i> .....                                               | 33 |                                                                                                      |    |

|                                                                                                    |    |                                                                                                        |    |
|----------------------------------------------------------------------------------------------------|----|--------------------------------------------------------------------------------------------------------|----|
| <i>paroxetine hcl oral tablet extended release 24 hr 25 mg</i> .....                               | 34 | <i>phenobarbital oral elixir</i> .....                                                                 | 34 |
| <i>paroxetine hcl oral tablet extended release 24 hr 37.5 mg</i> .....                             | 34 | <i>phenobarbital oral tablet 100 mg</i> .....                                                          | 34 |
| PASER.....                                                                                         | 14 | <i>phenobarbital oral tablet 15 mg</i> .....                                                           | 34 |
| PAXIL ORAL SUSPENSION.....                                                                         | 34 | <i>phenobarbital oral tablet 16.2 mg</i> .....                                                         | 34 |
| PAZEO.....                                                                                         | 62 | <i>phenobarbital oral tablet 30 mg</i> .....                                                           | 34 |
| PEDIARIX (PF).....                                                                                 | 57 | <i>phenobarbital oral tablet 32.4 mg</i> .....                                                         | 34 |
| PEDVAX HIB (PF).....                                                                               | 57 | <i>phenobarbital oral tablet 60 mg</i> .....                                                           | 34 |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> .....                       | 55 | <i>phenobarbital oral tablet 64.8 mg</i> .....                                                         | 34 |
| <i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 -5.84 gram</i> .....                       | 55 | <i>phenobarbital oral tablet 97.2 mg</i> .....                                                         | 34 |
| <i>peg-electrolyte soln</i> .....                                                                  | 55 | PHENYTEK.....                                                                                          | 34 |
| PEGANONE.....                                                                                      | 34 | <i>phenytoin oral suspension 100 mg/4 ml</i> .....                                                     | 34 |
| PEGASYS.....                                                                                       | 57 | <i>phenytoin oral suspension 125 mg/5 ml</i> .....                                                     | 34 |
| PEGASYS PROCLICK.....                                                                              | 57 | <i>phenytoin oral tablet, chewable</i> .....                                                           | 34 |
| PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML.....                                                      | 57 | <i>phenytoin sodium extended</i> .....                                                                 | 34 |
| PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 1 MILLION UNIT/50 ML, 2 MILLION UNIT/50 ML..... | 14 | <i>phenytoin sodium intravenous solution</i> .....                                                     | 34 |
| PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 3 MILLION UNIT/50 ML.....                       | 14 | <i>phenytoin sodium intravenous syringe</i> .....                                                      | 34 |
| <i>penicillin g potassium</i> .....                                                                | 14 | <i>philith</i> .....                                                                                   | 60 |
| <i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml</i> .....                     | 14 | PHOSPHOLINE IODIDE.....                                                                                | 62 |
| <i>penicillin g procaine intramuscular syringe 600,000 unit/ml</i> .....                           | 14 | PHYSIOLYTE.....                                                                                        | 47 |
| <i>penicillin g sodium</i> .....                                                                   | 14 | PHYSIOSOL IRRIGATION.....                                                                              | 47 |
| <i>penicillin v potassium</i> .....                                                                | 14 | PICATO.....                                                                                            | 46 |
| PENTACEL (PF).....                                                                                 | 57 | <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> .....                                      | 62 |
| PENTAM.....                                                                                        | 14 | <i>pilocarpine hcl oral</i> .....                                                                      | 47 |
| PENTASA.....                                                                                       | 55 | <i>pimozide</i> .....                                                                                  | 34 |
| <i>pentoxifylline</i> .....                                                                        | 42 | <i>pimtrea (28)</i> .....                                                                              | 60 |
| PERFOROMIST.....                                                                                   | 64 | <i>pindolol oral tablet 10 mg</i> .....                                                                | 42 |
| <i>perindopril erbumine</i> .....                                                                  | 42 | <i>pindolol oral tablet 5 mg</i> .....                                                                 | 42 |
| <i>periogard</i> .....                                                                             | 48 | <i>pioglitazone oral tablet 15 mg</i> .....                                                            | 52 |
| PERJETA.....                                                                                       | 21 | <i>pioglitazone oral tablet 30 mg</i> .....                                                            | 52 |
| <i>permethrin topical cream</i> .....                                                              | 46 | <i>pioglitazone oral tablet 45 mg</i> .....                                                            | 52 |
| <i>perphenazine</i> .....                                                                          | 34 | <i>pioglitazone-glimepiride</i> .....                                                                  | 52 |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-50 mg</i> .....             | 34 | <i>pioglitazone-metformin</i> .....                                                                    | 52 |
| <i>perphenazine-amitriptyline oral tablet 4-25 mg</i> .....                                        | 34 | <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i> ..... | 14 |
| <i>pfizerpen-g</i> .....                                                                           | 14 | <i>pirmella oral tablet 1-35 mg-mcg</i> .....                                                          | 60 |
| <i>phenelzine</i> .....                                                                            | 34 | <i>piroxicam</i> .....                                                                                 | 34 |
|                                                                                                    |    | PLASMA-LYTE 148.....                                                                                   | 66 |
|                                                                                                    |    | PLASMA-LYTE A.....                                                                                     | 66 |
|                                                                                                    |    | PLEGRIDY.....                                                                                          | 57 |
|                                                                                                    |    | <i>podofilox</i> .....                                                                                 | 46 |
|                                                                                                    |    | <i>polycin</i> .....                                                                                   | 62 |
|                                                                                                    |    | <i>polyethylene glycol 3350</i> .....                                                                  | 55 |
|                                                                                                    |    | <i>polymyxin b sulf-trimethoprim</i> .....                                                             | 62 |
|                                                                                                    |    | <i>polymyxin b sulfate</i> .....                                                                       | 15 |
|                                                                                                    |    | POMALYST ORAL CAPSULE 1 MG.....                                                                        | 21 |
|                                                                                                    |    | POMALYST ORAL CAPSULE 2 MG.....                                                                        | 21 |

|                                                                                                          |    |                                                                                       |    |
|----------------------------------------------------------------------------------------------------------|----|---------------------------------------------------------------------------------------|----|
| POMALYST ORAL CAPSULE 3 MG, 4 MG.....                                                                    | 22 | PRALUENT PEN.....                                                                     | 42 |
| <i>portia</i> .....                                                                                      | 60 | <i>pramipexole oral tablet</i> .....                                                  | 34 |
| PORTRAZZA.....                                                                                           | 22 | <i>prasugrel</i> .....                                                                | 42 |
| <i>potassium bicarb and chloride</i> .....                                                               | 66 | PRAVACHOL ORAL TABLET 20 MG.....                                                      | 42 |
| <i>potassium bicarb-citric acid</i> .....                                                                | 66 | <i>pravastatin</i> .....                                                              | 42 |
| <i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i> ..... | 66 | <i>prazosin oral capsule 1 mg, 2 mg</i> .....                                         | 42 |
| <i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i> .....                     | 66 | <i>prazosin oral capsule 5 mg</i> .....                                               | 42 |
| <i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i> .....           | 66 | PRECOSE ORAL TABLET 100 MG.....                                                       | 52 |
| <i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i> .....  | 66 | PRECOSE ORAL TABLET 25 MG.....                                                        | 52 |
| <i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i> .....                        | 66 | PRECOSE ORAL TABLET 50 MG.....                                                        | 52 |
| <i>potassium chloride in lr-d5 intravenous parenteral solution 40 meq/l</i> .....                        | 66 | <i>prednicarbate</i> .....                                                            | 46 |
| <i>potassium chloride in water intravenous piggyback 10 meq/100 ml</i> .....                             | 66 | <i>prednisolone acetate</i> .....                                                     | 62 |
| <i>potassium chloride in water intravenous piggyback 10 meq/50 ml</i> .....                              | 67 | <i>prednisolone oral solution 15 mg/5 ml</i> .....                                    | 52 |
| <i>potassium chloride in water intravenous piggyback 20 meq/100 ml</i> .....                             | 67 | <i>prednisolone sodium phosphate ophthalmic (eye)</i> .....                           | 62 |
| <i>potassium chloride in water intravenous piggyback 30 meq/100 ml</i> .....                             | 67 | <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml)</i> .....         | 52 |
| <i>potassium chloride oral capsule, extended release</i> .....                                           | 67 | <i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> ..... | 52 |
| <i>potassium chloride oral liquid</i> .....                                                              | 67 | <i>prednisolone sodium phosphate oral tablet, disintegrating</i> .....                | 52 |
| <i>potassium chloride oral tablet extended release</i> .....                                             | 67 | <i>prednisone intensol</i> .....                                                      | 52 |
| <i>potassium chloride oral tablet,er particles/ crystals</i> .....                                       | 67 | <i>prednisone oral solution</i> .....                                                 | 52 |
| <i>potassium chloride-0.45 % nacl</i> .....                                                              | 67 | <i>prednisone oral tablet</i> .....                                                   | 52 |
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l</i> .....                     | 67 | <i>prednisone oral tablets,dose pack</i> .....                                        | 52 |
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 30 meq/l, 40 meq/l</i> .....           | 67 | PREMARIN ORAL.....                                                                    | 60 |
| <i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i> .....                     | 67 | PREMARIN VAGINAL.....                                                                 | 60 |
| <i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l</i> .....                     | 67 | <i>premasol 10 %</i> .....                                                            | 67 |
| <i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 40 meq/l</i> .....                     | 67 | PREMASOL 6 %.....                                                                     | 67 |
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg), 15 meq</i> .....                    | 65 | PREMPHASE.....                                                                        | 60 |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> .....                               | 65 | PREMPRO.....                                                                          | 60 |
| PRADAXA.....                                                                                             | 42 | <i>prenatal vitamin oral tablet</i> .....                                             | 67 |
|                                                                                                          |    | <i>prevalite</i> .....                                                                | 42 |
|                                                                                                          |    | <i>previfem</i> .....                                                                 | 60 |
|                                                                                                          |    | PREZCOBIX.....                                                                        | 15 |
|                                                                                                          |    | PREZISTA ORAL SUSPENSION.....                                                         | 15 |
|                                                                                                          |    | PREZISTA ORAL TABLET 150 MG.....                                                      | 15 |
|                                                                                                          |    | PREZISTA ORAL TABLET 600 MG, 800 MG.....                                              | 15 |
|                                                                                                          |    | PREZISTA ORAL TABLET 75 MG.....                                                       | 15 |
|                                                                                                          |    | PRIFTIN.....                                                                          | 15 |
|                                                                                                          |    | PRIMAQUINE.....                                                                       | 15 |
|                                                                                                          |    | <i>primidone</i> .....                                                                | 34 |
|                                                                                                          |    | PRINIVIL ORAL TABLET 10 MG, 20 MG, 5 MG.....                                          | 42 |
|                                                                                                          |    | PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 100 MG.....                                | 34 |
|                                                                                                          |    | PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG.....                                 | 35 |

|                                                                                            |    |
|--------------------------------------------------------------------------------------------|----|
| PRISTIQ ORAL TABLET EXTENDED                                                               |    |
| RELEASE 24 HR 50 MG.....                                                                   | 35 |
| PROAIR HFA.....                                                                            | 64 |
| PROAIR RESPICLICK.....                                                                     | 64 |
| <i>probenecid</i> .....                                                                    | 58 |
| <i>probenecid-colchicine</i> .....                                                         | 58 |
| <i>procainamide injection solution 100 mg/ml</i> .....                                     | 42 |
| <i>procainamide injection solution 500 mg/ml</i> .....                                     | 42 |
| PROCALAMINE 3%.....                                                                        | 67 |
| PROCARDIA.....                                                                             | 42 |
| PROCARDIA XL ORAL TABLET EXTENDED                                                          |    |
| RELEASE 24HR 30 MG.....                                                                    | 42 |
| <i>prochlorperazine</i> .....                                                              | 55 |
| <i>prochlorperazine edisylate injection solution 10 mg/</i><br><i>2 ml (5 mg/ml)</i> ..... | 55 |
| <i>prochlorperazine maleate</i> .....                                                      | 55 |
| PROCRIT INJECTION SOLUTION 10,000                                                          |    |
| UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/                                                       |    |
| 2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML.....                                                    | 57 |
| PROCRIT INJECTION SOLUTION 20,000                                                          |    |
| UNIT/ML, 40,000 UNIT/ML.....                                                               | 57 |
| <i>procto-med hc</i> .....                                                                 | 55 |
| <i>procto-pak</i> .....                                                                    | 55 |
| <i>proctosol hc topical</i> .....                                                          | 55 |
| <i>proctozone-hc</i> .....                                                                 | 55 |
| <i>progesterone micronized</i> .....                                                       | 60 |
| PROGLYCEM.....                                                                             | 52 |
| PROGRAF INTRAVENOUS.....                                                                   | 22 |
| PROLASTIN-C INTRAVENOUS RECON                                                              |    |
| SOLN.....                                                                                  | 47 |
| PROLASTIN-C INTRAVENOUS                                                                    |    |
| SOLUTION.....                                                                              | 47 |
| PROLEUKIN.....                                                                             | 57 |
| PROLIA.....                                                                                | 58 |
| PROMACTA ORAL TABLET 12.5 MG, 25                                                           |    |
| MG, 75 MG.....                                                                             | 42 |
| PROMACTA ORAL TABLET 50 MG.....                                                            | 42 |
| <i>promethazine injection solution 25 mg/ml</i> .....                                      | 64 |
| <i>promethazine injection solution 50 mg/ml</i> .....                                      | 64 |
| <i>promethazine oral</i> .....                                                             | 64 |
| <i>propafenone oral tablet 150 mg</i> .....                                                | 42 |
| <i>propafenone oral tablet 225 mg</i> .....                                                | 42 |
| <i>propafenone oral tablet 300 mg</i> .....                                                | 42 |
| <i>propranolol</i> .....                                                                   | 55 |
| <i>propranolol intravenous</i> .....                                                       | 42 |
| <i>propranolol oral capsule,extended release 24 hr 120</i><br><i>mg, 160 mg</i> .....      | 42 |
| <i>propranolol oral capsule,extended release 24 hr 60</i><br><i>mg, 80 mg</i> .....        | 42 |
| <i>propranolol oral solution</i> .....                                                     | 42 |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 80</i><br><i>mg</i> .....                  | 42 |
| <i>propranolol oral tablet 60 mg</i> .....                                                 | 42 |
| <i>propranolol-hydrochlorothiazid</i> .....                                                | 42 |
| <i>propylthiouracil</i> .....                                                              | 52 |
| PROQUAD (PF).....                                                                          | 57 |
| PROSOL 20 %.....                                                                           | 67 |
| <i>protriptyline</i> .....                                                                 | 35 |
| PULMOZYME.....                                                                             | 64 |
| PURIXAN.....                                                                               | 22 |
| <i>pyrazinamide</i> .....                                                                  | 15 |
| <i>pyridostigmine bromide</i> .....                                                        | 35 |
| QUADRACEL (PF).....                                                                        | 57 |
| <i>quasense</i> .....                                                                      | 60 |
| <i>quetiapine oral tablet 100 mg</i> .....                                                 | 35 |
| <i>quetiapine oral tablet 200 mg</i> .....                                                 | 35 |
| <i>quetiapine oral tablet 25 mg</i> .....                                                  | 35 |
| <i>quetiapine oral tablet 300 mg</i> .....                                                 | 35 |
| <i>quetiapine oral tablet 400 mg</i> .....                                                 | 35 |
| <i>quetiapine oral tablet 50 mg</i> .....                                                  | 35 |
| <i>quetiapine oral tablet extended release 24 hr 150</i><br><i>mg</i> .....                | 35 |
| <i>quetiapine oral tablet extended release 24 hr 200</i><br><i>mg</i> .....                | 35 |
| <i>quetiapine oral tablet extended release 24 hr 300</i><br><i>mg</i> .....                | 35 |
| <i>quetiapine oral tablet extended release 24 hr 400</i><br><i>mg</i> .....                | 35 |
| <i>quetiapine oral tablet extended release 24 hr 50</i><br><i>mg</i> .....                 | 35 |
| <i>quinapril</i> .....                                                                     | 42 |
| <i>quinapril-hydrochlorothiazide</i> .....                                                 | 42 |
| <i>quinidine gluconate injection</i> .....                                                 | 42 |
| <i>quinidine sulfate oral tablet</i> .....                                                 | 42 |
| <i>quinine sulfate</i> .....                                                               | 15 |
| QVAR REDIHALER INHALATION HFA                                                              |    |
| AEROSOL BREATH ACTIVATED 40 MCG/                                                           |    |
| ACTUATION.....                                                                             | 64 |
| QVAR REDIHALER INHALATION HFA                                                              |    |
| AEROSOL BREATH ACTIVATED 80 MCG/                                                           |    |
| ACTUATION.....                                                                             | 64 |
| RABAVERT (PF).....                                                                         | 57 |
| <i>raloxifene</i> .....                                                                    | 58 |
| <i>ramipril</i> .....                                                                      | 42 |
| RANEXA.....                                                                                | 42 |



|                                                               |    |                                                                                        |    |
|---------------------------------------------------------------|----|----------------------------------------------------------------------------------------|----|
| <i>ranitidine hcl injection</i> .....                         | 55 | <i>ribasphere oral capsule</i> .....                                                   | 15 |
| <i>ranitidine hcl oral capsule</i> .....                      | 55 | <i>ribasphere oral tablet 200 mg</i> .....                                             | 15 |
| <i>ranitidine hcl oral syrup</i> .....                        | 55 | <i>ribavirin oral capsule</i> .....                                                    | 15 |
| <i>ranitidine hcl oral tablet 150 mg, 300 mg</i> .....        | 55 | <i>ribavirin oral tablet 200 mg</i> .....                                              | 15 |
| RAPAMUNE ORAL SOLUTION.....                                   | 22 | RIDAURA.....                                                                           | 58 |
| <i>rasagiline</i> .....                                       | 35 | <i>rifabutin</i> .....                                                                 | 15 |
| RAVICTI.....                                                  | 47 | <i>rifampin</i> .....                                                                  | 15 |
| RAZADYNE ORAL TABLET 4 MG.....                                | 35 | RIFATER.....                                                                           | 15 |
| <i>reclipsen (28)</i> .....                                   | 60 | <i>riluzole</i> .....                                                                  | 47 |
| RECOMBIVAX HB (PF) INTRAMUSCULAR<br>SUSPENSION.....           | 57 | <i>rimantadine</i> .....                                                               | 15 |
| RECOMBIVAX HB (PF) INTRAMUSCULAR<br>SYRINGE 10 MCG/ML.....    | 57 | <i>ringer's intravenous</i> .....                                                      | 67 |
| RECOMBIVAX HB (PF) INTRAMUSCULAR<br>SYRINGE 5 MCG/0.5 ML..... | 57 | <i>ringer's irrigation</i> .....                                                       | 47 |
| <i>regonol</i> .....                                          | 35 | RIOMET.....                                                                            | 52 |
| RELENZA DISKHALER.....                                        | 15 | <i>risedronate oral tablet 150 mg</i> .....                                            | 58 |
| RELISTOR SUBCUTANEOUS<br>SOLUTION.....                        | 55 | <i>risedronate oral tablet 30 mg</i> .....                                             | 47 |
| RELISTOR SUBCUTANEOUS SYRINGE 12<br>MG/0.6 ML.....            | 55 | <i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35<br/>mg (4 pack)</i> .....        | 58 |
| RELISTOR SUBCUTANEOUS SYRINGE 8<br>MG/0.4 ML.....             | 55 | <i>risedronate oral tablet 5 mg</i> .....                                              | 59 |
| REMICADE.....                                                 | 55 | <i>risedronate oral tablet, delayed release (dr/ec)</i> .....                          | 59 |
| REMODULIN.....                                                | 42 | RISPERDAL CONSTA INTRAMUSCULAR<br>SYRINGE 12.5 MG/2 ML.....                            | 35 |
| REVELA ORAL TABLET.....                                       | 47 | RISPERDAL CONSTA INTRAMUSCULAR<br>SYRINGE 25 MG/2 ML, 37.5 MG/2 ML, 50<br>MG/2 ML..... | 35 |
| <i>repaglinide oral tablet 0.5 mg</i> .....                   | 52 | <i>risperidone oral solution</i> .....                                                 | 35 |
| <i>repaglinide oral tablet 1 mg</i> .....                     | 52 | <i>risperidone oral tablet 0.25 mg</i> .....                                           | 35 |
| <i>repaglinide oral tablet 2 mg</i> .....                     | 52 | <i>risperidone oral tablet 0.5 mg</i> .....                                            | 35 |
| REPATHA PUSHTRONEX.....                                       | 42 | <i>risperidone oral tablet 1 mg</i> .....                                              | 35 |
| REPATHA SURECLICK.....                                        | 42 | <i>risperidone oral tablet 2 mg</i> .....                                              | 35 |
| REPATHA SYRINGE.....                                          | 43 | <i>risperidone oral tablet 3 mg</i> .....                                              | 35 |
| REQUIP ORAL TABLET 1 MG, 4 MG, 5<br>MG.....                   | 35 | <i>risperidone oral tablet 4 mg</i> .....                                              | 35 |
| RESCRIPTOR ORAL TABLET.....                                   | 15 | <i>risperidone oral tablet, disintegrating 0.25 mg</i> .....                           | 35 |
| RESCRIPTOR ORAL TABLET,<br>DISPERSIBLE.....                   | 15 | <i>risperidone oral tablet, disintegrating 0.5 mg</i> .....                            | 35 |
| RETROVIR INTRAVENOUS.....                                     | 15 | <i>risperidone oral tablet, disintegrating 1 mg</i> .....                              | 35 |
| REVLIMID ORAL CAPSULE 10 MG.....                              | 22 | <i>risperidone oral tablet, disintegrating 2 mg</i> .....                              | 35 |
| REVLIMID ORAL CAPSULE 15 MG, 2.5 MG,<br>20 MG, 25 MG.....     | 22 | <i>risperidone oral tablet, disintegrating 3 mg</i> .....                              | 35 |
| REVLIMID ORAL CAPSULE 5 MG.....                               | 22 | <i>risperidone oral tablet, disintegrating 4 mg</i> .....                              | 35 |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG,<br>1 MG, 2 MG.....       | 35 | <i>ritonavir</i> .....                                                                 | 15 |
| REXULTI ORAL TABLET 3 MG, 4 MG.....                           | 35 | RITUXAN.....                                                                           | 22 |
| REYATAZ ORAL CAPSULE 150 MG, 200<br>MG.....                   | 15 | RITUXAN HYCELA.....                                                                    | 22 |
| REYATAZ ORAL CAPSULE 300 MG.....                              | 15 | <i>rivastigmine tartrate</i> .....                                                     | 35 |
| REYATAZ ORAL POWDER IN PACKET.....                            | 15 | <i>rivastigmine transdermal patch</i> .....                                            | 35 |
|                                                               |    | <i>rizatriptan</i> .....                                                               | 35 |
|                                                               |    | ROMIDEPSIN.....                                                                        | 22 |
|                                                               |    | <i>ropinirole oral tablet</i> .....                                                    | 35 |
|                                                               |    | <i>ropinirole oral tablet extended release 24 hr</i> .....                             | 35 |
|                                                               |    | <i>rosadan topical cream</i> .....                                                     | 46 |
|                                                               |    | <i>rosadan topical gel</i> .....                                                       | 46 |

|                                              |    |                                                           |    |
|----------------------------------------------|----|-----------------------------------------------------------|----|
| <i>rosuvastatin</i> .....                    | 43 | <i>sertraline oral concentrate</i> .....                  | 36 |
| ROTARIX.....                                 | 57 | <i>sertraline oral tablet 100 mg</i> .....                | 36 |
| ROTATEQ VACCINE.....                         | 57 | <i>sertraline oral tablet 25 mg</i> .....                 | 36 |
| <i>roweepra oral tablet 500 mg</i> .....     | 35 | <i>sertraline oral tablet 50 mg</i> .....                 | 36 |
| ROZEREM.....                                 | 35 | <i>sevelamer carbonate oral powder in packet 0.8</i>      |    |
| RUBRACA ORAL TABLET 200 MG.....              | 22 | <i>gram</i> .....                                         | 47 |
| RUBRACA ORAL TABLET 250 MG, 300              |    | <i>sevelamer carbonate oral powder in packet 2.4</i>      |    |
| MG.....                                      | 22 | <i>gram</i> .....                                         | 47 |
| RYDAPT.....                                  | 22 | <i>sevelamer carbonate oral tablet</i> .....              | 47 |
| SABRIL ORAL POWDER IN PACKET.....            | 36 | <i>sf 5000 plus</i> .....                                 | 48 |
| SABRIL ORAL TABLET.....                      | 36 | <i>sharobel</i> .....                                     | 60 |
| SAMSCA ORAL TABLET 15 MG.....                | 52 | SHINGRIX (PF).....                                        | 57 |
| SAMSCA ORAL TABLET 30 MG.....                | 52 | SIGNIFOR.....                                             | 22 |
| SANDIMMUNE ORAL SOLUTION.....                | 22 | <i>sildenafil (antihypertensive) oral</i> .....           | 64 |
| SANDOSTATIN LAR DEPOT                        |    | SILVADENE.....                                            | 46 |
| INTRAMUSCULAR SUSPENSION,                    |    | <i>silver sulfadiazine</i> .....                          | 46 |
| EXTENDED REL RECON.....                      | 22 | SIMBRINZA.....                                            | 62 |
| SANTYL.....                                  | 46 | SIMULECT INTRAVENOUS RECON SOLN                           |    |
| SAPHRIS SUBLINGUAL TABLET 10 MG.....         | 36 | 10 MG.....                                                | 22 |
| SAPHRIS SUBLINGUAL TABLET 2.5                |    | SIMULECT INTRAVENOUS RECON SOLN                           |    |
| MG.....                                      | 36 | 20 MG.....                                                | 22 |
| SAPHRIS SUBLINGUAL TABLET 5 MG.....          | 36 | <i>simvastatin</i> .....                                  | 43 |
| SAVELLA ORAL TABLET 100 MG.....              | 59 | SINEMET CR ORAL TABLET EXTENDED                           |    |
| SAVELLA ORAL TABLET 12.5 MG.....             | 59 | RELEASE 25-100 MG.....                                    | 36 |
| SAVELLA ORAL TABLET 25 MG.....               | 59 | <i>sirolimus</i> .....                                    | 22 |
| SAVELLA ORAL TABLET 50 MG.....               | 59 | SIRTURO.....                                              | 15 |
| SAVELLA ORAL TABLETS,DOSE PACK.....          | 59 | SIVEXTRO INTRAVENOUS.....                                 | 15 |
| <i>scopolamine base</i> .....                | 55 | SIVEXTRO ORAL.....                                        | 15 |
| <i>selegiline hcl</i> .....                  | 36 | <i>sodium bicarbonate intravenous solution 1 meq/ml</i>   |    |
| <i>selenium sulfide topical lotion</i> ..... | 46 | (8.4 %), 4.2 %.....                                       | 67 |
| SELZENTRY ORAL SOLUTION.....                 | 15 | <i>sodium bicarbonate intravenous syringe 10 meq/10</i>   |    |
| SELZENTRY ORAL TABLET 150 MG, 300            |    | <i>ml (8.4 %), 7.5 % (0.9 meq/ml)</i> .....               | 67 |
| MG.....                                      | 15 | <i>sodium bicarbonate intravenous syringe 4.2 % (0.5</i>  |    |
| SELZENTRY ORAL TABLET 25 MG.....             | 15 | <i>meq/ml), 8.4 % (1 meq/ml)</i> .....                    | 67 |
| SELZENTRY ORAL TABLET 75 MG.....             | 15 | <i>sodium chloride 0.45 % intravenous parenteral</i>      |    |
| SENSIPAR ORAL TABLET 30 MG.....              | 52 | <i>solution</i> .....                                     | 67 |
| SENSIPAR ORAL TABLET 60 MG.....              | 52 | <i>sodium chloride 0.45 % intravenous piggyback</i> ..... | 67 |
| SENSIPAR ORAL TABLET 90 MG.....              | 52 | <i>sodium chloride 0.9 % intravenous</i> .....            | 47 |
| SEREVENT DISKUS.....                         | 64 | <i>sodium chloride 3 %</i> .....                          | 67 |
| SEROQUEL XR ORAL TABLET EXTENDED             |    | <i>sodium chloride 5 %</i> .....                          | 67 |
| RELEASE 24 HR 150 MG.....                    | 36 | <i>sodium chloride intravenous</i> .....                  | 67 |
| SEROQUEL XR ORAL TABLET EXTENDED             |    | <i>sodium chloride irrigation</i> .....                   | 47 |
| RELEASE 24 HR 200 MG.....                    | 36 | <i>sodium lactate</i> .....                               | 67 |
| SEROQUEL XR ORAL TABLET EXTENDED             |    | <i>sodium phenylbutyrate</i> .....                        | 48 |
| RELEASE 24 HR 300 MG.....                    | 36 | <i>sodium polystyrene (sorb free)</i> .....               | 48 |
| SEROQUEL XR ORAL TABLET EXTENDED             |    | <i>sodium polystyrene sulfonate oral</i> .....            | 48 |
| RELEASE 24 HR 400 MG.....                    | 36 | <i>sodium polystyrene sulfonate rectal enema 30 gram/</i> |    |
| SEROQUEL XR ORAL TABLET EXTENDED             |    | <i>120 ml</i> .....                                       | 48 |
| RELEASE 24 HR 50 MG.....                     | 36 |                                                           |    |

|                                                             |                      |
|-------------------------------------------------------------|----------------------|
| SODIUM POLYSTYRENE SULFONATE                                |                      |
| RECTAL ENEMA 50 GRAM/200 ML.....                            | 48                   |
| SOLTAMOX.....                                               | 22                   |
| SOMATULINE DEPOT.....                                       | 22                   |
| SOMAVERT.....                                               | 52                   |
| <i>sorine oral tablet 120 mg, 160 mg.....</i>               | <i>43</i>            |
| <i>sorine oral tablet 240 mg.....</i>                       | <i>43</i>            |
| <i>sorine oral tablet 80 mg.....</i>                        | <i>43</i>            |
| <i>sotalol af oral tablet 120 mg, 160 mg.....</i>           | <i>43</i>            |
| <i>sotalol af oral tablet 80 mg.....</i>                    | <i>43</i>            |
| <i>sotalol oral tablet 120 mg, 160 mg, 240 mg.....</i>      | <i>43</i>            |
| <i>sotalol oral tablet 80 mg.....</i>                       | <i>43</i>            |
| SPIRIVA RESPIMAT.....                                       | 64                   |
| SPIRIVA WITH HANDIHALER.....                                | 64                   |
| <i>spironolacton-hydrochlorothiaz.....</i>                  | <i>43</i>            |
| <i>spironolactone.....</i>                                  | <i>43</i>            |
| <i>sprintec (28).....</i>                                   | <i>60</i>            |
| SPRITAM ORAL TABLET FOR SUSPENSION                          |                      |
| 1,000 MG, 250 MG, 500 MG.....                               | 36                   |
| SPRITAM ORAL TABLET FOR SUSPENSION                          |                      |
| 750 MG.....                                                 | 36                   |
| SPRYCEL.....                                                | 22                   |
| <i>sps (with sorbitol) oral.....</i>                        | <i>48</i>            |
| <i>sps (with sorbitol) rectal.....</i>                      | <i>48</i>            |
| <i>sronyx.....</i>                                          | <i>60</i>            |
| <i>ssd topical cream 1%.....</i>                            | <i>46</i>            |
| STAMARIL (PF).....                                          | 57                   |
| <i>stavudine oral capsule 15 mg.....</i>                    | <i>15</i>            |
| <i>stavudine oral capsule 20 mg.....</i>                    | <i>15</i>            |
| <i>stavudine oral capsule 30 mg.....</i>                    | <i>15</i>            |
| <i>stavudine oral capsule 40 mg.....</i>                    | <i>15</i>            |
| STELARA SUBCUTANEOUS SYRINGE.....                           | 46                   |
| STIMATE.....                                                | 52                   |
| STIOLTO RESPIMAT.....                                       | 64                   |
| STIVARGA.....                                               | 22                   |
| STRATTERA ORAL CAPSULE 10 MG, 18                            |                      |
| MG, 25 MG, 40 MG.....                                       | 36                   |
| STRATTERA ORAL CAPSULE 100 MG, 60                           |                      |
| MG, 80 MG.....                                              | 36                   |
| STREPTOMYCIN.....                                           | 15                   |
| STRIBILD.....                                               | 15                   |
| STROMECTOL.....                                             | 15                   |
| SUCRAID.....                                                | 55                   |
| <i>sucrafate oral tablet.....</i>                           | <i>55</i>            |
| SULAR ORAL TABLET EXTENDED                                  |                      |
| RELEASE 24 HR 17 MG.....                                    | 43                   |
| <i>sulfacetamide sodium (acne).....</i>                     | <i>46</i>            |
| <i>sulfacetamide sodium ophthalmic (eye) drops.....</i>     | <i>62</i>            |
| <i>sulfacetamide sodium ophthalmic (eye)</i>                | <i>ointment.....</i> |
| <i>sulfacetamide-prednisolone.....</i>                      | <i>62</i>            |
| <i>sulfadiazine.....</i>                                    | <i>15</i>            |
| <i>sulfamethoxazole-trimethoprim intravenous.....</i>       | <i>15</i>            |
| <i>sulfamethoxazole-trimethoprim oral suspension.....</i>   | <i>15</i>            |
| <i>sulfamethoxazole-trimethoprim oral tablet.....</i>       | <i>15</i>            |
| SULFAMYLON TOPICAL CREAM.....                               | 46                   |
| <i>sulfasalazine.....</i>                                   | <i>55</i>            |
| <i>sulindac oral tablet 150 mg.....</i>                     | <i>36</i>            |
| <i>sulindac oral tablet 200 mg.....</i>                     | <i>36</i>            |
| <i>sumatriptan nasal spray.....</i>                         | <i>36</i>            |
| <i>sumatriptan succinate oral.....</i>                      | <i>36</i>            |
| <i>sumatriptan succinate subcutaneous cartridge.....</i>    | <i>36</i>            |
| <i>sumatriptan succinate subcutaneous pen injector.....</i> | <i>36</i>            |
| <i>sumatriptan succinate subcutaneous solution.....</i>     | <i>36</i>            |
| SUPREP BOWEL PREP KIT.....                                  | 55                   |
| SURMONTIL.....                                              | 36                   |
| SUSTIVA ORAL CAPSULE 200 MG.....                            | 15                   |
| SUSTIVA ORAL CAPSULE 50 MG.....                             | 15                   |
| SUSTIVA ORAL TABLET.....                                    | 15                   |
| SUTENT ORAL CAPSULE 12.5 MG.....                            | 22                   |
| SUTENT ORAL CAPSULE 25 MG, 37.5 MG,                         |                      |
| 50 MG.....                                                  | 22                   |
| <i>syeda.....</i>                                           | <i>60</i>            |
| SYLATRON.....                                               | 57                   |
| SYMBICORT.....                                              | 64                   |
| SYMBYAX ORAL CAPSULE 12-25 MG, 12-50                        |                      |
| MG, 6-50 MG.....                                            | 36                   |
| SYMBYAX ORAL CAPSULE 3-25 MG.....                           | 36                   |
| SYMFI.....                                                  | 15                   |
| SYMFI LO.....                                               | 15                   |
| SYMLINPEN 120.....                                          | 52                   |
| SYMLINPEN 60.....                                           | 52                   |
| SYNAGIS.....                                                | 15                   |
| SYNAREL.....                                                | 52                   |
| SYNERCID.....                                               | 15                   |
| SYNJARDY.....                                               | 52                   |
| SYNJARDY XR ORAL TABLET, IR - ER,                           |                      |
| BIPHASIC 24HR 10-1,000 MG, 12.5-1,000                       |                      |
| MG, 5-1,000 MG.....                                         | 52                   |
| SYNJARDY XR ORAL TABLET, IR - ER,                           |                      |
| BIPHASIC 24HR 25-1,000 MG.....                              | 52                   |
| SYNRIBO.....                                                | 22                   |
| SYNTHROID.....                                              | 52                   |
| SYPRINE.....                                                | 48                   |
| TABLOID.....                                                | 22                   |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg.....</i>            | <i>22</i>            |

|                                                                                  |    |                                                                                        |    |
|----------------------------------------------------------------------------------|----|----------------------------------------------------------------------------------------|----|
| <i>tacrolimus oral capsule 5 mg</i> .....                                        | 22 | TENORETIC 50.....                                                                      | 43 |
| <i>tacrolimus topical</i> .....                                                  | 46 | <i>terazosin oral capsule</i> .....                                                    | 43 |
| TAFINLAR.....                                                                    | 22 | <i>terbinafine hcl oral</i> .....                                                      | 16 |
| TAGRISSE ORAL TABLET 40 MG.....                                                  | 22 | <i>terbutaline oral</i> .....                                                          | 64 |
| TAGRISSE ORAL TABLET 80 MG.....                                                  | 22 | <i>terbutaline subcutaneous</i> .....                                                  | 64 |
| TALTZ SYRINGE.....                                                               | 46 | <i>terconazole vaginal cream</i> .....                                                 | 60 |
| TAMIFLU ORAL CAPSULE 30 MG, 45<br>MG.....                                        | 15 | <i>terconazole vaginal suppository</i> .....                                           | 60 |
| <i>tamiflu oral capsule 75 mg</i> .....                                          | 15 | <i>testosterone cypionate</i> .....                                                    | 53 |
| TAMIFLU ORAL SUSPENSION FOR<br>RECONSTITUTION.....                               | 15 | <i>testosterone enanthate</i> .....                                                    | 53 |
| <i>tamoxifen</i> .....                                                           | 22 | TESTOSTERONE TRANSDERMAL GEL.....                                                      | 53 |
| <i>tamsulosin</i> .....                                                          | 65 | TESTOSTERONE TRANSDERMAL GEL IN<br>METERED-DOSE PUMP 10 MG/0.5 GRAM<br>/ACTUATION..... | 53 |
| TANZEUM.....                                                                     | 52 | TESTOSTERONE TRANSDERMAL GEL IN<br>METERED-DOSE PUMP 12.5 MG/ 1.25<br>GRAM (1 % )..... | 53 |
| TAPAZOLE.....                                                                    | 53 | <i>testosterone transdermal gel in packet 1 % (25 mg/<br/>2.5gram)</i> .....           | 53 |
| TARCEVA ORAL TABLET 100 MG, 150<br>MG.....                                       | 22 | TESTOSTERONE TRANSDERMAL GEL IN<br>PACKET 1 % (50 MG/5 GRAM).....                      | 53 |
| TARCEVA ORAL TABLET 25 MG.....                                                   | 22 | TETANUS,DIPHThERIA TOX PED(PF).....                                                    | 57 |
| TARGRETIN ORAL.....                                                              | 22 | TETANUS-DIPHThERIA TOXOIDS-TD.....                                                     | 57 |
| TARGRETIN TOPICAL.....                                                           | 22 | <i>tetrabenazine oral tablet 12.5 mg</i> .....                                         | 36 |
| TASIGNA ORAL CAPSULE 150 MG, 200<br>MG.....                                      | 22 | <i>tetrabenazine oral tablet 25 mg</i> .....                                           | 36 |
| TASIGNA ORAL CAPSULE 50 MG.....                                                  | 22 | <i>tetracycline</i> .....                                                              | 16 |
| TAXOTERE INTRAVENOUS SOLUTION 20<br>MG/ML (1 ML), 80 MG/4 ML (20 MG/<br>ML)..... | 22 | THALOMID ORAL CAPSULE 100 MG, 50<br>MG.....                                            | 23 |
| <i>tazarotene</i> .....                                                          | 46 | THALOMID ORAL CAPSULE 150 MG, 200<br>MG.....                                           | 23 |
| TAZORAC.....                                                                     | 46 | <i>theophylline oral elixir</i> .....                                                  | 64 |
| <i>taztia xt</i> .....                                                           | 43 | <i>theophylline oral solution</i> .....                                                | 64 |
| TECENTRIQ.....                                                                   | 22 | <i>theophylline oral tablet extended release 12 hr</i> .....                           | 64 |
| TECFIDERA.....                                                                   | 36 | <i>theophylline oral tablet extended release 24 hr</i> .....                           | 64 |
| TECHNIVIE.....                                                                   | 16 | THIOLA.....                                                                            | 48 |
| TEFLARO.....                                                                     | 16 | <i>thioridazine oral tablet 10 mg, 25 mg, 50 mg</i> .....                              | 36 |
| TEGRETOL XR ORAL TABLET EXTENDED<br>RELEASE 12 HR 100 MG.....                    | 36 | <i>thioridazine oral tablet 100 mg</i> .....                                           | 36 |
| TEKTURNA.....                                                                    | 43 | <i>thiotepa</i> .....                                                                  | 23 |
| TEKTURNA HCT.....                                                                | 43 | <i>thiothixene</i> .....                                                               | 36 |
| <i>telmisartan</i> .....                                                         | 43 | THYMOGLOBULIN.....                                                                     | 57 |
| <i>telmisartan-amlodipine</i> .....                                              | 43 | <i>thyroid (pork) oral tablet 30 mg, 60 mg</i> .....                                   | 53 |
| <i>telmisartan-hydrochlorothiazid</i> .....                                      | 43 | <i>thyroid (pork) oral tablet 90 mg</i> .....                                          | 53 |
| <i>temazepam oral capsule 15 mg, 30 mg</i> .....                                 | 36 | <i>tiagabine</i> .....                                                                 | 36 |
| TEMOVATE TOPICAL CREAM.....                                                      | 46 | TIAZAC.....                                                                            | 43 |
| TEMOVATE TOPICAL OINTMENT.....                                                   | 46 | TICE BCG.....                                                                          | 57 |
| <i>temsirolimus</i> .....                                                        | 22 | TIGECYCLINE.....                                                                       | 16 |
| TENIVAC (PF) INTRAMUSCULAR<br>SYRINGE.....                                       | 57 | TIKOSYN.....                                                                           | 43 |
| <i>tenofovir disoproxil fumarate</i> .....                                       | 16 | <i>tilia fe</i> .....                                                                  | 60 |
| TENORETIC 100.....                                                               | 43 | <i>timolol maleate ophthalmic (eye) drops</i> .....                                    | 62 |

|                                                                    |    |                                                                             |    |
|--------------------------------------------------------------------|----|-----------------------------------------------------------------------------|----|
| <i>timolol maleate ophthalmic (eye) gel forming solution</i> ..... | 62 | <i>tramadol-acetaminophen</i> .....                                         | 37 |
| <i>timolol maleate oral tablet 10 mg, 5 mg</i> .....               | 43 | <i>trandolapril</i> .....                                                   | 43 |
| <i>timolol maleate oral tablet 20 mg</i> .....                     | 43 | <i>trandolapril-verapamil</i> .....                                         | 43 |
| TIMOPTIC OCUDOSE (PF) OPHTHALMIC (EYE) DROPPERETTE 0.25 %.....     | 62 | <i>tranexamic acid intravenous</i> .....                                    | 43 |
| TIMOPTIC OPHTHALMIC (EYE) DROPS 0.25 %.....                        | 62 | <i>tranexamic acid oral</i> .....                                           | 60 |
| TIMOPTIC-XE.....                                                   | 62 | <i>transderm-scop</i> .....                                                 | 55 |
| <i>tinidazole oral tablet 250 mg</i> .....                         | 16 | <i>tranylcypromine</i> .....                                                | 37 |
| <i>tinidazole oral tablet 500 mg</i> .....                         | 16 | <i>travasol 10 %</i> .....                                                  | 67 |
| TIVICAY ORAL TABLET 10 MG.....                                     | 16 | TRAVATAN Z.....                                                             | 62 |
| TIVICAY ORAL TABLET 25 MG, 50 MG.....                              | 16 | <i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i> .....                    | 37 |
| <i>tizanidine oral tablet</i> .....                                | 36 | <i>trazodone oral tablet 300 mg</i> .....                                   | 37 |
| TOBRADEX OPHTHALMIC (EYE) OINTMENT.....                            | 62 | TREANDA INTRAVENOUS RECON SOLN.....                                         | 23 |
| TOBRADEX ST.....                                                   | 62 | TRECATOR.....                                                               | 16 |
| <i>tobramycin</i> .....                                            | 62 | TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML.....                           | 23 |
| <i>tobramycin in 0.225% nacl for nebulization</i> .....            | 16 | TRELSTAR INTRAMUSCULAR SYRINGE 22.5 MG/2 ML.....                            | 23 |
| <i>tobramycin sulfate injection recon soln</i> .....               | 16 | TRELSTAR INTRAMUSCULAR SYRINGE 3.75 MG/2 ML.....                            | 23 |
| <i>tobramycin sulfate injection solution</i> .....                 | 16 | <i>tretinoin (chemotherapy)</i> .....                                       | 23 |
| <i>tobramycin-dexamethasone ophthalmic suspension</i> .....        | 62 | <i>tretinoin topical cream</i> .....                                        | 46 |
| <i>tolazamide oral tablet 250 mg</i> .....                         | 53 | <i>tretinoin topical gel 0.01 %, 0.025 %</i> .....                          | 46 |
| <i>tolazamide oral tablet 500 mg</i> .....                         | 53 | <i>tri-estarylla</i> .....                                                  | 60 |
| <i>tolbutamide</i> .....                                           | 53 | <i>tri-legest fe</i> .....                                                  | 60 |
| <i>tolcapone</i> .....                                             | 36 | <i>tri-linyah</i> .....                                                     | 60 |
| <i>tolterodine oral capsule, extended release 24hr</i> .....       | 65 | <i>tri-previfem (28)</i> .....                                              | 60 |
| <i>tolterodine oral tablet</i> .....                               | 65 | <i>tri-sprintec (28)</i> .....                                              | 60 |
| <i>topiramate oral capsule, sprinkle</i> .....                     | 36 | <i>triamcinolone acetonide dental</i> .....                                 | 48 |
| <i>topiramate oral tablet 100 mg</i> .....                         | 36 | <i>triamcinolone acetonide injection</i> .....                              | 53 |
| <i>topiramate oral tablet 200 mg</i> .....                         | 37 | <i>triamcinolone acetonide nasal</i> .....                                  | 64 |
| <i>topiramate oral tablet 25 mg</i> .....                          | 37 | <i>triamcinolone acetonide topical cream 0.025 %</i> .....                  | 46 |
| <i>topiramate oral tablet 50 mg</i> .....                          | 37 | <i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> .....             | 46 |
| <i>toposar</i> .....                                               | 23 | <i>triamcinolone acetonide topical lotion</i> .....                         | 46 |
| <i>topotecan intravenous recon soln</i> .....                      | 23 | <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> ..... | 46 |
| <i>topotecan intravenous solution</i> .....                        | 23 | <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> .....         | 43 |
| TOPROL XL.....                                                     | 43 | <i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i> .....           | 43 |
| TORISEL.....                                                       | 23 | <i>triamterene-hydrochlorothiazid oral tablet</i> .....                     | 43 |
| <i>toremide oral</i> .....                                         | 43 | <i>trianex</i> .....                                                        | 46 |
| TOUJEO MAX U-300 SOLOSTAR.....                                     | 53 | TRIBENZOR.....                                                              | 43 |
| TOUJEO SOLOSTAR U-300 INSULIN.....                                 | 53 | TRICOR ORAL TABLET 48 MG.....                                               | 43 |
| TOVIAZ.....                                                        | 65 | <i>triderm topical cream</i> .....                                          | 46 |
| TRACLEER ORAL TABLET.....                                          | 64 | <i>trientine</i> .....                                                      | 48 |
| TRACLEER ORAL TABLET FOR SUSPENSION.....                           | 64 | <i>trifluoperazine oral tablet 1 mg, 2 mg</i> .....                         | 37 |
| TRADJENTA.....                                                     | 53 |                                                                             |    |
| <i>tramadol oral tablet</i> .....                                  | 37 |                                                                             |    |

|                                                         |    |                                                                                                         |    |
|---------------------------------------------------------|----|---------------------------------------------------------------------------------------------------------|----|
| <i>trifluoperazine oral tablet 10 mg, 5 mg</i> .....    | 37 | <i>valacyclovir oral tablet 500 mg</i> .....                                                            | 16 |
| <i>trifluridine</i> .....                               | 62 | VALCHLOR.....                                                                                           | 46 |
| <i>trihexyphenidyl</i> .....                            | 37 | <i>valganciclovir oral tablet</i> .....                                                                 | 16 |
| TRILIPIX ORAL CAPSULE,DELAYED                           |    | <i>valproate sodium</i> .....                                                                           | 37 |
| RELEASE(DR/EC) 45 MG.....                               | 43 | <i>valproic acid</i> .....                                                                              | 37 |
| <i>trilyte with flavor packets</i> .....                | 55 | <i>valproic acid (as sodium salt) oral solution 250 mg/<br/>5 ml</i> .....                              | 37 |
| <i>trimethoprim</i> .....                               | 16 | <i>valproic acid (as sodium salt) oral solution 250 mg/<br/>5 ml (5 ml), 500 mg/10 ml (10 ml)</i> ..... | 37 |
| <i>trimipramine</i> .....                               | 37 | <i>valsartan</i> .....                                                                                  | 43 |
| <i>trinessa (28)</i> .....                              | 60 | <i>valsartan-hydrochlorothiazide</i> .....                                                              | 43 |
| TRINTELLIX ORAL TABLET 10 MG.....                       | 37 | VANCOMYCIN IN 0.9 % SODIUM CHL                                                                          |    |
| TRINTELLIX ORAL TABLET 20 MG.....                       | 37 | INTRAVENOUS PIGGYBACK.....                                                                              | 16 |
| TRINTELLIX ORAL TABLET 5 MG.....                        | 37 | VANCOMYCIN IN DEXTROSE 5 %                                                                              |    |
| TRISENOX INTRAVENOUS SOLUTION 2                         |    | INTRAVENOUS PIGGYBACK 1 GRAM/200                                                                        |    |
| MG/ML.....                                              | 23 | ML.....                                                                                                 | 16 |
| TRIUMEQ.....                                            | 16 | VANCOMYCIN IN DEXTROSE 5 %                                                                              |    |
| <i>trivora (28)</i> .....                               | 60 | INTRAVENOUS PIGGYBACK 500 MG/100                                                                        |    |
| TROGARZO.....                                           | 16 | ML, 750 MG/150 ML.....                                                                                  | 16 |
| TROPHAMINE 10 %.....                                    | 67 | <i>vancomycin intravenous recon soln 1,000 mg, 10</i>                                                   |    |
| TROPHAMINE 6%.....                                      | 67 | <i>gram, 5 gram, 500 mg</i> .....                                                                       | 16 |
| <i>tropium oral capsule,extended release 24hr</i> ..... | 65 | VANCOMYCIN INTRAVENOUS RECON                                                                            |    |
| <i>tropium oral tablet</i> .....                        | 65 | SOLN 250 MG.....                                                                                        | 16 |
| TRULICITY.....                                          | 53 | VANCOMYCIN INTRAVENOUS RECON                                                                            |    |
| TRUMENBA.....                                           | 57 | SOLN 750 MG.....                                                                                        | 16 |
| TRUVADA.....                                            | 16 | <i>vancomycin oral capsule 125 mg</i> .....                                                             | 16 |
| TWINRIX (PF) INTRAMUSCULAR                              |    | <i>vancomycin oral capsule 250 mg</i> .....                                                             | 16 |
| SYRINGE.....                                            | 57 | <i>vandazole</i> .....                                                                                  | 60 |
| TWYNSTA ORAL TABLET 40-10 MG, 40-5                      |    | VAQTA (PF).....                                                                                         | 57 |
| MG, 80-5 MG.....                                        | 43 | VARIVAX (PF).....                                                                                       | 57 |
| TYBOST.....                                             | 16 | VARIZIG INTRAMUSCULAR                                                                                   |    |
| TYKERB.....                                             | 23 | SOLUTION.....                                                                                           | 57 |
| TYPHIM VI INTRAMUSCULAR                                 |    | VASCEPA.....                                                                                            | 43 |
| SOLUTION.....                                           | 57 | VASERETIC.....                                                                                          | 43 |
| TYPHIM VI INTRAMUSCULAR                                 |    | VASOTEC ORAL TABLET 2.5 MG.....                                                                         | 43 |
| SYRINGE.....                                            | 57 | VECAMEYL.....                                                                                           | 43 |
| TYSABRI.....                                            | 37 | VECTIBIX.....                                                                                           | 23 |
| UCERIS ORAL.....                                        | 55 | VELCADE.....                                                                                            | 23 |
| ULORIC.....                                             | 59 | <i>velivet triphasic regimen (28)</i> .....                                                             | 61 |
| <i>unithroid oral tablet 100 mcg, 112 mcg, 125 mcg,</i> |    | VENCLEXTA ORAL TABLET 10 MG.....                                                                        | 23 |
| <i>150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg,</i>      |    | VENCLEXTA ORAL TABLET 100 MG.....                                                                       | 23 |
| <i>50 mcg, 75 mcg, 88 mcg</i> .....                     | 53 | VENCLEXTA ORAL TABLET 50 MG.....                                                                        | 23 |
| <i>unithroid oral tablet 137 mcg</i> .....              | 53 | VENCLEXTA STARTING PACK.....                                                                            | 23 |
| UNITUXIN.....                                           | 23 | <i>venlafaxine oral capsule,extended release 24hr 150</i>                                               |    |
| UPTRAVI ORAL TABLET.....                                | 43 | <i>mg</i> .....                                                                                         | 37 |
| UPTRAVI ORAL TABLETS,DOSE PACK.....                     | 43 | <i>venlafaxine oral capsule,extended release 24hr 37.5</i>                                              |    |
| <i>ursodiol</i> .....                                   | 55 | <i>mg</i> .....                                                                                         | 37 |
| UVADEX.....                                             | 46 |                                                                                                         |    |
| VAGIFEM.....                                            | 60 |                                                                                                         |    |
| <i>valacyclovir oral tablet 1 gram</i> .....            | 16 |                                                                                                         |    |

|                                                              |                                                              |
|--------------------------------------------------------------|--------------------------------------------------------------|
| <i>venlafaxine oral capsule,extended release 24hr 75</i>     | VIMPAT ORAL TABLET 150 MG, 200                               |
| <i>mg</i> .....                                              | MG.....                                                      |
| 37                                                           | 37                                                           |
| <i>venlafaxine oral tablet 100 mg</i> .....                  | VIMPAT ORAL TABLET 50 MG.....                                |
| 37                                                           | 37                                                           |
| <i>venlafaxine oral tablet 25 mg</i> .....                   | <i>vinblastine intravenous solution</i> .....                |
| 37                                                           | 23                                                           |
| <i>venlafaxine oral tablet 37.5 mg</i> .....                 | <i>vincasar pfs intravenous solution 1 mg/ml</i> .....       |
| 37                                                           | 23                                                           |
| <i>venlafaxine oral tablet 50 mg</i> .....                   | <i>vincasar pfs intravenous solution 2 mg/2 ml</i> .....     |
| 37                                                           | 23                                                           |
| <i>venlafaxine oral tablet 75 mg</i> .....                   | <i>vincristine intravenous solution 1 mg/ml</i> .....        |
| 37                                                           | 23                                                           |
| <i>venlafaxine oral tablet extended release 24hr 150</i>     | <i>vincristine intravenous solution 2 mg/2 ml</i> .....      |
| <i>mg</i> .....                                              | 23                                                           |
| 37                                                           | <i>vinorelbine</i> .....                                     |
| VENLAFAXINE ORAL TABLET EXTENDED                             | 23                                                           |
| RELEASE 24HR 225 MG.....                                     | <i>viorele (28)</i> .....                                    |
| 37                                                           | 61                                                           |
| <i>venlafaxine oral tablet extended release 24hr 37.5</i>    | VIRACEPT ORAL TABLET 250 MG.....                             |
| <i>mg</i> .....                                              | 16                                                           |
| 37                                                           | VIRACEPT ORAL TABLET 625 MG.....                             |
| <i>venlafaxine oral tablet extended release 24hr 75</i>      | VIRAMUNE ORAL SUSPENSION.....                                |
| <i>mg</i> .....                                              | 16                                                           |
| 37                                                           | VIRAMUNE XR ORAL TABLET EXTENDED                             |
| VENTAVIS.....                                                | RELEASE 24 HR 100 MG.....                                    |
| 64                                                           | 16                                                           |
| VENTOLIN HFA.....                                            | VIREAD ORAL POWDER.....                                      |
| 65                                                           | 16                                                           |
| <i>verapamil intravenous solution</i> .....                  | VIREAD ORAL TABLET.....                                      |
| 43                                                           | 16                                                           |
| <i>verapamil intravenous syringe</i> .....                   | VIVELLE-DOT.....                                             |
| 43                                                           | 61                                                           |
| <i>verapamil oral capsule, 24 hr er pellet ct</i> .....      | VOLTAREN TOPICAL.....                                        |
| 43                                                           | 37                                                           |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg,</i> | <i>voriconazole intravenous</i> .....                        |
| <i>180 mg, 240 mg</i> .....                                  | <i>voriconazole oral suspension for reconstitution</i> ..... |
| 43                                                           | 16                                                           |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 360</i>     | <i>voriconazole oral tablet 200 mg</i> .....                 |
| <i>mg</i> .....                                              | 16                                                           |
| 43                                                           | <i>voriconazole oral tablet 50 mg</i> .....                  |
| <i>verapamil oral tablet</i> .....                           | 16                                                           |
| 43                                                           | VOSEVI.....                                                  |
| <i>verapamil oral tablet extended release 120 mg</i> .....   | 17                                                           |
| 43                                                           | VOTRIENT.....                                                |
| <i>verapamil oral tablet extended release 180 mg, 240</i>    | 23                                                           |
| <i>mg</i> .....                                              | VPRIV.....                                                   |
| 43                                                           | 53                                                           |
| VERSACLOZ.....                                               | VRAYLAR ORAL CAPSULE.....                                    |
| 37                                                           | 37                                                           |
| VERZENIO.....                                                | VRAYLAR ORAL CAPSULE,DOSE PACK.....                          |
| 23                                                           | 37                                                           |
| VESICARE.....                                                | <i>vyfemla (28)</i> .....                                    |
| 65                                                           | 61                                                           |
| VICTOZA 2-PAK.....                                           | VYXEOS.....                                                  |
| 53                                                           | 23                                                           |
| VICTOZA 3-PAK.....                                           | <i>warfarin</i> .....                                        |
| 53                                                           | 43                                                           |
| VIDEX 2 GRAM PEDIATRIC.....                                  | <i>water for irrigation, sterile</i> .....                   |
| 16                                                           | 48                                                           |
| VIDEX 4 GRAM PEDIATRIC.....                                  | WELCHOL.....                                                 |
| 16                                                           | 43                                                           |
| VIDEX EC ORAL CAPSULE,DELAYED                                | XALATAN.....                                                 |
| RELEASE(DR/EC) 125 MG.....                                   | 62                                                           |
| 16                                                           | XALKORI.....                                                 |
| <i>vigabatrin</i> .....                                      | 23                                                           |
| 37                                                           | XARELTO ORAL TABLET 10 MG, 20                                |
| VIGAMOX.....                                                 | MG.....                                                      |
| 62                                                           | 43                                                           |
| VIIBRYD ORAL TABLET 10 MG.....                               | XARELTO ORAL TABLET 15 MG.....                               |
| 37                                                           | 44                                                           |
| VIIBRYD ORAL TABLET 20 MG.....                               | XARELTO ORAL TABLETS,DOSE PACK.....                          |
| 37                                                           | 44                                                           |
| VIIBRYD ORAL TABLET 40 MG.....                               | XATMEP.....                                                  |
| 37                                                           | 23                                                           |
| VIIBRYD ORAL TABLETS,DOSE PACK 10                            | XELJANZ.....                                                 |
| MG (7)- 20 MG (23).....                                      | 59                                                           |
| 37                                                           | XENAZINE ORAL TABLET 12.5 MG.....                            |
| VIMPAT INTRAVENOUS.....                                      | 38                                                           |
| 37                                                           | XENAZINE ORAL TABLET 25 MG.....                              |
| VIMPAT ORAL SOLUTION.....                                    | 38                                                           |
| 37                                                           | XEOMIN INTRAMUSCULAR RECON SOLN                              |
| VIMPAT ORAL TABLET 100 MG.....                               | 100 UNIT, 50 UNIT.....                                       |
| 37                                                           | 57                                                           |
|                                                              | XEOMIN INTRAMUSCULAR RECON SOLN                              |
|                                                              | 200 UNIT.....                                                |
|                                                              | 57                                                           |
|                                                              | XGEVA.....                                                   |
|                                                              | 23                                                           |

|                                                       |    |                                                         |    |
|-------------------------------------------------------|----|---------------------------------------------------------|----|
| XIFAXAN ORAL TABLET 550 MG.....                       | 17 | <i>ziprasidone hcl oral capsule 20 mg.....</i>          | 38 |
| XIIDRA.....                                           | 62 | <i>ziprasidone hcl oral capsule 40 mg.....</i>          | 38 |
| XOLAIR.....                                           | 65 | <i>ziprasidone hcl oral capsule 60 mg, 80 mg.....</i>   | 38 |
| XTANDI.....                                           | 23 | ZIRGAN.....                                             | 62 |
| <i>xulane.....</i>                                    | 61 | ZITHROMAX ORAL PACKET.....                              | 17 |
| XYREM.....                                            | 38 | ZITHROMAX ORAL TABLET 250 MG.....                       | 17 |
| YERVOY.....                                           | 23 | ZITHROMAX Z-PAK.....                                    | 17 |
| YF-VAX (PF).....                                      | 57 | ZOCOR ORAL TABLET 10 MG.....                            | 44 |
| YONDELIS.....                                         | 23 | <i>zoledronic acid intravenous solution 4 mg/5 ml</i>   |    |
| YONSA.....                                            | 23 | <i>intravenous solution.....</i>                        | 53 |
| <i>yuvaferm.....</i>                                  | 61 | <i>zoledronic acid-mannitol-water 5 mg/100 ml.....</i>  | 48 |
| <i>zafirlukast.....</i>                               | 65 | ZOLINZA.....                                            | 23 |
| <i>zaleplon oral capsule 10 mg.....</i>               | 38 | <i>zolpidem oral tablet.....</i>                        | 38 |
| <i>zaleplon oral capsule 5 mg.....</i>                | 38 | <i>zolpidem oral tablet,ext release multiphase.....</i> | 38 |
| ZALTRAP.....                                          | 23 | ZOMETA INTRAVENOUS PIGGYBACK.....                       | 53 |
| ZANOSAR.....                                          | 23 | <i>zonisamide oral capsule 100 mg, 50 mg.....</i>       | 38 |
| ZARAH.....                                            | 61 | <i>zonisamide oral capsule 25 mg.....</i>               | 38 |
| ZARONTIN ORAL CAPSULE.....                            | 38 | ZORTRESS ORAL TABLET 0.25 MG.....                       | 23 |
| ZAVESCA.....                                          | 53 | ZORTRESS ORAL TABLET 0.5 MG, 0.75                       |    |
| ZEJULA.....                                           | 23 | MG.....                                                 | 23 |
| ZELBORAF.....                                         | 23 | ZOSTAVAX (PF).....                                      | 57 |
| <i>zenatane oral capsule 10 mg, 20 mg, 40 mg.....</i> | 46 | <i>zovia 1/35e (28).....</i>                            | 61 |
| <i>zenatane oral capsule 30 mg.....</i>               | 46 | ZYDELIG.....                                            | 23 |
| <i>zenchent (28).....</i>                             | 61 | ZYKADIA.....                                            | 23 |
| <i>zenzedi oral tablet 10 mg.....</i>                 | 38 | ZYPREXA RELPREVV INTRAMUSCULAR                          |    |
| <i>zenzedi oral tablet 5 mg.....</i>                  | 38 | SUSPENSION FOR RECONSTITUTION                           |    |
| ZERIT ORAL RECON SOLN.....                            | 17 | 210 MG.....                                             | 38 |
| ZESTORETIC.....                                       | 44 | ZYPREXA RELPREVV INTRAMUSCULAR                          |    |
| ZESTRIL ORAL TABLET 10 MG, 20 MG, 40                  |    | SUSPENSION FOR RECONSTITUTION                           |    |
| MG, 5 MG.....                                         | 44 | 300 MG, 405 MG.....                                     | 38 |
| ZETIA.....                                            | 44 | ZYTIGA ORAL TABLET 250 MG.....                          | 24 |
| ZIAC ORAL TABLET 10-6.25 MG, 5-6.25                   |    | ZYTIGA ORAL TABLET 500 MG.....                          | 24 |
| MG.....                                               | 44 | ZYVOX INTRAVENOUS PIGGYBACK 200                         |    |
| ZIAGEN ORAL SOLUTION.....                             | 17 | MG/100 ML.....                                          | 17 |
| <i>zidovudine oral capsule.....</i>                   | 17 | ZYVOX INTRAVENOUS PIGGYBACK 600                         |    |
| <i>zidovudine oral syrup.....</i>                     | 17 | MG/300 ML.....                                          | 17 |
| <i>zidovudine oral tablet.....</i>                    | 17 | ZYVOX ORAL SUSPENSION FOR                               |    |
| ZIOPTAN (PF).....                                     | 62 | RECONSTITUTION.....                                     | 17 |











Anthem Blue Cross is an HMO plan with a Medicare contract. Enrollment in Anthem Blue Cross depends on contract renewal.

Anthem Blue Cross is the trade name of Blue Cross of California. Independent licensee of the Blue Cross Association. Anthem is a registered trademark of Anthem Insurance Companies, Inc. The Blue Cross name and symbol are registered marks of the Blue Cross Association.

ATENCIÓN: Si usted habla español, servicios de asistencia en español, de forma gratuita, están disponibles para usted. Llame al 1-888-230-7338 (TTY: 711)

This formulary was updated on October 1, 2018. For more recent information or other questions, please contact Anthem MediBlue Plus (HMO) Customer Service, at 1-888-230-7338 or, for TTY users, 711, 8 a.m. to 8 p.m., seven days a week (except Thanksgiving and Christmas) from October 1 through February 14, and Monday to Friday (except holidays) from February 15 through September 30., or visit <https://shop.anthem.com/medicare/ca>.